

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Operator: License # 4058
Name: American Warrior, Inc.
Address: P. O. Box 399
City/State/Zip: Garden City, KS 67846
Purchaser: NCRA
Operator Contact Person: Kevin Wiles, Sr.
Phone: (620) 275-2963
Contractor: Name: Duke Drilling Co., Inc.
License: 5929
Wellsite Geologist: MARC DOWNING

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

<u>7-17-08</u>	<u>7-22-08</u>	<u>PLUGGED 7-23-08</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - ¹⁵⁹~~15-22,578-6000~~
County: RICE COUNTY, KS
SW SE NW NE Sec. 35 Twp. 21 S. R. 8 East West
1280 FNL feet from S / (N) (circle one) Line of Section
1700 FEL feet from E / W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: BULL CREEK Well #: 1-35
Field Name: BULL CREEK

Producing Formation: UM
Elevation: Ground: 1620' Kelly Bushing: 1628'
Total Depth: 3485 Plug Back Total Depth: N/A
Amount of Surface Pipe Set and Cemented at 298 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from _____
feet depth to _____ w/ _____ sx cmt.

Drilling Fluid Management Plan P+TA AIT I NUR
(Data must be collected from the Reserve Pit) 8-28-08
Chloride content 9000 ppm Fluid volume 240 bbls
Dewatering method used Hauled Off Site

Location of fluid disposal if hauled offsite:
Operator Name: American Warrior, Inc.
Lease Name: Buehler License No.: 4058
Quarter NW/4 Sec. 33 Twp. 18 S. R. 10 East West
County: Rice Docket No.: N/A

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]
Title: Compliance Coordinator Date: 8-19-08
Subscribed and sworn to before me this 19th day of August,
20 08.
Notary Public: [Signature]
Date Commission Expires: 09-12-09

 **ERICA KUHLMEIER**
Notary Public - State of Kansas
My Appt. Expires 09-12-09

KCC Office Use ONLY

Letter of Confidentiality Received
 If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

RECEIVED
KANSAS CORPORATION COMMISSION

AUG 26 2008

CONSERVATION DIVISION
WICHITA, KS

Operator Name: American Warrior, Inc. Lease Name: BULL CREEK Well #: 1-35
 Sec. 35 Twp. 21 S. R. 8 East West County: RICE COUNTY, KS

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: Dual Compensated Porosity Log, Dual Induction Log, Borehole Compensated Sonic Log, Microresistivity Log	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:60%;">Name</td> <td style="width:20%;">Top</td> <td style="width:20%;">Datum</td> </tr> <tr> <td>Heebner</td> <td>2776</td> <td>-1150</td> </tr> <tr> <td>Douglas Sh.</td> <td>2803</td> <td>-1177</td> </tr> <tr> <td>Brown Lime</td> <td>2923</td> <td>-1297</td> </tr> <tr> <td>Lansing</td> <td>2952</td> <td>-1326</td> </tr> <tr> <td>BKC</td> <td>3284</td> <td>-1658</td> </tr> <tr> <td>Conglomerate</td> <td>3370</td> <td>-1744</td> </tr> <tr> <td>Mississippi</td> <td>3384</td> <td>-1758</td> </tr> <tr> <td>Kinderhook</td> <td>3427</td> <td>-1801</td> </tr> </table>	Name	Top	Datum	Heebner	2776	-1150	Douglas Sh.	2803	-1177	Brown Lime	2923	-1297	Lansing	2952	-1326	BKC	3284	-1658	Conglomerate	3370	-1744	Mississippi	3384	-1758	Kinderhook	3427	-1801
Name	Top	Datum																										
Heebner	2776	-1150																										
Douglas Sh.	2803	-1177																										
Brown Lime	2923	-1297																										
Lansing	2952	-1326																										
BKC	3284	-1658																										
Conglomerate	3370	-1744																										
Mississippi	3384	-1758																										
Kinderhook	3427	-1801																										

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface Pipe	12-1/4"	8-5/8"	24#	298'	Common	300	3%CC, 2%gel

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
	P & A		

TUBING RECORD		Size	Set At	Packer At	Liner Run	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr.		Producing Method				
N/A		<input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)				
Estimated Production Per 24 Hours	Oil Bbbs.	Gas Mcf	Water Bbbs.	Gas-Oil Ratio	Gravity	
	N/A	N/A	N/A			

Disposition of Gas	METHOD OF COMPLETION	Production Interval
<input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	<input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input checked="" type="checkbox"/> Other (Specify) <u>PLUGGED 7-23-08</u>	

RECEIVED
KANSAS CORPORATION COMMISSION

AUG 26 2008

CONSERVATION DIVISION
WICHITA, KS

ALLIED CEMENTING CO., LLC. 33142

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Great Bend 14

DATE <u>7-17-08</u>	SEC. <u>35</u>	TWP. <u>21</u>	RANGE <u>8</u>	CALLED OUT <u>8:00AM</u>	ON LOCATION <u>10:00AM</u>	JOB START <u>12:00PM</u>	JOB FINISH <u>12:30PM</u>
LEASE <u>Bull Creek</u>	WELL # <u>1-35</u>		LOCATION <u>Sterling - 1S, 2 1/4E, 5/5</u>			COUNTY <u>Rice</u>	STATE <u>Ks</u>
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR Dube #8

TYPE OF JOB Surface

HOLE SIZE 12 1/4" T.D. 298'

CASING SIZE 8 5/8" DEPTH 298'

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. 15'

PERFS. _____

DISPLACEMENT 18 bbls

OWNER Same

CEMENT

AMOUNT ORDERED 300 lbs Common

300cc 270 del

EQUIPMENT

PUMP TRUCK CEMENTER Tom D

120 HELPER Rich H

BULK TRUCK

344-112 DRIVER Marilyn S

BULK TRUCK

_____ DRIVER _____

COMMON	<u>300 del</u>	@	<u>13.50</u>	<u>4050.00</u>
POZMIX		@		
GEL	<u>6 del</u>	@	<u>20.25</u>	<u>121.50</u>
CHLORIDE	<u>9 del</u>	@	<u>51.50</u>	<u>463.50</u>
ASC		@		
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>315 del</u>	@	<u>2.25</u>	<u>708.75</u>
MILEAGE	<u>315 del</u>	<u>10</u>	<u>42</u>	<u>1323.00</u>
TOTAL				<u>6,666.75</u>

REMARKS:

Run 298' of 8 5/8" cas. Break circulation.

Mixed 300 lbs Common 300cc 270 del.

Released Plug. Displaced with fresh

H₂O.

Cement did circulate

[Signature]

SERVICE

DEPTH OF JOB 298'

PUMP TRUCK CHARGE _____ 991.00

EXTRA FOOTAGE _____ @ _____

MILEAGE 42 @ 7.50 315.00

MANIFOLD _____ @ _____

Head Rent @ 110.00 110.00

_____ @ _____

CHARGE TO: American Warrior

STREET _____

CITY _____ STATE _____ ZIP _____

TOTAL 1,416.00

PLUG & FLOAT EQUIPMENT

1- 8 5/8" TWP @ 66.00 66.00

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

TOTAL 66.00

To Allied Cementing Co., LLC.

You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

SALES TAX (If Any) _____

TOTAL CHARGES _____

DISCOUNT _____ IF PAID IN 30 DAYS

PRINTED NAME X

SIGNATURE X

Ray Steve Stephens

ALLIED CEMENTING CO., LLC. 32814

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Great Bend KS

DATE <u>7-23-08</u>	SEC. <u>35</u>	TWP. <u>21</u>	RANGE <u>6</u>	CALLED OUT <u>8:30 AM</u>	ON LOCATION <u>1:00 PM</u>	JOB START <u>2:00 PM</u>	JOB FINISH <u>4:00 PM</u>
LEASE <u>Bull Creek</u>	WELL# <u>1-35</u>	LOCATION <u>Stirling US South TOY RD</u>			COUNTY <u>Rice</u>	STATE <u>KS</u>	
<input checked="" type="radio"/> OLD OR NEW (Circle one)			<u>2 East North into</u>				

CONTRACTOR <u>Duke Ritz</u>	OWNER <u>American warrior INC</u>
TYPE OF JOB <u>plug</u>	CEMENT
HOLE SIZE <u>12 1/4</u>	AMOUNT ORDERED <u>155 SK 60/40 4% GEL</u>
CASING SIZE <u>4 1/2</u>	
TUBING SIZE	
DRILL PIPE <u>4 1/2</u>	
TOOL	
PRES. MAX <u>0</u>	COMMON <u>93</u> @ <u>13.50</u> <u>1255.50</u>
MEAS. LINE	POZMIX <u>62</u> @ <u>7.55</u> <u>468.10</u>
CEMENT LEFT IN CSG.	GEL <u>6</u> @ <u>20.25</u> <u>121.50</u>
PERFS.	CHLORIDE @
DISPLACEMENT <u>14 BBLs</u>	ASC @
EQUIPMENT	@
	@
PUMP TRUCK CEMENTER <u>Wayne D</u>	@
# <u>181</u> HELPER <u>Joe D</u>	@
BULK TRUCK	@
# <u>342</u> DRIVER <u>Carl S</u>	@
BULK TRUCK	@
#	@
	HANDLING <u>161</u> @ <u>2.25</u> <u>362.25</u>
	MILEAGE <u>161 x 4.2 x 1.10</u> <u>676.20</u>
	TOTAL <u>2883.55</u>

REMARKS:

1075 35 SK 18 BBLs Ahead Mix 5 1/2 BBLs
625 35 SK 5 BBLs Displacement
350 35 SK 2 BBLs Displacement
60 25 SK 2 BBLs Displacement
Rat 15 SK
mouse 10 SK

SERVICE

DEPTH OF JOB <u>1075</u>	
PUMP TRUCK CHARGE	<u>990.00</u>
EXTRA FOOTAGE @	
MILEAGE <u>42</u> @ <u>7.50</u>	<u>315.00</u>
MANIFOLD @	
@	
@	

TOTAL 1305.00

CHARGE TO: American warrior INC
 STREET Po Box 399
 CITY Garden City STATE KS ZIP 67846

PLUG & FLOAT EQUIPMENT

@	
@	
@	
@	
@	

TOTAL _____

SALES TAX (If Any) _____

TOTAL CHARGES _____

DISCOUNT _____ IF PAID IN 30 DAYS

To Allied Cementing Co., LLC.
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME Steve H. Stephens

SIGNATURE Steve H. Stephens

RECEIVED
KANSAS CORPORATION CO.

AUG 26 2008