ORIGINAL

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

September 1999 Form Must Be Typed

WICHITA KS
CONSERVATION DIVISION
WICHITA KS

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License #5447	API No. 15 - <u>067-20279-0001</u>
Name: OXY USA Inc.	County: Grant
Address: P.O. Box 2528	<u>C - NE</u> Sec <u>18</u> Twp. <u>28</u> S. R <u>36W</u>
City/State/Zip: <u>Liberal, KS 67905</u>	feet from S (Circle one) Line of Section
Purchaser:Duke	feet from W (circle one) Line of Section
Operator Contact Person: Jarod Powell	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 629-4200	(circle one) (NE) SE NW SW
Contractor: Name: Best Well Service	Lease Name: Kaufman B Well #: 2
License: 32504 N/A	Field Name: Panoma
ellsite Geologist: N/A	Producing Formation: Chase/Council Grove
Designate Type of Completion:	Elevation: Ground: 3070 Kelly Bushing: 3075
New Well Re-EntryX Workover	Total Depth: 2900 Plug Back Total Depth: 2872
Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented atfeet
X Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ☐ Yes⊠ No
Dry Other (Core, WSW. Expl. @athourciato)	If yes, show depth set
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator: OXY USA, Inc.	feet depth to w/ sx cmt.
Well Name:	
	Drilling Fluid Management Plan Worker AHI NCL
Original Comp. Date: 03/06/1973 Original Total Depth: 2900	(Data must be collected from the Reserve Pit) 8-28-08
Deepening X Re-perf. Conv. To Enhr./SWD	Chloride content ppm Fluid volume bbls
Plug Back Plug Back Total Depth	Dewatering method used
Commingled Docket No.	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	Operator Name:
Other (SWD or Enhr.?) Docket No.	Lease Name: License No.:
02/25/03 01/26/1973 03/18/2008	Quarter Sec Twp,S. R
Spud Date or Date Reached TD Completion Date or	
Recompletion Date Recompletion Date	County: Docket No.:
INOTELIOTIONO A STATE OF THE ST	
INSTRUCTIONS: An original an two copies of this form shall be filed with the Kansas 6702, within 120 days of the spud date, recompletion, workover or confider in the side two of this form will be held confider itial for a period of 12 107 for confidentiality in excess of 12 months). One copy of all wireline logs of CEMENTINGTICKETS MUST BE ATTACHED. Submit CP-4 form with all plus	ponversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. months if requested in writing and submitted with the form (see rule 82-3- and geologist well report shall be attached with this form. ALL
All requirements of the statutes, rules and regulations promulgated to regulate	e the oil and gas industry have been fully complied with and the statements
herein are complete and correct to the best of my knowledge.	
$\mathcal{A}(I)I$	KCC Office Use Only
Signature:	Lotter of Confidentiality Attached
Title: Capital Assets Date May 28, 2008	Letter of Confidentiality Attached (If DeniedbyYes 2 Date: 8/22/078
Subscribed and sworn to before me this 28 day of	II Deliled 1 es LEI Date
20 08 0	Wireline Log Received
Notary Public: anita Leterson	Geologist Report Received
$O_{\rm AL}$ i $O_{\rm A}O_{\rm A}$	UIC Distribution RECEIVED
Date Commission Expires: WCT-1, JUD 9	Tun #4. KANSAS CORPORATION COMMISSI
A ANITA PETERSON	KANSAS CORPORATION COMMISSION JUN U 2 2008
	· · ·

ANITA PETERSON

ANITA PETEROO...
Notary Public - State of Kansas
My Appt. Expires October 1, 2009

Side Two

Óperator Name:	OX	Y USA Inc.			Lease Name	: Kaufm	nan B	Well #:	2
Sec. <u>18</u>	Twp. <u>28</u> S.	R. <u>36W</u>	Eas.	☐ West	County:		Grant		ν
time tool open an fluid recovery, an	ow important tops a d closed, flowing ar d flow rates if gas to veyed. Attach final	nd shut-in pres o surface test,	ssures, whe , along with	ether shut-in p final chart(s).	ressure reach	ned static level,	hydrostatic pr	essures, bottom	hole temperature,
Drill Stem Tests		Yes [⊠ No		Log	Formation (To	p), Depth and	Datum	Sample
•	·		57 N		Name			Тор	Datum
•	Geological Survey		⊠ No ⊠ No						
Cores Taken Electric Log Run			⊠ No						
(Submit Copy) List All E. Logs R			4 110						
				G RECORD					
Purpose of String		Size Casi	ng	Weight	Setting	te, production, etc	# Sacks		and Percent
Conductor	Drilled	Set(in. O.I	D.)	Lbs./ft.	Depth	Cement	Used	Α.	dditives
	10.1/1	8 5/8	22.	7 6	45	С	250	Pozmix	
Surface	12 1/4						100	Common w/3% CaCl	
Production	7 7/8	5 1/2	15	2	900	С	325 200	Howco Lite Pozmix	
Purpose: Perforate Protect Casing Plug Back TD	Depth Top Bottom	Type Ceme	of	CEMENTING	G / SQUEEZE		rpe and Perce	nt Additives	
Plug off Zone	-								
Shots Per Foot	PERFORATION RECORD – Bridge Plugs Set/type				Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth				
4	Specify Footage of Each Interval Perforated 2494-2506, 2543-55, 2595-2620, 2652-75, 2699-2707, 2740-44 (New)				Acid: 4,000 gals 15% Spare Acid Frac: 4549 bbls 75Q X-Link Gel w/75% N2 Foam;				
	2448-2854 & 2473-2482 (8 SPF); 2648-2652 (3 SPF) (New								
4	2852-2858 (New)				Acid: 6,000 gals 15% HCL + additives				
2	2778-81, 2789-92, 2796-2802, 2807-10, 2814-24, 2830-34 (Old)								
									
UBING RECORD	Size	Size Set At Packer At 2 3/8 2862			Liner Run				
Date of First Rosum	2 3/8 ned Production, SWD		Producing Me	ethod	<u></u>	Yes	⊠ No		
	21/2008	VI CIIII.	roducing ivi	etnoa 🔲 Flov	ving 🛛 Pur	nping 🔲 G	ias Lift 🔲 C	Other (Explain)	
Estimated Production Oil BBLS		.s	Gas Mcf		, 	er Bbls		Dil Ratio	Gravity
Per 24 Hours	0		15	50		1			
Disposition of Ga	s	MET	HOD OF C	OMPLETION			Produ	ction Interval	
☐ Vente	ed 🛭 Sold 🔲 ented, Submit ACO	Used on Lea -18)	ıse	☐ Open H	ole ⊠ Per Specify)	f. Dually 6	Comp. 🔲 (Commingled	RECEIVED COMP
									UN 0 2 2008

CONSERVATION DIVISION



OXY USA Inc.

1701 N. Kansas P.O. Box 2528 Liberal, Kansas 67905

May 28, 2008

Kansas State Corporation Commission Conservation Division - Room 2078 Wichita State Office Building 130 South Market Wichita, KS 67202-3802

RE:

KAUFMAN "B" #2

NE/4 Sec-18 T-28S R-36W Grant County, Kansas API # 15-067-20279-0001

Dear Sir:

Please file confidential. Enclosed herewith please find ACO-1 for subject well, which was recently recompleted by perforating the Chase zone.

If there are any questions or you require further information, please contact me at the above address or by phone at (620) 629-4214.

Sincerely,

Enclosure

Cc:

OXY – Houston

OXY - Well File

RECEIVED KANSAS CORPORATION COMMISSION