

CONFIDENTIAL

ORIGINAL

4/10/09

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

Form ACO-1  
September 1999  
Form Must Be Typed

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 5363  
Name: Berexco Inc.  
Address: P. O. Box 20380  
City/State/Zip: Wichita, KS 67208  
Purchaser: N/A  
Operator Contact Person: Bruce Meyer  
Phone: (316) 265-3311  
Contractor: Name: Beredco Inc.  
License: 5147  
Wellsite Geologist: Bryan Bynog

CONFIDENTIAL

APR 10 2008

KCC

Designate Type of Completion:

- New Well  Re-Entry  Workover
- Oil  SWD  SIOW  Temp. Abd.
- Gas  ENHR  SIGW
- Dry  Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening  Re-perf.  Conv. to Enhr./SWD  
 Plug Back \_\_\_\_\_ Plug Back Total Depth \_\_\_\_\_  
 Commingled \_\_\_\_\_ Docket No. \_\_\_\_\_  
 Dual Completion \_\_\_\_\_ Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?) \_\_\_\_\_ Docket No. \_\_\_\_\_

<u>26 Feb. 2008</u>	<u>07 Mar. 2008</u>	<u>08 Mar. 2008</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 167-23489-00-00  
County: Russell  
SW SW SE NE Sec. 9 Twp. 11 S. R. 15  East  West  
2425 feet from S (N) (circle one) Line of Section  
1235 feet from (E) W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:  
(circle one) (NE) SE NW SW  
Lease Name: Lebow Unit Well #: 9X  
Field Name: Wildcat

Producing Formation: Arbuckle  
Elevation: Ground: 1927' Kelly Bushing: 1938'  
Total Depth: 3474' Plug Back Total Depth: N/A  
Amount of Surface Pipe Set and Cemented at 270 Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from \_\_\_\_\_  
feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

Drilling Fluid Management Plan DAN 36-29-07  
(Data must be collected from the Reserve Pit)

Chloride content 63,000 ppm Fluid volume 400 bbls  
Dewatering method used evaporation

Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Arbuckle R. Smith  
Title: ENGINEERING TECHNICIAN Date: 10/ APRIL / 2008  
Subscribed and sworn to before me this 10<sup>th</sup> day of April

9088  
Notary Public: Diana E Bell  
Date Commission Expires: Aug 10, 2011

DIANA E. BELL  
Notary Public - State of Kansas  
My Appt. Expires 8-10-11

**KCC Office Use ONLY**

- Letter of Confidentiality Attached
- If Denied, Yes  Date: \_\_\_\_\_
- Wireline Log Received
- Geologist Report Received
- UIC Distribution

RECEIVED  
KANSAS CORPORATION COMMISSION  
APR 11 2008  
CONSERVATION DIVISION  
WICHITA, KS

CONFIDENTIAL

Side Two

Operator Name: Berexco Inc. Lease Name: Lebow Unit Well #: 9X
Sec. 9 Twp. 11 S. R. 15 East West County: Russell

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken [X] Yes [ ] No
Samples Sent to Geological Survey [ ] Yes [X] No
Cores Taken [ ] Yes [X] No
Electric Log Run [X] Yes [ ] No
List All E. Logs Run:
Dual Compensated Porosity Log
Dual Induction Log
Microresistivity Log

CONFIDENTIAL
APR 10 2008
KCC

Table with 3 columns: Name, Top, Datum. Rows include Topeka (2766', -828'), Heebner (3017', -1079'), Lansing (3070', -1128'), Base KS City (3326', -1388'), and Arbuckle (3400', -1462').

CASING RECORD table with columns: Purpose of String, Size Hole Drilled, Size Casing Set, Weight Lbs./Ft., Setting Depth, Type of Cement, # Sacks Used, Type and Percent Additives. Row 1: surface, 12 1/4", 8 5/8", 20#, 270', Comm, 180, 3% cc, 2% gel.

ADDITIONAL CEMENTING / SQUEEZE RECORD table with columns: Purpose, Depth Top Bottom, Type of Cement, #Sacks Used, Type and Percent Additives.

PERFORATION RECORD table with columns: Shots Per Foot, PERFORATION RECORD - Bridge Plugs Set/Type, Acid, Fracture, Shot, Cement Squeeze Record, Depth.

TUBING RECORD table with columns: Size, Set At, Packer At, Liner Run, Date of First, Resumed Production, SWD or Enhr., Producing Method, Estimated Production Per 24 Hours, Oil Bbls., Gas Mcf, Water Bbls., Gas-Oil Ratio, Gravity.

Disposition of Gas: [ ] Vented [ ] Sold [ ] Used on Lease
METHOD OF COMPLETION: [ ] Open Hole [ ] Perf. [ ] Dually Comp. [ ] Commingled [ ] Other (Specify)

RECEIVED
KANSAS CORPORATION COMMISSION
APR 11 2008
CONSERVATION DIVISION
WICHITA, KS

# ALLIED CEMENTING CO., INC.

28096

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

WELL FILE Russell  
SERVICE POINT: 3-8-08

DATE <u>3-7-08</u>	SEC <u>9</u>	TWP. <u>11</u>	RANGE <u>15</u>	CALLED OUT	ON LOCATION	JOB START	JOB FINISH <u>3:00 AM</u>
LEASE <u>Lebow</u>	WELL # <u>9X</u>	LOCATION <u>Gotham 1E 12N 21W 1E</u>			COUNTY <u>Russell</u>	STATE <u>Ks</u>	
OLD OR NEW (Circle one)							

CONTRACTOR Berredo

TYPE OF JOB plug

HOLE SIZE 7 7/8 T.D.

CASING SIZE DEPTH

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG.

PERFS.

DISPLACEMENT

EQUIPMENT CONFIDENTIAL  
APR 10 2008

PUMP TRUCK CEMENTER Bill KCC  
# 398 HELPER Chris H.

BULK TRUCK  
# 410 DRIVER Chuck

BULK TRUCK  
# DRIVER

OWNER

CEMENT

AMOUNT ORDERED  
225 sh 60/40 @ Col by FLO

COMMON	<u>135</u>	@	<u>12.15</u>	<u>1640.25</u>
POZMIX	<u>90</u>	@	<u>6.80</u>	<u>612.00</u>
GEL	<u>8</u>	@	<u>18.25</u>	<u>146.00</u>
CHLORIDE		@		
ASC		@		
	<u>Flo Seal 56 lb</u>	@	<u>2.20</u>	<u>123.00</u>
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>233</u>	@	<u>2.05</u>	<u>477.65</u>
MILEAGE	<u>SK/m/09</u>			<u>335.52</u>
TOTAL				<u>3334.62</u>

REMARKS:

1st plug @ 3300 w/ 25 sh  
2nd plug @ 1030 w/ 25 sh  
3rd plug @ 610 w/ 100 sh  
4th plug @ 320 w/ 40 sh  
10 sh @ 40'  
10 sh MH  
15 sh R.H.

SERVICE

DEPTH OF JOB

PUMP TRUCK CHARGE 893.00

EXTRA FOOTAGE @

MILEAGE 16 @ 7.00 112.00

MANIFOLD @

TOTAL 1005.00

CHARGE TO: Berredo

STREET \_\_\_\_\_  
CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

RECEIVED  
KANSAS CORPORATION COMMISSION  
APR 11 2008

CONSERVATION DIVISION  
WICHITA, KS

PLUG & FLOAT EQUIPMENT

	@	
<u>1- Day Hire</u>	@	<u>39.00</u>
	@	
	@	

TOTAL 39.00

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE [Signature]

Michael Hopkins  
PRINTED NAME

# ALLIED CEMENTING CO., LLC. 30174

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
Russell KS

DATE <u>2-26-08</u>	SEC. <u>9</u>	TWP. <u>11</u>	RANGE <u>15</u>	CALL NO. <b>WELL FILE</b>	JOB LOCATION	JOB START	JOB FINISH <u>4:15pm</u>
LEASING <u>Lebow Unit</u>		WELL # <u>9X</u>		LOCATION <u>Gorham KS / East N to 177 Blvd N to</u>		COUNTY <u>Russell</u>	STATE <u>KS</u>
OLD OR <input checked="" type="radio"/> NEW (Circle one)			Paradise Rd 1/2 West 177st. 1/2 North East into				

CONTRACTOR Beredco

TYPE OF JOB Surface

HOLE SIZE 12 1/4 T.D. 273'

CASING SIZE 8 5/8 20# DEPTH 270.06

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. 15'

PERFS. \_\_\_\_\_

DISPLACEMENT 16.24 Bbl

OWNER \_\_\_\_\_

CEMENT AMOUNT ORDERED 180 com 3%cc 2%gel

EQUIPMENT \_\_\_\_\_

PUMP TRUCK CEMENTER John Roberts

# 409 HELPER Adrian

BULK TRUCK \_\_\_\_\_

# 378 DRIVER Rocky

BULK TRUCK \_\_\_\_\_

# \_\_\_\_\_ DRIVER \_\_\_\_\_

COMMON	<u>180</u>	@	<u>12.15</u>	<u>2187.00</u>
POZMIX		@		
GEL	<u>3</u>	@	<u>18.25</u>	<u>54.75</u>
CHLORIDE	<u>6</u>	@	<u>51.00</u>	<u>306.00</u>
ASC		@		
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>189</u>	@	<u>2.05</u>	<u>387.45</u>
MILEAGE	<u>SK/m/09</u>			<u>340.20</u>
TOTAL				<u>3275.40</u>

REMARKS:

Cement Circ!

**SERVICE**

DEPTH OF JOB _____	
PUMP TRUCK CHARGE _____	<u>893.00</u>
EXTRA FOOTAGE _____	@ _____
MILEAGE <u>20</u>	@ <u>7.00</u> <u>140.00</u>
MANIFOLD _____	@ _____
_____	@ _____
_____	@ _____

CHARGE TO: Berexco Inc.

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

RECEIVED  
KANSAS CORPORATION COMMISSION  
APR 11 2008  
CONSERVATION DIVISION  
WICHITA, KS

TOTAL 1033.00

To Allied Cementing Co., LLC.  
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

**PLUG & FLOAT EQUIPMENT**

_____	@ _____
<u>1-8 #6 wood</u>	@ _____ <u>66.00</u>
_____	@ _____
_____	@ _____
_____	@ _____
TOTAL <u>66.00</u>	

Thanks!

PRINTED NAME Mo

SIGNATURE Mario De Julian

SALES TAX (If Any) \_\_\_\_\_

TOTAL CHARGES \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS