

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

APR 15 2008

CONFIDENTIAL

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

CONSERVATION DIVISION
WICHITA, KS

AMENDED
7/24/08

Operator: License # 33365
Name: Layne Energy Operating, LLC
Address: 1900 Shawnee Mission Parkway
City/State/Zip: Mission Woods, KS 66205
Purchaser: _____
Operator Contact Person: M. B. Natrass
Phone: (913) 748-3987
Contractor: Name: McPherson Drilling
License: 5675
Wellsite Geologist: _____

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:

Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

3/29/2006 3/30/2006 4/17/2006
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date

API No. 15 - 205-26431-0000
County: Wilson
NE NW SW Sec. 28 Twp. 30 S. R. 16 East West
1296 feet from N (circle one) Line of Section
408 feet from E / W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: Deer AX&P Well #: 13-28
Field Name: Neodesha

Producing Formation: Cherokee Coals
Elevation: Ground: 786 Kelly-Bushing: _____
Total Depth: 907 Plug Back Total Depth: 886
Amount of Surface Pipe Set and Cemented at 40 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from 893
feet depth to Surface w/ 90 sx cmt.

Drilling Fluid Management Plan ATTN: N/A
(Data must be collected from the Reserve Pit)
Chloride content N/A ppm Fluid volume _____ bbls
Dewatering method used N/A - Air Drilled

Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: M.B. Natrass
Title: Agent Date: 7/24/06
Subscribed and sworn to before me this 24 day of July
20 06
Notary Public: Brooke C. Maxfield
Date Commission Expires: 12/28/09

NOTARY PUBLIC - State of Kansas
BROOKE C. MAXFIELD
My Appt. Exp. 12/28/09

KCC Office Use ONLY
N Letter of Confidentiality Attached
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

Operator Name: Layne Energy Operating, LLC Lease Name: Deer AX&P Well #: 13-28
 Sec. 28 Twp. 30 S. R. 16 East West County: Wilson

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <i>(Attach Additional Sheets)</i>	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
Samples Sent to Geological Survey	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Name	Top Datum
Cores Taken	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Pawnee Lime	515 GL 271
Electric Log Run <i>(Submit Copy)</i>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Excello Shale	650 GL 136
List All E. Logs Run:		V Shale	708 GL 78
Compensated-Density-Neutron Dual Induction		Mineral Coal	746 GL 40

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacjs Used	Type and Percent Additives
Surface	11	8.65	24	40'	Class A	25	Type 1 cement
Casing	6.75	4.5	10.5	893'	Thick Set	90	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
	See Attached		
	CONFIDENTIAL	RECEIVED KANSAS CORPORATION COMMISSION	
		APR 15 2008	
		CONSERVATION DIVISION WICHITA, KS	

TUBING RECORD		Size Set At	Packer At	Liner Run	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
		2 3/8" 715'			
Date of First, Resumerd Production, SWD or Enhr.		Producing Method			
5/30/2006		<input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
	0	0	32		

Disposition of Gas **METHOD OF COMPLETION** Production Interval

Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled
(If vented, Submit ACO-18.) Other (Specify) _____

Operator Name:	Layne Energy Operating, LLC.		
Lease Name:	Deer AX&P 13-28		
	Sec. 28 Twp. 30S Rng. 16E, Montgomery County		
API:	15-205-26431-00-00		
Shots per Foot	Perforation Record	Acid, Fracture, Shot, Cement Squeeze Record	Depth
4	870.5-872, 821-823.5, 746-747.5	Bluejacket, Weir, Tebo-4200# 20/40 sand, 800 gal 15% HCl acid, 430 bbls wtr	746-872
4	708-710.5, 686.5-688, 649-655, 631-634.5	Croweburg, Ironpost, Mulky, Summit-5900# 20/40 sand, 1800 gal 15% HCl acid, 520 bbls wtr	631-710.5

CONFIDENTIAL

RECEIVED
KANSAS CORPORATION COMMISSION

APR 15 2008

CONSERVATION DIVISION
WICHITA, KS