

KANSAS CORPORATION COMMISSION ORIGINAL OIL & GAS CONSERVATION DIVISION WELL COLOR

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 6569	API No. 15 - 101-22086-0000
Name: Carmen Schmitt Inc.	County: Lane
Address: PO Box 47	
City/State/Zip: Great Bend, KS 67530	1320 fnl feet from S / N (circle one) Line of Section
Purchaser:	990 fel feet from E / W (circle one) Line of Section
Operator Contact Person: Jacob Porter	Footages Calculated from Nearest Outside Section Corner:
Phone: (<u>620</u>) <u>793-5100</u>	(circle one) NE SE NW SW
110 D-III 1 1 C	Lease Name: Louise Well #: 2
Contractor: Name: M2 Drilling LLC CONFIDENTIAL.	Field Name: Dull Knife
Wellsite Geologist: Jacob Porter MAN 3 9 2003	Producing Formation: LKC L
Designate Type of Completion:	Elevation: Ground: 2851' Kelly Bushing: 2864'
New Well Re-Entry Workover	Total Depth: 4640' Plug Back Total Depth:
✓ New Well —— Re-Entry —— Workover —— York Over —— SWD —— SIOW —— Temp. Abd.	Amount of Surface Pipe Set and Cemented at 214' Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ✓ Yes No If yes, show depth set 2166' Feet
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, snow depth set ———————————————————————————————————
f Workover/Re-entry: Old Well Info as follows:	feet depth to surface w/ 125 sks smd w 32# flocele sx cmt.
Operator:	reet depth to w/ w/ ss cmt.
Well Name:	Drilling Fluid Management Plan AH II N 3 2907 (Data must be collected from the Reserve Fit)
Original Comp. Date: Original Total Depth:	(Data must be collected from the Reserve Hil)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content ppm Fluid volume bbls
Plug BackPlug Back Total Depth	Dewatering method used Evaporation
Commingled Docket No.	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	Operator Name:
Other (SWD or Enhr.?) Docket No	Operator Name:
4/24/08 5/5/08 5/5/08	Lease Name: License No.:
Spud Date or Date Reached TD Completion Date or Recompletion Date	Quarter Sec Twp S. R East
recompletion date recompletion date	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, workd Information of side two of this form will be held confidential for a period of 107 for confidentiality in excess of 12 months). One copy of all wireline log TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged we	th the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, over or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. If 12 months if requested in writing and submitted with the form (see rule 82-3-105 and geologist well report shall be attached with this form. ALL CEMENTING Is. Submit CP-111 form with all temporarily abandoned wells.
all requirements of the statutes, rules and regulations promitigated to regulation are complete and correct to the best of my knowledge.	make the on and gas moustly have been fully complied with and the statements
Signature: Jacob L Portes	KCC Office Use ONLY
Title: Operations Manager Date: 6/9/08	Letter of Confidentiality Received
Subscribed and sworn to before me this 914 day of June	If Denied, Yes Date:
20 18	Wireline Log Received
E NUIANT PUBLIC.	
Notary Public Same / leger = ELAINE My Apot. Exp.	

Operator Name: Car	men Schmitt Inc.		Lease Name	Louise		Well #: 2	
	9s S. R. 30w		County: Lane			T T IF I	
NSTRUCTIONS: S ested, time tool ope emperature, fluid re	how important tops a in and closed, flowing covery, and flow rate	and base of formations pe g and shut-in pressures, v s if gas to surface test, al inal geological well site re	netrated. Detail a whether shut-in pro ong with final cha	essure reached	static level, hydr	ostatic pressur	es, bottom hole
Orill Stem Tests Take		✓ Yes No	٧١	.og Formati	on (Top), Depth	and Datum	Sample
Samples Sent to Ge	·	☐ Yes ☐ No	Nam	· -		Top	Datum -1051'
Samples Sent to Ge Cores Taken	ologicar ourvey	☐ Yes ✓ No	Heel			3915' 3956'	-1091
Electric Log Run		✓ Yes No	Base	•		4322'	-1458'
(Submit Copy)		_		naton		4328'	-1464'
ist All E. Logs Run:	1 /	CEIVED	Paw			4440'	-1576'
Dual Compensated Porc	osity KANSAS CORPO	RATION COMMISSION		Scott		4488'	-1624'
Dual Induction	,	1 1 2008	1	rokee		4512'	-1648'
Microlog	JUN	1 1 2000		issippian		4580'	-1716'
		ATION DIVISION CHITA, KS CASING I Report all strings set-co	RECORD V	ew Used	etion, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Pe Additive
Surface	12.25"	8 5/8"	23#	214'	common	160	6% CC, 2%
Production	7 7/8"	5 1/2"	14#	4635'	ea2	200	floseal, calseal,
		CONFIDENTI	AL.				
		ADDITIONAL	CEMENTING / SQ	UEEZE RECOR)		
Purpose: Perforate	Depth Top Bottom	Type of Cement	#Sacks Used		Type and	Percent Additives	S
Protect Casing Plug Back TD Plug Off Zone		WCC.					
Shots Per Foot		ON RECORD - Bridge Plug Footage of Each Interval Perl			acture, Shot, Ceme Imount and Kind of I		ord D
2	perforate, treat, an	d set under bridge plug a	it 4320'	250 gal 15%	mca		4398
2	perforate, treat, an	d set under bridge plug a	nt 4320'	500 gal 15%	mud acid		4339
2				perfed mistak	ken interval		4229
2	perforate, treat, an	d produce		1000 gal 15%	6 mud acid		4298
TUBING RECORD 2	Size 7/8"	Set At 4089'	Packer At	Liner Run	Yes N	lo	
	erd Production, SWD or		nod	ng 📝 Pump	ing Gas I	Lift Oth	ner (Explain)
	Oil	Bbls. Gas	Mcf Wa	ter E	Bbls.	Gas-Oil Ratio	Gra
Estimated Production Per 24 Hours	200		1				

_		1) 	SWIFE	Servi	ces, Inc. (1) DATE OS OS OF
Venery	רדם ימד H	WELL NO.	<u> </u>		LEASE	NE	JOB TYPE LONGSTRING TICKET NO. 14/0.39
TIME	RATE (BPM)	VOLUME (BBL) (GAL)	PUM T	PS C	PRESSUR TUBING	E (PSI)	DESCRIPTION OF OPERATION AND MATERIALS
1900				$\prod_{i=1}^{n}$			DUCOCATION, DISCUSSIDIS LAYINGDOWN D.A
							CMT: DOD EA 2 /4#FLOCERE
							SOD MUDICINH, 4/VCL
							RTO 4640 Sir Pipe , SJ428, Zissor 45
							51/214/NEW BOAT CONCONTED \$58, 2181 1
							CENT 3.9, 12,15,60,65,70,75,80,85,134,4× 4.7,11,
2125							STAUT CSCHFIATEDU
2350							TAG BOTTEM - DOODBAL - 15 TABOVE TABLE
			COV	FIC	ENTIAL		מיזוכונו
0010			JU	N O	9 2008		BRANCIAC - ROTAT P. P.C - TRYTOCIAC DI
0100		3/1.21/2		.,,	~~		BRANCIAC - ROTAR P.PC - TRYTOCIAC DE Peuc RHamh Yucour 18ER
0/05	<u>\$</u> 0	0		S	CC	ŞSS	START MUSTIUSH
	ſ	12		~			" HCL FLISH
		22		<i></i>			E~0
DIIZ		D	<u> </u>				START CMT
	<u>'</u>	43,5		/)	END CHIT
							DROP PLUG, WASHOUT PUMPING LINES
0123	65	D		/		බැග්	STAPT DISD WY WILL
		30		1		ನಿಲು	END MCL
		69		<u>~</u>		200	CMT ONBOTTEN -
		900		/		450	STOS PUTATING
		950		V		600	,
)	1000		r		700	
	4.5	105.0		•		stu	×
0143	40	1/20		/		1400	LAND PLUG
							LAND PLUG RECENSE PS/
							WASHUS
							RAENUS
	· · · · · · · · · · · · · · · · · · ·						TICUSTS
DEF	EIVED						
SAS CORPOR	ATION COMMIS	SION					JOB COMPLETE
HIN-	1 1 2008						JOB COMPLETE THANKYOU! DAK JOSH, RYAN
		·					DAVE JOSH, KYAN
CONSERV	HITC. KS						

	第 利			* 1
		AII		
5				
				>
1	Seri	ice.	s, II	ıc.
RVICELO	CATIONS	n e sant e	W	ELLIPRO

APPROVAL

S	WET	Ci	ARGE TO:	C1:	TRU SCH	· 1, 5 ***	<i>f</i>	CONSERVATION DIVISION WICHETA, KS					KET		
ADDRESS									S008	I I NUI	•	Nº 14039			
Sen	vices, Inc.	Ci	IY, STATE,	ZIP COD	E	NOISSIM		RECEIVE	RVICES	PAC	ε 1	OF み			
RVICE COCATIONS	WELUPROJE		LE	,		COUNTY/PARISH	STATE	CITY		-84	DAT		OWN	ER	
TICKET TYPE CONTRACTOR PSERVICE SALES					D46_	RIG NAME/NO. HE DECE PO	SHIPPED VIA		Mark.	3610	ORD	5 550) EBNO. YK			
The second secon	WELL TYPE	jed og det	L	LL CATE		LOXSTING		WELL PERMIT		1416		LLOCATION ノップノ	12 30	ر د د	i V
FERRAL LOCATION	INVOICE INST	RUCTIONS		- } 3								 			
PRICE FERENCE	SECONDARY REFERENCE PART NUMBER	LOC	CCOUNTING ACCT	DF		DESCRIPTION		QTY.	U/M	QTY.	UM	UNIT PRICE		AMOUN	<u> </u>
FERENCE		7			MILEAGE #105			40	* 	:		6	PQ	2113	
578		1/			PhonoSide	rce		1	10 p	•		1-100	W	11100	100
24			+		LANDAC			4	V.42			20	100	109	100
431 40		1/			MUDTU, U	S 208 C 208		500	KAL			1	po[<u>څ</u> ې	0 0
The second secon					DAR			1	614			35	00	_ ئ	رما
ethan .					CHRACIZE	윤물포		10	16.3	5%	-	100	$ \omega $	-/000	lou.
400			 		CATUALL	, 85	· ····································	5	4,4	5%	120	300	$ \infty $	1500	00
464		- 14			HORY COCCAS	. 0		1	E /4	5%	1.00	2300	120	2300	<u> </u>
4ib		1/			LAMORION	Muc 15 Mars		/	1.3	5/2			100	જોડેડ	סט
47		1/				THE THINGS			ا دِيَا	54	10	_3/0_	20	3/3	100
3		11			1. 707 L. A	by Kingle			-	-5/-	200	250	100	250	<u>lau</u>
			2		<u> </u>		·	<u>l</u>		I UN.	LOIS				
ie terms and con	Customer hereby acknow ditions on the reverse side	hereof whic	h include		REMIT PA	AYMENT TO:	OUR EQUIPMENT WITHOUT BREAK	DOWN?	AGF	BEE DECIDER	DIS- AGREE	PAGE TOT		7874 1638	100 105
* * * * * * * * * * * * * * * * * * * *	d to, PAYMENT, RELEAS ANTY provisions.	E, INDEMA	UTY, and		7		WE UNDERSTOO MET YOUR NEED	S?					1	da w. s	1
	ANT 1" PROVISIONS. USTOMER OR CUSTOMER'S AGEN	T PRIOR TO		-	SWIFT SE	RVICES, INC.	OUR SERVICE W PERFÖRMED WIT	THOUT DELAY?		· · <u> </u>		7:11	-	12 Sta	12
ART OF WORK OR DE	ELIVERY OF GOODS	-			P.O. I	3OX 466	WE OPERATED T AND PERFORME CALCULATIONS	HE EQUIPMEN D JOB	1.			TAX	l		ĺ
	·				NESS CIT	Y, KS 67560	SATISFACTORILY ARE YOU SATISF	(?	ł	?	<u> </u>			,,	-
SIGNED	TIME SIGNED	,	D AM.	_	785-7	98-2300	III CIIS	TOMER DID N	T WISH T	I NO	-	TOTAL			
	010	F0:470 400F	DTANCE A			ES Top or stomer person against	<u> </u>	11.000						1	1

Thank You!

S	PO 80x.466 Ness €9y,KS-67560			TICKET CONTINUATION					No. 14035					
		Ness C	by KS-67: 95-798-2	560 300		OUSINESS SECTION SECTION STY	WEUL		GUZCZ		Micos	== :03	PS I S	*
min filip tatistikk et kein.	And the second s	10						4				art (Victoria)		
							റിത്	K,						Fo
37/		7				From the second	50	128			E TERRETAIN	150	STATE OF THE STATE	el d
<i>28</i> 3 =		a		1			/000	THE SHAPES	The second strains of			la	- 200	
<i>389</i>		د		L		CASA	THE PROPERTY OF THE PROPERTY O	150	G 22-10 - 200 - 120	F****	30	20	300	A
375								123	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			50	医二性 医抗性性 医直肠结肠	L
XV		2				SPANIECK CONT	200	A			A Province of the Control of the Con	اردا		
3 3		_ 2				DIAMAGE		١٠,,,			,	2	A MILESTON	10
														1
	RECEIVED KANSAS CORPORATION COMM	Mission						23		1		i		T
	JUN 1-1-2008							43,00						1
										 		17		1
	CONSERVATION DIVISION - WICHITA, KS	4												T
				Ľ				9.7						1
												I		T
														1
														1
							-							T
					*		10.00 10.00 10.00					1		
													A CONTRACTOR OF THE CONTRACTOR	
						8.7		1	Star House			!		Г
												1		1
					in the second				1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	V.			
₹														
													J	
						Service Charige	CUBIC FEET							Ţ
		7.7	$f_{i}^{(i)}$	T	7	KOTAL WEIGHT LOADED MILES	TON MILES	-taunta				1		-

SWIFT Services, Inc. JOB TYPE Collar Collar PRESSURE (PSI) DESCRIPTION OF OPERATION AND MATERIALS TUBING TC 1630 KCC RECEIVED HANSAS CORPORATION COMPRISSION JUN 1 1 2008 CONSERVATION DIVIS

RECEIVED KANSAS CORPORATION COMMISSION

SWFT WARGE TO:

ADDRESS

ADDRESS

ADDRESS

JUN 1 1 2008

Nº 13743

TICKET

CONSERVATION DIVISION

Services,	Inc.	CIT	Y, STATE, Z	IP CO	DE					WIC	HIIA, KS		PAG	E 1	OF j	
1. Hays, Ko #2 TICKET TYPE CONTRACTOR		LEA:	COUNTY/PARISH LOWISE LANC RIG NAME/NO.			SHI	KS PPED	DELIVERED TO				E - 28-08 DER NO.	owi	NER		
3. WELL TYPE WELL					L CATEGORY JOB PURPOSE Likest Convert Bit Colles Car 20							WEI	WELL LOCATION			
	ARY REFERENCE/ RT NUMBER	LOC	COUNTING	DF		DESCRIPTION			QTY.	U/M	QTY.	U/M	UNIT PRICE		AMOUNT	
575		1			MILEAGE #/DO				40	Ni	-			8	340	∞
578 290		//			Phup Ch	arge - Hit	Co/65			501 201	2304	(7 .	1400 350		1400	00
330		2				me it			/25		13440	lbs		50	/937	
27/0		2			Flocale	/4 # /		<u></u>		lbs.	<u> </u>			<u>ර</u> ්ධ		00
<u>581</u> <u>583</u>		2			Service C Drayage	J -	rent		235 417.88		22394	ils:		(2) [25]	*/37 783	•
104		2			Port Colla	or Tool Re	utal			c _C	51/2	/i		 	250	
LEGAL TERMS: Customer he the terms and conditions on the but are not limited to, PAYME LIMITED WARRANTY provis	e reverse side hered NT, RELEASE, IN	of which	include,	-	REMITPA'		WITHOUT E WE UNDER MET YOUR OUR SERV	PMENT BREAK RSTOO NEED	D AND S? AS	AG	REE UN- DECIDED	DIS- AGREE	PAGE TOT	L AL	515 le	 79
MUST BE SIGNED BY CUSTOMER OR CUSTOMER'S AGENT PRIOR TO START OF WORK OR DELIVERY OF GOODS					P.O. BOX 466 WE OF AND PICALCU			PERFORMED WIT WE OPERATED TO AND PERFORMED CALCULATIONS SATISFACTORILY		THE EQUIPMENT ED JOB			Lane TAX _5.3	%	122	19
DATE SIGNED	TIME SIGNED		□ A.M. > P.M.		785-79	98-2300		cus	IED WITH OUR YES TOMER DID NO	T WISH	NO NO TO RESPOND		TOTAL		5278	1 198 1
SWIFT OPERATOR	CUSTOME			PROVA		The customer hereby ackr	nowledges recei	ipt of t	he materials a	nd servi	ces listed on th	nis ticket.			Thank I	You!

ALLIEC CEMENTING C 7., INC. 32268

REMIT TO P.O. E		ANSAS 670	565		SER	VICE POINT:	2 K
DATE 4/24/08	SEC.	TWP.	RANGE 30	CALLED OUT	ON LOCATION	JOB START	JOB FINISH
LEASE LOWISE	WELL#	#2	LOCATION AMY	12E 35	3/4E	COUNTY	STATE
OLD OR NEW C	rcle one)		1.0	S& EINT	?		
CONTRACTOR TYPE OF JOB	Sur Fi		a Prilling	OWNER	Same		
HOLE SIZE P	⁷¹⁴ 878	T.I	D. 2/5 EPTH 2/5	_ CEMENT	ORDERED 1608	Ki Cara	
TUBING SIZE			EPTH	_ AMOUNT	370 CC 2		
DRILL PIPE			EPTH			V 1-1	
TOOL			EPTH	-	1/5	@ 1420	0000
PRES. MAX MEAS. LINE			<u>NIMUM</u> IOE JOINT	_ COMMON POZMIX	160	_@_ 19	2272
CEMENT LEFT IN	vcsa.:		15	_ FOZMIA . GEL	3	-@ 18 25	54.25
PERFS.		<u> କଳ୍ଲବ</u>		CHLORIDE	E 6	@ 52 15	314 20
DISPLACEMENT	JUN 6 5) <u>(</u> 688	12741381	ASC			
	EQ	UIPMEN T	Γ			_ @	
			A 4			@ @	-
	CEMEN'	4	Han	_		_	
	HELPER	Way	M				
BULK TRUCK	DRIVER	To	Tt1A				
BULK TRUCK	DIGVER	<u> </u>	1.7			_ @	
#	DRIVER			- HANDLING	3 1695 K	-@ - ヵ 生	76735
			•	MILEAGE			988 65
_	RE	EMARKS:			,	TOTAL	3994 20
Cen	ent l	Vid C	ir cylate			201.12	
				_	SERVI	ICE	
				_	215		
•			11	_ DEPTH OF			·
			- / han K	_ PUMPTRU _ EXTRA FO	CK CHARGE		917=
			W.	_ MILEAGE		~ @ 7 d	450
			101	- MANIFOLI	11.01		113
		11	14			@	
CHARGE TO:	rmen	<u> </u>	n) W	_			14200
STREET				_		TOTAL	VVO
CITV	S'	TATE	ZIP				
CII I	ა	IAIE		_	PLUG & FLOA	T EQUIPMEN	I T
		KANSAS	RECEIVED COMMISSION	at/_			- ^ ^ 2
				<u>878</u>	Plug - Wooden	<u>ノ</u> @	
			JUN 1 1 2008			@	
To Allied Cemen	-	•	ONSERVATION DIVISION		·		
	•		merWiftly & daipment			_	
and furnish ceme		-	assist owner or The above work was				- P
			of owner agent or			TOTAL	6800
			d the "TERMS AND)			
CONDITIONS" I				TAX	· · · · · · · · · · · · · · · · · · ·		
				TOTAL CH	ARGE		
							D IN 20 D 4320
			.1	DISCOON		IF PAI	DAYS MI U
CICNIATION /	1	121		11/11	10000		
SIGNATURE /	0	1 1/4		wester	DDINIT	ED NAME	
		-			1 1/11/1	172 217132°	