# CONFIDENTIAL

## KANSAS CORPORATION COMMISSION (OIL & GAS CONSERVATION DIVISION

## **WELL COMPLETION FORM**

**WELL HISTORY - DESCRIPTION OF WELL & LEX** 

| b1    | 129/09                       |
|-------|------------------------------|
| JP12  | Form ACO-1<br>September 1999 |
| 16/11 | Must Be Typed                |
| ISE ' | 17                           |
|       | (                            |

| Operator: License # 33344  | API No. 15 - 133-26816 -00-05   |
|--|---|
| Name: Quest Cherokee, LLC  | County: Neosho  |
| Address: 211 W. 14th Street  |   |
| City/State/Zip: Chanute, KS 66720  | 660 feet from S / (Circle one) Line of Section  |
| Purchaser: Bluestem Pipeline, LLC  | 660 feet from E/ W (circle one) Line of Section   |
| Operator Contact Person: Jennifer R. Ammann  | Footages Calculated from Nearest Outside Section Corner:  |
|  | (circle one) (NE) SE NW SW  |
| 10 10 10 10 10 10 10 10 10 10 10 10 10 1   | D. 1 D. 1   |
| Contractor: Name: TXD JUN STREET ALL License: 33837  | Field Name: Cherokee Basin CBM  |
| Wellsite Geologist: Ken Recoy  | Producing Formation: multiple   |
| Designate Type of Completion:  | Elevation: 948 Kelly Bushing: n/a   |
| Designate type of Completion: New Well Re-Entry Workover   | Total Depth: 973 Plug Back Total Depth: 968.75  |
| •  |   |
| Oil SWD SIOW Temp. Abd.  Gas ENHR SIGW   | Amount of Surface Pipe Set and Cemented at 40 Feet  |
|  | Multiple Stage Cementing Collar Used?   |
| Dry Other (Core, WSW, Expl., Cathodic, etc)  | If yes, show depth set Feet   |
| f Workover/Re-entry: Old Well Info as follows:   | If Alternate II completion, cement circulated from 968.75   |
| Operator:  | feet depth to surface w/ 105 sx cmt.  |
| Well Name:   | Drilling Fluid Management Plan AL F A WH119-08  |
| Original Comp. Date: Original Total Depth:   | (Data must be collected from the Reserve Pil)   |
| Deepening Re-perf Conv. to Enhr./SWD   | Chloride content ppm Fluid volume bbls  |
| Plug BackPlug Back Total Depth   | Dewatering method used  |
| Commingled Docket No   | Location of fluid disposal if hauled offsite:   |
| Dual Completion Docket No  |   |
| Other (SWD or Enhr.?) Docket No  | Operator Name:  |
| 3/1/07 3/3/07 3/5/07   | Lease Name: License No.:  |
| Spud Date or Date Reached TD Completion Date or Recompletion Date  Recompletion Date   | QuarterSecTwpS. REast West County:Docket No.:   |
| Kansas 67202, within 120 days of the spud date, recompletion, workov Information of side two of this form will be held confidential for a period of 107 for confidentiality in excess of 12 months). One copy of all wireline logs TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells | th the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, wer or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 12 months if requested in writing and submitted with the form (see rule 82-3-12 s and geologist well report shall be attached with this form. ALL CEMENTING is. Submit CP-111 form with all temporarily abandoned wells. |
| Signature: Quanific B. Ammann  | KCC Office Use ONLY   |
| itle: New Well Development Coordinator Date: 6/26/07   |   |
| Subscribed and sworn to before me this Such day of   | If Denied, Yes Date:  |
|  | Wireline Log Received RFCEIVED  |
| 10 <u>DT</u> .   | Geologist Report Receiven SAS CORPORATION COMMIS  |
| Notary Public: <u>Verra Klaunas</u>  | IIIO Bisasibustan   |
| 9 11 000   | JUN 2 7 2007  |
|  | CONSERVATION DIVISION   |

Notary Public - State of Kansas
My Appt. Expires 8-4-2010

**МІСНІТА, KS** 

| Operator Name: Quest Cherokee, LLC                            |   |                           |                                       | Lease Name: Beachner Bros Inc |               |                      |   | Well #: 12-30-19-1        |               |                 |  |
|---|---|---------------------------|---------------------------------------|-------------------------------|---------------|----------------------|---|---------------------------|---------------|-----------------|--|
|   | Sec TwpS. R   |                           |                                       |                               |               | County: Neosho       |   |                           |               |                 |  |
| tested, time tool ope<br>temperature, fluid re                | show important tops a<br>on and closed, flowing<br>covery, and flow rate<br>as surveyed. Attach | g and shut<br>s if gas to | in pressures,<br>surface test, a      | whether<br>llong with         | shut-in pre   | essure reached       | l static level, hydr                        | ostatic pressure          | es, botto     | m hole          |  |
| Drill Stem Tests Take   |   |                           | es 📝 No                               | ,                             | <b></b> ✓L    | og Forma             | tion (Top), Depth                           | and Datum                 |               | Sample          |  |
| Samples Sent to Ge  | ological Survey   |                           | es 🗹 No                               |                               | Nam<br>See    | e<br>attached        |   | Тор                       | ļ             | Datum           |  |
| Cores Taken Electric Log Run (Submit Copy)                    |   | =                         | es 🕢 No<br>es 🗌 No                    |                               |               |                      |   |                           |               |                 |  |
| List All E. Logs Run:   |   |                           |                                       |                               |               |                      |   |                           |               |                 |  |
| Compensated<br>Dual Induction<br>Gamma Ray N                  | -   | n Log                     |                                       |                               |               |                      |   |                           |               |                 |  |
|   |   | Reno                      | CASING                                |                               |               |                      | ction atc                                   |                           |               |                 |  |
| Purpose of String   | Size Hole   | Siz                       | e Casing                              | W                             | /eight        | Setting              | Type of                                     | # Sacks                   |               | and Percent     |  |
| Surface   | 12-1/4  | 8-5/8"                    | t (in O.D.)                           | 22                            | s. / Ft.      | Depth<br>40          | "A"   | Used<br>5                 | A             | dditives        |  |
| Production  | 6-3/4   | 4-1/2                     |                                       | 10.5                          |               | 968.75               | "A"   | 105                       |               |                 |  |
|   |   |                           |                                       |                               |               |                      |   |                           |               |                 |  |
| Purpose:  Perforate Protect Casing Plug Back TD Plug Off Zone | Depth<br>Top Bottom   | Туре                      | of Cement                             | 1                             | ring / squ    | JEEZE RECOR          |   | Percent Additives         |               |                 |  |
|   |   |                           |                                       |                               |               |                      |   |                           |               |                 |  |
| Shots Per Foot  | PERFORATI<br>Specify  | ON RECOF                  | RD - Bridge Plug<br>Each Interval Per | s Set/Typ<br>forated          | oe            |                      | acture, Shot, Cemer<br>Amount and Kind of M |                           | d             | Depth           |  |
| 4   | 830-832/774-776/7   | 68-770                    |                                       |                               |               | 300gal 15%HCLw/ 22 b | bis 2%kci water, 401bbis water              | w/ 2% KCL, Blocide, 10500 | 0# 30/70 sand | 830-832/774-776 |  |
|   |   |                           |                                       |                               |               |                      |   |                           |               | 768-770         |  |
| 4   | 556-558/540-542/5   | 11-515                    |                                       |                               |               | 300gal 15%HCLw/ 30 b | bis 2%kci water, 446bbis water              | w/ 2% KCL, Biocide, 10500 | # 30/70 sand  | 556-558/540-542 |  |
|   |   |                           |                                       |                               |               |                      |   |                           |               | 511-515         |  |
| 4   | 392-396/379-383   |                           |                                       |                               |               | 300gal 15%HCLw/ 37 b | bis 2%kcl water, 491bbis water              | w/ 2% KCL, Biocide, 10500 | # 30/70 sand  | 392-396/379-383 |  |
| TUBING RECORD   | Size  | Set At                    |                                       | Packe                         | r At          | Liner Run            |   |                           |               |                 |  |
|   | 3/8"<br>rd Production, SWD or E   | 851                       | Producing Met                         | n/a<br>hod                    |               |                      | Yes V No                                    | )<br>                     |               |                 |  |
| 4/27/07   | or roduction, ovvo or c   |                           | Troducing Mc                          |                               | Flowing       | g 📝 Pump             | oing Gas L                                  | ift Othe                  | er (Explain   | )               |  |
| Estimated Production<br>Per 24 Hours                          | Oil<br>n/a  | Bbls.                     | Gas<br>13.5mcf                        | Mcf                           | Wate<br>68.2b |                      | Bbis.                                       | Gas-Oil Ratio             | ,             | Gravity         |  |
| Disposition of Gas  | METHOD OF (   | COMPLETIC                 | DN .                                  |                               | 1             | Production Inte      | erval                                       |                           |               |                 |  |
| Vented ✓ Sold (If vented, So                                  | Used on Lease   |                           | Open Hole                             | ify)                          | erf [         | Dually Comp.         | Commingled _                                |                           |               |                 |  |



9=1 Ravin 4513 211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9500

| TICKET NUMBER 2036 |
|--------------------|
| FIELD TICKET REF#  |
| FOREMAN Jue        |

RANGE

19

COUNTY

NO

TOWNSHIP

30

SECTION

620140

## TREATMENT REPORT & FIELD TICKET CEMENT

Bros TMC. 12:30-19.1

WELL NAME & NUMBER

|                   |  |            |                 | 12:30-19.         |                       | 50 177                         | 1 700                                 |
|-------------------|--|------------|-----------------|-------------------|-----------------------|--------------------------------|---------------------------------------|
| 3-5-67            | Beachi                                   |            |                 |                   | TRAILER               | TRUCK                          | EMPLOYEE                              |
| FOREMAN /         | TIME                                     | TIME       | LESS<br>LUNCH   | TRUCK<br>#        | #                     | HOURS                          | SIGNATURE                             |
| OPERATOR          | IN                                       |            | 20.10.1         | 903427            |                       | 1                              | rae Plum                              |
| Juc. B            | 11:00                                    | 12:40      |                 |                   |                       | 1 3                            | 1/1/1/1/1/1/                          |
| MAURICE . D       |  |            |                 | 902 197           |                       | 13                             |                                       |
|                   |  |            |                 | 003103            |                       | <u>'</u>                       |                                       |
| Paul H            |  |            |                 | 9031112           | 932453                |                                | 11.6 11.6                             |
|                   |  |            |                 | 031500            |                       | A                              | 1 Cooper                              |
| Gary. C           | 31                                       | <u> </u>   |                 |                   | . 7.                  |                                | 111- 105                              |
| JOB TYPE Louis 5+ | HOLE مرازي-                              | SIZE       | 3/4             | HOLE DEPTH 9      | 7 <u>3 · 30</u> casin | NG SIZE & WEIGHT <u>4</u>      | 12 10.2                               |
| CASING DEPTH 90   | 8.75 DRILL                               | PIPE       |                 | TUBING            | OTHE                  | R                              |                                       |
| SLURRY WEIGHT     | 4.5 SLURI                                | RY VOL     |                 | WATER gal/sk      | CEME                  | ENT LEFT IN CASING_            | <u> </u>                              |
| DISPLACEMENT_15   | 5.45 DISPL                               | ACEMENT PS |                 | MIX PSI           | RATE                  | 4 bpm                          |                                       |
| REMARKS:          | <del></del>                              |            |                 |                   |                       | المراجعة المراجعة              | /                                     |
| Toks offers       | Comenth                                  | cal Ra     | 1 / K           | gel & 9 bh        | 1 dig of 1            | os ski cfeen                   | CIIT TO GAT                           |
| T c form          | flush no                                 | ma. Pun    | 0 W. p. 1.      | Plua to locat     | times Set 1           | long show                      | <del>.</del>                          |
| 10 300 100 (4.    | <del>-, -<u>-</u>-, -(, ,   -, , ,</del> | . 17       | ` 1             | ) ·               |                       | KCC                            |                                       |
|                   |  |            |                 |                   |                       | •                              |                                       |
|                   |  |            |                 |                   |                       | JUN 2 6 2007                   |                                       |
|                   |  |            |                 |                   |                       | CONFIDENTIA                    | <del>\l</del>                         |
| <i>j</i>          |  |            |                 |                   |                       | OOM IDEIT                      |                                       |
|                   |  |            |                 |                   |                       |                                |                                       |
| <del></del>       | 0/                                       | 8.75       | F+ 41/2         | (aling            |                       |                                |                                       |
|                   | <u> </u>                                 | 5          | Catrol          | 12186             |                       |                                |                                       |
|                   |  |            |                 | at thee           |                       |                                | · · · · · · · · · · · · · · · · · · · |
|                   |  |            |                 |                   | OFFICE OF PRODU       | ICT                            | TOTAL<br>AMOUNT                       |
| ACCOUNT<br>CODE   | QUANTITY                                 | or UNITS   |                 | DESCRIPTION OF    | SERVICES OR PRODU     |                                | AMOUNT                                |
|                   |  | 1 42       | Foreman Pickur  |                   |                       |                                |                                       |
| 902197            |  | 1 hr       | Cement Pump     | Truck             |                       |                                |                                       |
| 905103            |  | 1 hc       | Bulk Truck      |                   |                       |                                |                                       |
| 1104              |  | 100 SK     | Portland Ceme   |                   | C. 1                  |                                |                                       |
| 1124              |  | 2          | 50/50-POZ-Ble   | nd Cement Passile | ,                     |                                |                                       |
| 1126              |  |            | OWC - Blend C   | Dement (11/2 )    | ip-r plus             |                                |                                       |
| 1110              |  | 10 SK      | Gilsonite       |                   | <u> </u>              | DECEIVED                       | - uociON                              |
| 1107              |  | 1 CV       | Flo-Seal        |                   |                       | CORPORATION CO                 | MMISSION                              |
| 1118              |  | 1 -10      | Premium Gel     |                   |                       | RECEIVED KANSAS CORPORATION CO | 07                                    |
| 1215A             |  | ac-15      | KCL             | 2 1 11            | · 1: 0                | <del>- JUN 2 7 20</del>        | <del>V</del>                          |
| 1111B             |  | 2 5/10     | Sodium Silicat  | · Colchor         | <u>(, (</u>           |                                |                                       |
| 1123              | 7010                                     | <u> </u>   | City Water      |                   |                       | CONSERVATION WICHITA, KS       | 5                                     |
| 902142            |  | 11 hr      | Transport Truc  |                   |                       |                                |                                       |
| 0 - 1 - 2         | 1  | 1 h-       | Transport Trail | er                |                       |                                |                                       |

80 Vac





## TXD SERVICES LP

## **DRILLERS LOG**

## TXD SERVICES LP

| RIG #                    | 101        |               | S. 12   | T. 3    | 0 R     | . 19     | to sandal |             |      |
|--------------------------|------------|---------------|---|---------|---------|----------|-----------|-------------|------|
| API#                     | 133-26816  |               | County:   | Neos    | ho      |          | 374'      | 2 - 1/2"    | 8.87 |
|                          | Elev:      | 948'          | Location  | Kans    | as      |          | 405'      | 2 - 1/2"    | 8.87 |
| •                        |            |               |   |         |         |          | 529'      | slight blow |      |
| Operator:                | Quest Che  | rokee, LLC    |   |         | _       |          | 561'      | 2 - 1/2"    | 8.87 |
| Address:                 | 9520 N. M  | ay Ave, Suite | ≥ 300   |         |         |          | 684'      | 4 - 1/2"    | 12.5 |
|                          | Oklahoma   | City, OK. 73  | 120   |         |         |          | 777'      | 4 - 1/2"    | 12.5 |
| Well #                   | 12-30-19-1 |               | Lease Nan                                       | ne Beac | hner Br | os. Inc. | 839'      | 4 - 1/2"    | 12.5 |
| Footage Locat            | tion       | 660           | ft from the                                     |         | N L     | ine      | 901'      | 2 - 1/2"    | 8.87 |
|                          |            | 660           | ft from the                                     |         | E L     | ine      | 978'      | 4 - 1/2"    | 12.5 |
| Drilling Contra          | ctor:      | TXD           | SERVICE   | SLP     |         |          |           |             |      |
| Spud Date;               | NA         |               | Geologist:                                      |         |         |          |           |             |      |
| Date Comp:               | 3/3/2007   |               | Total Dept                                      | h: 978' |         |          |           |             |      |
| Exact spot Lox           | cation;    | NE NE         |   |         |         |          |           |             |      |
| The second of the second |            |               | 7 an - 1 an |         |         |          | X.        |             |      |
| Market and a lateries    | Surface    | Production    |   |         |         |          |           |             |      |
| Size Hole                | 12-1/4"    | 6-3/4"        |   |         | -       |          |           |             |      |
| Size Casing              | 8-5/8"     | 4-1/2"        |   |         |         |          |           |             |      |
| Weight                   | 24#        |               |   |         |         |          |           |             |      |
| Setting Depth            | 21'        |               |   |         |         |          |           |             |      |
| Type Cement              | portland   |               |   |         |         |          |           |             |      |
| Sacks                    |            |               |   |         |         | <u> </u> |           |             |      |

|           |       |          |            |     |      |             |               | THE REAL PROPERTY. |
|-----------|-------|----------|------------|-----|------|-------------|---------------|--------------------|
| Formation | Тор   | Btm.     | Formation  | Тор | Btm. | Formation   | Тор           | Btm.               |
| top soil  | 0     |          | lime       | 360 |      | coal        | 686           | 687                |
| shale     | 5     | 51       | shale      | 378 | 380  | shale       | 687           | 703                |
| coal      | 51    |          | b.shale    | 380 |      | sand/shale  | 703           | 712                |
| shale     | 53    |          | coal       | 383 | 385  | shale       | 712           | 750                |
| lime      | 58    | 64       | lime       | 385 | 391  | coal        | 750           | 752                |
| shale     | 64    | 131      | shale      | 391 | 403  | sand/shale  | 752           | 779                |
| lime      | 131   | 138      | sand       | 403 | 431  | coal        | 779           | 780                |
| shale     | 138   | 142      | shale      | 431 | 445  | shale       | 780           | 83                 |
| lime      | 142   | 150      | sand       | 445 | 457  | coal        | 831           | 83:                |
| shale     | 150   | 160      | sand/shale | 457 | 470  | shale       | 832           |                    |
| lime      | 160   | 172      | shale      | 470 | 503  | coal        | 845           |                    |
| shale     | 172   |          | coal       | 503 | 505  | shale       | 846           |                    |
| coal      | 209   | 210      | sand/shale | 505 | 518  | sand        | 850           |                    |
| shale     | 210   | 250      | coal       | 518 | 519  | lime        | 867           |                    |
| sand      | 250   | 260      | sand/shale | 519 | 539  |             |               |                    |
| shale     | 260   | 283      | coal       | 539 |      |             |               |                    |
| lime      | . 283 |          | shale      | 541 |      | <b>—</b>    |               | <u> </u>           |
| b.shale   | 311   | 315      | coal       | 543 |      |             | † <del></del> | † — —              |
| shale     | 315   |          | shale      | 544 | 625  |             |               | 220                |
| coal      | 320   |          | coal       | 625 |      |             |               | KC                 |
| shale     | 321   |          | sand/shale | 626 |      |             | 20            |                    |
| coal      | 352   |          | coal       | 655 |      |             | 1             | IN 263             |
| shale     | 353   | <u> </u> | shale      | 667 |      | <del></del> | (00           | <b>NEWS</b>        |

RECEIVED KANSAS CORPORATION COMMISSION

JUN 2 7 2007