

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

WELL PLUGGING APPLICATION

Please TYPE Form and File ONE Copy

Form CP-1  
September 2003  
This Form must be Typed  
Form must be Signed  
All blanks must be Filled

API # 15 - 065-01392-0001 (Identifier Number of this well). This must be listed for wells drilled since 1967; if no API # was issued,

indicate original spud or completion date 9/8/1948

Well Operator: Black Diamond Oil, Inc. KCC License #: 7076  
(Owner / Company Name) (Operator's)

Address: P.O. Box 641 City: Hays

State: KS Zip Code: 67601 Contact Phone: ( 785 ) 625 - 5891

Lease: Andreson A Well #: 6 Sec. 16 Twp. 9 S. R. 21  East  West

C - SE - NW - SW Spot Location / QQQQ County: Graham

1650 Feet (in exact footage) From  North /  South (from nearest outside section corner) Line of Section (Not Lease Line)

990 Feet (in exact footage) From  East /  West (from nearest outside section corner) Line of Section (Not Lease Line)

Check One:  Oil Well  Gas Well  D&A  Cathodic  Water Supply Well  
 SWD Docket # \_\_\_\_\_  ENHR Docket # \_\_\_\_\_  Other: \_\_\_\_\_

Conductor Casing Size: None Set at: \_\_\_\_\_ Cemented with: \_\_\_\_\_ Sacks

Surface Casing Size: 10 Set at: 130 Cemented with: 125 Sacks

Production Casing Size: 5 1/2 Set at: 3712 Cemented with: 125 Sacks

Liner: 4 1/2 Set at: 3712 Cemented with: 125 Sacks

List (ALL) Perforations and Bridgeplug Sets: \_\_\_\_\_  
Open hole only (see cmt tickets) (1954 casing squeeze @ 1123 no records) (pers @ 1700 & 2000 when plugged in 1997)

Elevation: 2225 ( G.L. /  K.B.) T.D.: 3723 PBTD: none Anhydrite Depth: 1691  
(Stone Corral Formation)

Condition of Well:  Good  Poor  Casing Leak  Junk in Hole

Proposed Method of Plugging (attach a separate page if additional space is needed): As per KCC recommendations (see cmt tickets & squeeze tickets)

RECEIVED

JUL 06 2009

Is Well Log attached to this application as required?  Yes  No Is ACO-1 filed?  Yes  No

If not explain why? Log mailed in when first plugged 10/08/1997; Well drilled in 1948 no record of ACO-1 KCC WICHITA

Plugging of this Well will be done in accordance with K.S.A. 55-101 et. seq. and the Rules and Regulations of the State Corporation Commission.

List Name of Company Representative authorized to be in charge of plugging operations: Kenneth Vehige, Black Diamond Oil

Phone: ( 785 ) 625 - 5891

Address: PO Box 641 City / State: Hays, KS 67601

Plugging Contractor: Gaschler Pulling Service, Inc. KCC License #: 33772  
(Company Name) (Contractor's)

Address: PO Box 21 Ellis, KS 67637 Phone: ( 785 ) 650 - 7878

Proposed Date and Hour of Plugging (if known?): \_\_\_\_\_

Payment of the Plugging Fee (K.A.R. 82-3-118) will be guaranteed by Operator or Agent

Date: 7/1/09 Authorized Operator / Agent: [Signature]  
(Signature)

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

# ALLIED CEMENTING CO., INC. 25758

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: Russell

|                         |                |                                      |       |                              |                                |                    |                              |
|-------------------------|----------------|--------------------------------------|-------|------------------------------|--------------------------------|--------------------|------------------------------|
| DATE <u>10/21/02</u>    | SEC.           | TWP.                                 | RANGE | CALLED OUT<br><u>Russell</u> | ON LOCATION<br><u>11:30 am</u> | JOB START          | JOB FINISH<br><u>1:45 pm</u> |
| LEASE <u>Anderson</u>   | WELL# <u>6</u> | LOCATION <u>Chick - 6 mi 1 1/2 W</u> |       |                              | COUNTY<br><u>Paul</u>          | STATE<br><u>K.</u> |                              |
| OLD OR NEW (Circle one) |                |                                      |       |                              |                                |                    |                              |

CONTRACTOR TNT

TYPE OF JOB Liner

HOLE SIZE \_\_\_\_\_ T.D. \_\_\_\_\_

CASING SIZE 4 1/2 DEPTH \_\_\_\_\_

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. \_\_\_\_\_

PERFS. \_\_\_\_\_

DISPLACEMENT \_\_\_\_\_

OWNER \_\_\_\_\_

CEMENT AMOUNT ORDERED \_\_\_\_\_

200 6 1/4 x 67 ft

7 1/4 CP3 w/ Deformation

COMMON \_\_\_\_\_ @ \_\_\_\_\_

POZMIX \_\_\_\_\_ @ \_\_\_\_\_

GEL \_\_\_\_\_ @ \_\_\_\_\_

CHLORIDE \_\_\_\_\_ @ \_\_\_\_\_

ASC \_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

HANDLING \_\_\_\_\_ @ \_\_\_\_\_

MILEAGE \_\_\_\_\_ @ \_\_\_\_\_

**EQUIPMENT**

PUMP TRUCK CEMENTER B. H.

# \_\_\_\_\_ HELPER R. W.

BULK TRUCK

# 378 DRIVER Kerby

BULK TRUCK

# \_\_\_\_\_ DRIVER \_\_\_\_\_

**REMARKS:**

Liner and 3536

Exc. Cills

Cement w/ 125 lb cement

Acid plus w/ 57 lbs

Fluo did hole

Pump down Acid w/ 300 lb cement

Shut in Max 500'

Press increased shut down

CHARGE TO: Black Diamond

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Randy R. B.

**SERVICE**

DEPTH OF JOB \_\_\_\_\_

PUMP TRUCK CHARGE \_\_\_\_\_

EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_

MILEAGE \_\_\_\_\_ @ \_\_\_\_\_

MANIFOLD \_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

TOTAL \_\_\_\_\_

**PLUG & FLOAT EQUIPMENT**

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

PRINTED NAME \_\_\_\_\_

RECEIVED  
JUL 06 2009  
KCC WICHITA



# ALLIED CEMENTING CO., INC. 21448

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
Russell

|                         |      |      |                           |                               |                               |                             |                              |
|-------------------------|------|------|---------------------------|-------------------------------|-------------------------------|-----------------------------|------------------------------|
| DATE <u>10/2/05</u>     | SEC. | TWP. | RANGE                     | CALLED OUT<br><u>6:30 a-</u>  | ON LOCATION<br><u>9:00 a-</u> | JOB START<br><u>9:15 a-</u> | JOB FINISH<br><u>4:15 p-</u> |
| LEASE <u>Anderson</u>   |      |      | WELL <u>A-6</u>           | LOCATION <u>Church of God</u> |                               | COUNTY<br><u>Osage</u>      | STATE<br><u>KS</u>           |
| OLD OR NEW (Circle one) |      |      | <u>1 W 2 N 12 W Nintu</u> |                               |                               |                             |                              |

CONTRACTOR TNT Well-Service OWNER \_\_\_\_\_

TYPE OF JOB Squeeze Job

HOLE SIZE \_\_\_\_\_ T.D. \_\_\_\_\_

CASING SIZE 5 1/2 DEPTH \_\_\_\_\_

TUBING SIZE 2 1/4 DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL Reinhardt DEPTH 16.69

PRES. MAX 1000 psi MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. 100'

PERFS. \_\_\_\_\_

DISPLACEMENT T 96 C 10.5

CEMENT AMOUNT ORDERED 200 Co 3% CC

COMMON \_\_\_\_\_ @ \_\_\_\_\_

POZMIX \_\_\_\_\_ @ \_\_\_\_\_

GEL \_\_\_\_\_ @ \_\_\_\_\_

CHLORIDE \_\_\_\_\_ @ \_\_\_\_\_

ASC \_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

HANDLING \_\_\_\_\_ @ \_\_\_\_\_

MILEAGE \_\_\_\_\_ @ \_\_\_\_\_

**EQUIPMENT**

PUMP TRUCK CEMENTER Shure

# 366 HELPER Faul

BULK TRUCK

# 213 DRIVER Doug

BULK TRUCK

# \_\_\_\_\_ DRIVER \_\_\_\_\_

**REMARKS:**

Hole @ 2103-2334 Rate  
4661 min 1000psi. M/L 175 sh  
Reinhardt @ 4661 min @  
550psi. Washed around tool  
at 5h-1 in

**SERVICE**

DEPTH OF JOB \_\_\_\_\_

PUMP TRUCK CHARGE \_\_\_\_\_

EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_

MILEAGE \_\_\_\_\_ @ \_\_\_\_\_

MANIFOLD \_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

CHARGE TO: Black Diamond

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**TOTAL**

**PLUG & FLOAT EQUIPMENT**

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

**TOTAL**

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE [Signature]

PRINTED NAME \_\_\_\_\_

# ALLIED CEMENTING CO., INC. 25740

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:

*Russell*

|                                    |                  |  |       |                             |                           |                         |            |
|------------------------------------|------------------|--|-------|-----------------------------|---------------------------|-------------------------|------------|
| DATE <i>10-13-03</i>               | SEC.             | TWP.                                   | RANGE | CALLED OUT                  | ON LOCATION <i>9:00am</i> | JOB START <i>2:15pm</i> | JOB FINISH |
| LEASE ADDRESS <i>Address</i>       | WELL# <i>A-6</i> | LOCATION <i>Red Line Church of God</i> |       |                             | COUNTY <i>Reno</i>        | STATE <i>Kansas</i>     |            |
| OLD OR NEW (Circle one) <i>OLD</i> |                  |  |       | <i>11/2 W 24 1/2 N 10 W</i> |                           |                         |            |

CONTRACTOR *Just Well Service*

TYPE OF JOB *Squeeze*

HOLE SIZE \_\_\_\_\_ T.D. \_\_\_\_\_

CASING SIZE *3 1/2"* DEPTH \_\_\_\_\_

TUBING SIZE *2 1/2"* DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL *Ream* DEPTH *1483'*

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. \_\_\_\_\_

PERFS. \_\_\_\_\_

DISPLACEMENT \_\_\_\_\_

OWNER \_\_\_\_\_

CEMENT AMOUNT ORDERED *250 lbs Cem 3500*

COMMON \_\_\_\_\_ @ \_\_\_\_\_

POZMIX \_\_\_\_\_ @ \_\_\_\_\_

GEL \_\_\_\_\_ @ \_\_\_\_\_

CHLORIDE \_\_\_\_\_ @ \_\_\_\_\_

ASC \_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

HANDLING \_\_\_\_\_ @ \_\_\_\_\_

MILEAGE \_\_\_\_\_ @ \_\_\_\_\_

**EQUIPMENT**

PUMP TRUCK CEMENTER *Steve*

# *345* HELPER *Chris*

BULK TRUCK \_\_\_\_\_

# *356* DRIVER *Brian*

BULK TRUCK \_\_\_\_\_

# \_\_\_\_\_ DRIVER \_\_\_\_\_

**REMARKS:**

*Holes from 1700-2103'*

*Test in hole of 3BPM @ 400 psi*

*Failure @ 1483' to squeeze*

*Mix 250 lbs @ 1483'*

*Displace 11 Bbl Hole 400 psi*

*Which cement 9 cement out of hole*

*Inc on well surface 1 pressure to 400 psi*

*Shut in*

*Done by*

CHARGE TO: *Black Diamond Oil*

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

TOTAL \_\_\_\_\_

**SERVICE**

DEPTH OF JOB \_\_\_\_\_

PUMP TRUCK CHARGE \_\_\_\_\_

EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_

MILEAGE *73* @ \_\_\_\_\_

MANIFOLD \_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

**PLUG & FLOAT EQUIPMENT**

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE *Rosen*

PRINTED NAME \_\_\_\_\_

# ALLIED CEMENTING CO., INC. 25802

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
Russell

|  |      |                  |       |                                      |                               |                             |                               |
|--|------|------------------|-------|--------------------------------------|-------------------------------|-----------------------------|-------------------------------|
| DATE <u>10-6-05</u>                                      | SEC. | TWP.             | RANGE | CALLED OUT<br><u>5:00 AM</u>         | ON LOCATION<br><u>7:30 AM</u> | JOB START<br><u>8:00 AM</u> | JOB FINISH<br><u>12:45 PM</u> |
| LEASE <u>ANDERSON</u>                                    |      | WELL# <u>A#6</u> |       | LOCATION <u>CHURCH OF GOD 1/2 2N</u> |                               | COUNTY                      | STATE<br><u>KANSAS</u>        |
| <input checked="" type="radio"/> OLD OR NEW (Circle one) |      |                  |       | <u>1/2 W 1/2 N W INTO</u>            |                               |                             |                               |

|  |                                      |
|--|--------------------------------------|
| CONTRACTOR <u>TNT Well (SHAW)</u>          | OWNER                                |
| TYPE OF JOB <u>Squeeze (HUNT HOLE)</u>     |                                      |
| HOLE SIZE _____ TD.                        | CEMENT <u>(USED 100 SA)</u>          |
| CASING SIZE <u>5 1/2</u> DEPTH _____       | AMOUNT ORDERED <u>250 Com. 3% cc</u> |
| TUBING SIZE <u>2 7/8</u> DEPTH _____       |                                      |
| DRILL PIPE <u>(RICK)</u> DEPTH _____       |                                      |
| TOOL REINHARDT OIL KOLS DEPTH <u>1483'</u> |                                      |
| PRES. MAX _____ MINIMUM _____              | COMMON _____ @ _____                 |
| MEAS. LINE _____ SHOE JOINT _____          | POZMIX _____ @ _____                 |
| CEMENT LEFT IN CSG. _____                  | GEL _____ @ _____                    |
| PERES <u>Hole @ 1500'</u>                  | CHLORIDE _____ @ _____               |
| DISPLACEMENT <u>T 8.58 C-1/2 RBL</u>       | ASC _____ @ _____                    |
| EQUIPMENT _____                            | _____ @ _____                        |
|  | _____ @ _____                        |
|  | _____ @ _____                        |
| PUMP TRUCK CEMENTER <u>Glean</u>           | _____ @ _____                        |
| # <u>345</u> HELPER <u>CRAIG</u>           | _____ @ _____                        |
| BULK TRUCK _____                           | _____ @ _____                        |
| # <u>396</u> DRIVER <u>GARY</u>            | _____ @ _____                        |
| BULK TRUCK _____                           | _____ @ _____                        |
| # _____ DRIVER _____                       | _____ @ _____                        |
|  | HANDLING _____ @ _____               |
|  | MILEAGE _____ @ _____                |

**REMARKS:**

Hole @ 1500' Set Parker @  
1483' Load BACKSIDE & LEFT OPEN  
TOOK INJECTION RATE OF 380PM  
@ 500# mixed 100% cement  
+ STARTED TO GET GEL  
AROUND BACKSIDE, STOP mixing  
+ disp. back & pulled to 1500'  
WASHED CLEAN FOUND TOP HOLE'S  
@ 700' common sand. THANKS  
COULD NOT PUMP INTO TOGETHER  
CHARGE TO: Black Diamond Oil

STREET \_\_\_\_\_  
CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE \_\_\_\_\_

*[Handwritten Signature]*

PRINTED NAME \_\_\_\_\_

|                                   |             |
|-----------------------------------|-------------|
|                                   | TOTAL _____ |
| <b>SERVICE</b>                    |             |
| DEPTH OF JOB _____                |             |
| PUMP TRUCK CHARGE _____           |             |
| EXTRA FOOTAGE _____ @ _____       |             |
| MILEAGE _____ @ _____             |             |
| MANIFOLD <u>yes</u> _____ @ _____ |             |
| _____ @ _____                     |             |
| _____ @ _____                     |             |
|                                   | TOTAL _____ |
| <b>PLUG &amp; FLOAT EQUIPMENT</b> |             |
| _____ @ _____                     |             |
| _____ @ _____                     |             |
| _____ @ _____                     |             |
| _____ @ _____                     |             |
| _____ @ _____                     |             |
|                                   | TOTAL _____ |
| TAX _____                         |             |
| TOTAL CHARGE _____                |             |
| DISCOUNT _____ IF PAID IN 30 DAYS |             |

# ALLIED CEMENTING CO., INC. 25269

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
Russell

|  |                   |                                  |       |                           |                            |                          |                            |
|--|-------------------|----------------------------------|-------|---------------------------|----------------------------|--------------------------|----------------------------|
| DATE <u>6-26-06</u>                                      | SEC.              | TWP.                             | RANGE | CALLED OUT <u>7:00 AM</u> | ON LOCATION <u>9:00 AM</u> | JOB START <u>9:30 AM</u> | JOB FINISH <u>12:30 PM</u> |
| LEASE <u>ANDRESSON</u>                                   | WELL# <u>A-10</u> | LOCATION <u>CHURCH OF GOD 1W</u> |       |                           | COUNTY <u>ROCKS</u>        | STATE <u>KANSAS</u>      |                            |
| <input checked="" type="radio"/> OLD OR NEW (Circle one) |                   |                                  |       | <u>2 N 1W 1/2 A 4W</u>    |                            |                          |                            |

CONTRACTOR Chita's Well Service OWNER \_\_\_\_\_

TYPE OF JOB Plug OFF Bottom

HOLE SIZE \_\_\_\_\_ T.D. \_\_\_\_\_

CASING SIZE 5 1/2 CSG DEPTH 3710'

TUBING SIZE 2 7/8 DEPTH 3683'

DRILL PIPE 4 1/2 LIner DEPTH set @ 3530'

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX 500# MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. 30 ft.

BERFS. \_\_\_\_\_

DISPLACEMENT \_\_\_\_\_

CEMENT AMOUNT ORDERED 25 SK Com 3% cc  
4 SK SAND.

- COMMON \_\_\_\_\_ @ \_\_\_\_\_
- POZMIX \_\_\_\_\_ @ \_\_\_\_\_
- GEL \_\_\_\_\_ @ \_\_\_\_\_
- CHLORIDE \_\_\_\_\_ @ \_\_\_\_\_
- ASC \_\_\_\_\_ @ \_\_\_\_\_
- \_\_\_\_\_ @ \_\_\_\_\_
- \_\_\_\_\_ @ \_\_\_\_\_
- \_\_\_\_\_ @ \_\_\_\_\_
- \_\_\_\_\_ @ \_\_\_\_\_
- \_\_\_\_\_ @ \_\_\_\_\_
- \_\_\_\_\_ @ \_\_\_\_\_
- \_\_\_\_\_ @ \_\_\_\_\_
- \_\_\_\_\_ @ \_\_\_\_\_
- \_\_\_\_\_ @ \_\_\_\_\_
- \_\_\_\_\_ @ \_\_\_\_\_
- \_\_\_\_\_ @ \_\_\_\_\_
- \_\_\_\_\_ @ \_\_\_\_\_
- \_\_\_\_\_ @ \_\_\_\_\_
- \_\_\_\_\_ @ \_\_\_\_\_
- \_\_\_\_\_ @ \_\_\_\_\_
- \_\_\_\_\_ @ \_\_\_\_\_

EQUIPMENT 3414

PUMP TRUCK CEMENTER Orkaid

# 398 HELPER GARY

BULK TRUCK # 378 DRIVER BOB

BULK TRUCK # \_\_\_\_\_ DRIVER \_\_\_\_\_

HANDLING MILEAGE 70 Ten Mile

TOTAL \_\_\_\_\_

5 1/2 CSG TO 3710 (SAND SHOULD FILL UP TO APPROX) REMARKS: 3680'

2 7/8 Tubing @ 3683' - Spot 4 SK SAND. WAIT 45 min. Spot 15 SK Cement @ 3683'. Pull up to 3650' & WASH CLEAN. CAME OUT OF Hole w/ Tubing.

THANKS

CHARGE TO: BLACK DIAMOND OIL

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

SERVICE

DEPTH OF JOB \_\_\_\_\_

PUMP TRUCK CHARGE \_\_\_\_\_

EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_

MILEAGE 70 \_\_\_\_\_ @ \_\_\_\_\_

MANIFOLD \_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

PLUG & FLOAT EQUIPMENT

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE Shane Velzy

PRINTED NAME \_\_\_\_\_

L-K Wireline, Inc.

East Hiway 40 - P.O. Box 1188 - Hays, Kansas 67601

Phone 913-625-6877

FAX 913-625-6579

11353

DATE 10/13/97

CHARGE TO: Black Diamond Oil, Inc.

ADDRESS \_\_\_\_\_

LEASE AND WELL NO. Anderson A #6 FIELD Morel

NEAREST TOWN DeMar COUNTY Graham STATE Ks.

CUSTOMER'S ORDER NO. \_\_\_\_\_ SEC. 16 TWP. 9 RANGE 2W

SERVICES RENDERED:

|   |             |
|---|-------------|
| 10/7 (#2) Service charge (group rate)                 | \$ 200.00   |
| Gamma ray / Neutron log                               |             |
| Depth charge (3722 @ \$ .20/ft.)                      | 744.40      |
| Logging charge (\$250/min.)                           | N.C.        |
| Jet perforating (for plugging)                        |             |
| Min.  | 510.00      |
| Trailer mount mast (\$175)                            | N.C.        |
|   | 1454.40     |
| State sales tax @ 4.9% (logging exempt)               | 34.79       |
|   | \$ 1489.19  |
| Less discount if pd. w/in 30 days <sup>2% or 75</sup> | 223.38      |
|   | \$ 1,265.81 |

Thanks!

perds  
202000  
201700

ZERO K.B. CASING SIZE 5 1/2 WEIGHT 14#

CUSTOMER'S T.D. \_\_\_\_\_ T.D. 3722 FLUID LEVEL 230

ENGINEER Randy K. Longpie OPERATOR Mike H.

RECEIVED THE ABOVE ACCORDING TO THE TERMS AND CONDITIONS SPECIFIED BELOW WHICH WE HAVE READ AND TO WHICH WE HEREBY AGREE

CUSTOMER Blk. Diamond Oil, Inc. AUTHORIZED AGENT \_\_\_\_\_

GENERAL TERMS AND CONDITIONS OF SERVICE

- (1) All accounts are to be paid within the terms fixed by L-K Wireline, Inc. invoices; and should these terms not be observed, interest at the rate of 1 1/2 % per month will be charged from the date of such invoice.
- (2) Because of the uncertain conditions existing in a well which are beyond the control of L-K Wireline, Inc. it is understood by the customer that L-K Wireline, Inc. cannot guarantee the results of their services and will not be held responsible for personal or property damage in the performance of their services.
- (3) Should any L-K Wireline, Inc. instruments be lost or damaged in the performance of the operations requested, the customer agrees to make every reasonable effort to recover same, and to reimburse L-K Wireline, Inc. for the value of the items which cannot be recovered, or the cost of repairing damage to items recovered.
- (4) It is further understood and agreed that all depth measurements shall be supervised by the customer or its employees, and customer hereby certifies that the zones, as shot were approved.
- (5) The customer certifies that it has the full right and authority to order such work on such well and that the well in which the work is to be done by L-K Wireline, Inc. is in proper and suitable condition for the performances of said work.
- (6) No employee is authorized to alter the terms or conditions of this agreement.



# ALLIED CEMENTING CO., INC. 9443

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: R

|   |                   |   |                 |            |                      |                 |                          |
|---|-------------------|---|-----------------|------------|----------------------|-----------------|--------------------------|
| DATE <u>10/8/97</u>   | SEC <u>16</u>     | TWP <u>9</u>                                  | RANGE <u>21</u> | CALLED OUT | ON LOCATION          | JOB START       | JOB FINISH <u>3:30pm</u> |
| LEASE <u>Anderson</u>   | WELL # <u>A-6</u> | LOCATION <u>Church of God W &amp; N 1/2 W</u> |                 |            | COUNTY <u>Graham</u> | STATE <u>Ks</u> |                          |
| <input checked="" type="radio"/> OLD <input type="radio"/> NEW (Circle one) |                   |   |                 |            |                      |                 |                          |

|  |  |
|--|--|
| CONTRACTOR <u>Express Well Service</u> | OWNER <u>(used 265 cement)</u>                 |
| TYPE OF JOB <u>plug to abandon</u>     |  |
| HOLE SIZE _____ T.D. _____             | CEMENT   |
| CASING SIZE <u>5 1/2</u> DEPTH _____   | AMOUNT ORDERED <u>300<sup>60</sup> 10% gel</u> |
| TUBING SIZE <u>2 1/2</u> DEPTH _____   |  |
| DRILL PIPE _____ DEPTH _____           | <u>10 sand 10 gel 9 Hulls</u>                  |
| TOOL _____ DEPTH _____                 |  |
| PRES. MAX _____ MINIMUM _____          | COMMON <u>159 @ 6.35 1009.65</u>               |
| MEAS. LINE _____ SHOE JOINT _____      | POZMIX <u>106 @ 3.25 344.50</u>                |
| CEMENT LEFT IN CSG. _____              | GEL <u>33 @ 9.50 313.50</u>                    |
| PERFS. _____                           | CHLORIDE _____ @ _____                         |
| DISPLACEMENT _____                     | <u>Sand 10 @ 5.50 55.00</u>                    |
|  | <u>Hulls 9 @ 15.50 139.50</u>                  |
|  | @ _____  |
|  | @ _____  |
|  | @ _____  |
|  | HANDLING _____ @ <u>10.5 315.00</u>            |
|  | MILEAGE <u>4.8m 0.4 576.00</u>                 |
|  | TOTAL <u>2753.15</u>                           |

|   |                                       |
|---|---------------------------------------|
| REMARKS:  | SERVICE                               |
| <u>Ran tubing to 3700 spot 10sk</u>                       | DEPTH OF JOB _____                    |
| <u>pulled 7 1/2 ft spot 10 gel w/ 4 Hulls</u>             | PUMP TRUCK CHARGE _____ <u>195.00</u> |
| <u>pulled to 3420 spot 20 cement w/ 2 Hulls</u>           | EXTRA FOOTAGE _____ @ _____           |
| <u>pulled to 2100 spot 50 cement w/ 2 Hulls</u>           | MILEAGE _____ @ _____                 |
| <u>pulled to 1100 'cin wt 60 sk</u>                       | PLUG _____ @ _____                    |
| <u>pulled tubing tie down to 5k mixed</u>                 | _____ @ _____                         |
| <u>25 sk max 400 shut in 2 250 psi</u>                    | _____ @ _____                         |
| <u>field ant 58 mixed 50 sk max 400 shut in 2 200 psi</u> | _____ @ _____                         |
|   | TOTAL <u>195.00</u>                   |

CHARGE TO: Black Diamond oil  
STREET P.O. Box 681  
CITY Hays STATE Kan ZIP 67601

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Shane Veligo

|                 |         |
|-----------------|---------|
| FLOAT EQUIPMENT |         |
| _____           | @ _____ |
| _____           | @ _____ |
| _____           | @ _____ |
| _____           | @ _____ |
| _____           | @ _____ |
| TOTAL           | _____   |

TAX \_\_\_\_\_  
TOTAL CHARGE \_\_\_\_\_  
DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

PRINTED NAME \_\_\_\_\_

# EXPRESS WELL SERVICE, INC.

P.O. Box 426 Phone 913-735-9405  
Victoria, Kansas 67671

41308

Date Dec 10-7 19 97

Black Diamond Called By \_\_\_\_\_  
Anderson Well No. A-6 Co. Graham State Ks.

### WELL RECORD

| PULLED FROM WELL |        |             | Equipment               | RERAN IN WELL |        |             |
|------------------|--------|-------------|-------------------------|---------------|--------|-------------|
| at               | Joints | Description |                         | Feet          | Joints | Description |
|                  |        |             | Pollish Rod             |               |        |             |
|                  |        |             | Rod Subs                |               |        |             |
|                  |        |             | Rods                    |               |        |             |
|                  |        |             | Rods                    |               |        |             |
|                  |        |             | Pump                    |               |        |             |
|                  |        |             | Gas Anchor              |               |        |             |
|                  |        |             | Tubing Subs             |               |        |             |
|                  |        |             | Tubing                  |               |        |             |
|                  |        |             | Tubing                  |               |        |             |
|                  |        |             | Bbl.-Seat N.            |               |        |             |
|                  |        |             | Perf. Nipple            |               |        |             |
|                  |        |             | Mud Anchor              |               |        |             |
|                  |        |             | Packer Or Tubing Anchor |               |        |             |

Thread Dope 0 # \_\_\_\_\_

Paint & Diesel Yes  No

Sandpump Yes  No

Swab Equipment Yes  No

#Swab Cups or Rings 0 Type \_\_\_\_\_

Bailer Yes  No

Packer Yes  No  Type \_\_\_\_\_

Plug Yes  No

Oil Saver Rubber Yes  No

Circulating Head Yes  No

Circulating Rubber Yes  No  (New) (Used) Type \_\_\_\_\_

Unit and Equipment D Drum #9

Operator Craig Dinkel

Floormen Brian S., Doug M.

| Hrs.         | Per Hr.      | Amount        |
|--------------|--------------|---------------|
| <u>4 1/2</u> | <u>43.00</u> | <u>193.50</u> |
| <u>4 1/2</u> | <u>20.00</u> | <u>90.00</u>  |
| <u>9</u>     | <u>18.00</u> | <u>162.00</u> |
|              |              |               |
|              |              | <u>21.83</u>  |
|              |              | <u>467.33</u> |

EXTRA EQUIPMENT \_\_\_\_\_

SALES TAX \_\_\_\_\_

TOTAL \_\_\_\_\_

Material Used In Well From Express \_\_\_\_\_

Material Used In Well From Other Suppliers \_\_\_\_\_

| Job Description  | Cause of Failure | No. of Rods or Joints Deep | Size and Type of Replacement | (New) | (Used) |
|------------------|------------------|----------------------------|------------------------------|-------|--------|
| <u>Plug well</u> |                  |                            |                              |       |        |

REMARKS: Waited for L-K wireline to finish logging & perf. couldn't rig up or unload  
thg. til they were down. While waiting loaded tractor up w/ thg., L-K finished.  
spotted rig in unloaded thg. (move from A-5). SFSD.

EXPRESS WELL SERVICE, INC.

Craig A. Dinkel

By \_\_\_\_\_

# EXPRESS WELL SERVICE, INC.

P.O. Box 426 Phone 913-735-9405  
Victoria, Kansas 67671

12-14809

Date Wed. 10-8 19 97

Company Black Diamond Called By \_\_\_\_\_  
Lease Anderson Well No. A-6 Co. Disham State Ks.

## WELL RECORD

| PULLED FROM WELL |        |             | Equipment               | RERAN IN WELL |        |             |
|------------------|--------|-------------|-------------------------|---------------|--------|-------------|
| Feet             | Joints | Description |                         | Feet          | Joints | Description |
|                  |        |             | Polish Rod              |               |        |             |
|                  |        |             | Rod Subs                |               |        |             |
|                  |        |             | Rods                    |               |        |             |
|                  |        |             | Rods                    |               |        |             |
|                  |        |             | Pump                    |               |        |             |
|                  |        |             | Gas Anchor              |               |        |             |
|                  |        |             | Tubing Subs             |               |        |             |
|                  |        |             | Tubing                  |               |        |             |
|                  |        |             | Tubing                  |               |        |             |
|                  |        |             | Bbl-Seat N.             |               |        |             |
|                  |        |             | Perf. Nipple            |               |        |             |
|                  |        |             | Mud Anchor              |               |        |             |
|                  |        |             | Packer Or Tubing Anchor |               |        |             |

Thread Dope 5 # API Mark @ \$3.00/lb - \$15.00  
 Paint & Diesel Yes  No  Unit and Equipment O. Drum #9  
 Sandpump Yes  No  Operator Craig Dinkel  
 Swab Equipment Yes  No  Floormen Bruce, Doug M.  
 #Swab Cups or Rings 0 Type \_\_\_\_\_  
 Baller Yes  No   
 Packer Yes  No  Type \_\_\_\_\_  
 Plug Yes  No   
 Oil Saver Rubber Yes  No   
 Circulating Head Yes  No  = 5 \$155.  
 Circulating Rubber Yes  No  (New) (Used) Type 2 3/8" 150"

| Hrs.          | Per Hr.      | Amount         |
|---------------|--------------|----------------|
| <u>12 1/2</u> | <u>43.00</u> | <u>537.50</u>  |
| <u>12 1/2</u> | <u>22.00</u> | <u>275.00</u>  |
| <u>25</u>     | <u>18.00</u> | <u>450.00</u>  |
|               |              | <u>120.00</u>  |
|               |              | <u>66.52</u>   |
|               |              | <u>1424.02</u> |

EXTRA EQUIPMENT  
SALES TAX  
TOTAL

Material Used In Well From Express \_\_\_\_\_  
 Material Used In Well From Other Suppliers \_\_\_\_\_

| Job Description | Cause of Failure | No. of Rods or Joints Deep | Size and Type of Replacement (New) (Used) |
|-----------------|------------------|----------------------------|---|
|-----------------|------------------|----------------------------|---|

Plug well  
 REMARKS: RU Talled on hole w/ log suspended tagged bottom @ 3725 - pulled pt. spot 10 abc sand pulled 4 1/2 hrs waited for bc for sand to fall to bottom run log back down to top top of sand. Cellar covering in underneath derrick leg had welder cut + weld nipple to piece of 2 3/8" dly. to reach ground level backhoe covered up cellar tagged top of sand pulled pt. pumped gel pulled up 3'100' pumped cement, pulled up 2120' pumped cement, pulled up 1112' pumped cement, 700H of water dly. pumped down casing (cement) moved dly from A-6 to A-7

EXPRESS WELL SERVICE, INC.

By Craig A. Dinkel

# KANSAS

## CORPORATION COMMISSION

Mark Parkinson, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

### NOTICE OF RECEIPT OF WELL PLUGGING APPLICATION (CP-1)

BLACK DIAMOND OIL, INC.  
PO BOX 641  
HAYS, KS 67601-0641

July 10, 2009

Re: ANDRESON #A6  
API 15-065-01392-00-01  
16-9S-21W, 1650 FSL 4290 FEL  
GRAHAM COUNTY, KANSAS


Dear Operator:

This letter is to notify you that the Conservation Division has received your plugging proposal, form CP-1, for the above well and has reviewed the proposal for completeness. The central office will now forward your CP-1 to the district office listed below for review of the proposed plugging method. **Please contact the district office for approval of your proposed plugging method at least five (5) days before plugging the well, pursuant to K.A.R. 82-3-113(b). If a workover pit will be used during the plugging of the well it must be permitted. A CDP-1 form must be filed and approved prior to the use of the pit in accordance with K.A.R. 82-3-600.**

The Conservation Division's review of form CP-1, either in the central or district office, does not include an inquiry into well ownership or the filing operator's legal right to plug the well. This notice in no way constitutes authorization to plug the above well by persons not having legal rights of ownership or interest in the well.

**This notice is void after January 6, 2010. The CP-1 filing does not bring the above well into compliance with K.A.R. 82-3-111 with regard to the Commission's temporary abandonment requirements.**

Sincerely,



Steve Bond  
Production Department Supervisor

District: #4  
2301 E. 13th  
Hays, KS 67601  
(785) 625-0550