

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date: August 15, 2009	Spot Description:
month day year	$\frac{\text{NW}/4}{\text{SW}/4} = \frac{\text{SW}/4}{\text{SW}/4} = \frac{\text{Sec. } 25}{\text{Sec. } 25} = \frac{32}{\text{Twp. } 32} = \text{S. R. } \frac{10}{\text{X}} = \frac{\text{W}}{\text{W}}$
OPERATOR: License# 6044 /	(Q/Q/Q/Q) 1650 teet from X N / S Line of Section
Name: Stelbar Oil Corporation, Inc.	feet from E / X W Line of Section
Address 1: 1625 N. Waterfront Parkway	Is SECTION: X Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Wichita State: KS Zip: 67206 + 6602	Chautana
Contact Person: Roscoe L. Mendenhall	Lease Name: Floyd 'A' Well #: 27
Phone: 316 / 264-8378	Field Name: Landon-Floyd
CONTRACTOR: License# 32701	Is this a Prorated / Spaced Field?
Name: C&G Drilling, Inc.	Target Formation(s): Mississippian
	Nearest Lease or unit boundary line (in footage): 1682'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 1094 feet MSL
x Oil Enh Rec x Infield x Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile: Yes x No
Disposal Wildcat Cable	Depth to bottom of fresh water: 110 Ft.
Seismic ; # of Holes Other	Depth to bottom of tresh water: 480 Ft.
Other:	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 125 Ft.
	Length of Conductor Pipe (if any): None
Operator:	Projected Total Depth: 2100 Ft.
Well Name:	Projected rotal Deptil.
Original Completion Date: Original Total Depth:	Formation at Total Depth: NUSSISSIPPIAN Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? If Yes, true vertical depth: Bottom Hole Location:	Well x Farm Pond Other: DWR Permit #: (Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	The state of the s
AFI	FIDAVIT KOODAS CORPORATION SOM GREK
AFI The undersigned hereby affirms that the drilling, completion and eventual plu	FIDAVII
	FIDAVII
The undersigned hereby affirms that the drilling, completion and eventual plu	JUL 3 0 2009
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be	agging of this well will comply with K.S.A. 55 et. seq. JUL 3 0 2009 In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #"	agging of this well will comply with K.S.A. 55 et. seq. JUL 3 0 2009 In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distance of the surface of the specified before well is either plugues. The appropriate district office will be notified before well is either plugues. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best of the statements.	agging of this well will comply with K.S.A. 55 et. seq. JUL 3 0 2009 In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distance of the surface of the specified before well is either plugs. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be	auging of this well will comply with K.S.A. 55 et. seq. JUL 3 0 2009 In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing explugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. Title: Vice-President / Operations
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugs 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the bate. Date: 07/29/2009 Signature of Operator or Agent	auging of this well will comply with K.S.A. 55 et. seq. JUL 3 0 2009 In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It this office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. (Roscoe L. Mendenhall) Remember to:
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the bate: 07/29/2009 Signature of Operator or Agent	agging of this well will comply with K.S.A. 55 et. seq. JUL 3 0 2009 In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. Title: Vice-President / Operations
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugs 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the bate. Date: 07/29/2009	Lugging of this well will comply with K.S.A. 55 et. seq. JUL 3 0 2009 In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. Title: Vice-President / Operations (Roscoe L. Mendenhall) Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the bate: O1/29/2009 Signature of Operator or Agent: For KCC Use ONLY API # 15 - D19 - 2699-000	Lugging of this well will comply with K.S.A. 55 et. seq. JUL 3 0 2009 In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. Title: Vice-President / Operations (Roscoe L. Mendenhall) Remember to: - File Drill Pit Application (form CDP-1) with intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the sist. The appropriate district office will be notified before well is either plugs 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the bate: O7/29/2009	Lugging of this well will comply with K.S.A. 55 et. seq. JUL 3 0 2009 In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; dd from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. Title: Vice-President / Operations (Roscoe L. Mendenhall) Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the plug of 5. The appropriate district office will be notified before well is either plug of 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the ball be conductor pipe required. Signature of Operator or Agent. For KCC Use ONLY API # 15 - O19 - 26969-0000 Conductor pipe required feet Minimum surface pipe required feet per ALT.	Lugging of this well will comply with K.S.A. 55 et. seq. JUL 3 0 2009 In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; of from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. Wice-President / Operations (Roscoe L. Mendenhall) Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the bate: 1. **O19-269-9-00-00** **For KCC Use ONLY** API # 15 - O19 - 269-00-00 Conductor pipe required	agging of this well will comply with K.S.A. 55 et. seq. JUL 3 0 2009 In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. Is 33,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. Wice-President / Operations (Roscoe L. Mendenhall) Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the bate: 1. **O19-269-9	Lagging of this well will comply with K.S.A. 55 et. seq. JUL 3 0 2009 In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; of from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. Title: Vice-President / Operations (Roscoe L. Mendenhall) Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the bate: Date: 07/29/2009 Signature of Operator or Agent	In drilling rig: by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Vice-President / Operations (Roscoe L. Mendenhall) Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second and the sec	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. Vice-President / Operations

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 019-26969-00-00				
Operator: Stelbar Oil Corporation, Inc.	Location of Well: County: Chautauqua			
Lease: Floyd 'A'	1650 feet from N / S Line of Section			
Well Number; 27	330 feet from E / x W Line of Section			
Field: Landon-Floyd	Sec. 25 Twp. 32 S. R. 10 X E W			
Number of Acres attributable to well: 10 QTR/QTR/QTR/QTR of acreage: NW/4 - SW/4 - NW/4 -	Is Section: X Regular or Irregular			
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW			

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

0.000 0.000 0.00000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.00000 0.		,		••••		. Kansas
						Chautauqua County,
	,		2:	5		3390, 10 10 1980
					 	SEWARD CO. KANSAS CORPUTATION COMM.

NOTE: In all cases locate the spot of the proposed drilling locaton.

JUL 3 0 2009

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Stelbar Oil Col	poration, Inc.	License Number: 6044			
Operator Address: 1625 N. Waterfront Parkway, Suite #200, Wichita, Kansas 67206-6602					
Contact Person: Roscoe L. Mendenhall			Phone Number: 316 / 264-8378		
Lease Name & Well No.: Floyd 'A' #27			Pit Location (QQQQ):		
Type of Pit:	Pit is:		NW/4 _ SW/4 _ NW/4 _		
Emergency Pit Burn Pit	x Proposed	Existing	Sec. 25 Twp. 32S R. 10 X East West		
Settling Pit X Drilling Pit	If Existing, date of	onstructed:	1650 Feet from X North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:	na province charge management of the control of	330 Feet from East / X West Line of Section		
(If WP Supply API No. or Year Drilled)	3200	(aldd)	Chautauqua County		
Is the pit located in a Sensitive Ground Water	Area? Yes X	No	Chloride concentration: mg/l		
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
X Yes No	Yes X	No	Natural Clays		
Pit dimensions (all but working pits): 60	Length (fe	eet) 60	Width (feet) N/A: Steel Pits		
Depth fi	om ground level to de	epest point: 5	(feet) No Pit		
If the pit is lined give a brief description of the material, thickness and installation procedure		Describe proce liner integrity, in	dures for periodic maintenance and determining communication and special monitoring SS Control of C		
Distance to nearest water well within one-mile	e of pit	Depth to shallo Source of infor			
feet Depth of water well		L measu			
Emergency, Settling and Burn Pits ONLY:			over and Haul-Off Pits ONLY:		
			king pits to be utilized: Three (3).		
			procedure: Allow pits to dry and backfill with soil.		
Does the slope from the tank battery allow all spilled fluids to			pe closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
07/29/2009 Date STELBAR OIL CORPORATION, INC. Signature of Applicant or Agent (Roscoe L. Mendenhall - Vice Pres./Operations)					
		OFFICE USE OI	· · · · · · · · · · · · · · · · · · ·		
Date Received: $2/30/09$ Permit Num	nber:	Permi	t Date: 7/30/09 Lease Inspection: Yes No		