

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

ORIGINATION ACC-1
October 2008
Florin Mast Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 4058	API No. 15 - 007-23,396-000				
Name: American Warrior, Inc.	Spot Description: NW NE SW SE				
Address 1: _P. O. Box 399	NW_NE_SW_SE_Sec. 32 Twp. 31 S. R. 15 East West				
Address 2:					
City: Garden City State: KS Zip: 67846 +					
Contact Person: Kevin Wiles, Sr.	Footages Calculated from Nearest Outside Section Corner:				
Phone: (620) 275-2963	□ NE □ NW ☑ SE □ SW				
CONTRACTOR: License # 5929	County: BARBER				
Name: Duke Drilling Co., Inc.	Lease Name: MARSH Well #: 1-32				
Wellsite Geologist: None	Field Name: WILDCAT				
Purchaser: None	Producing Formation: NONE				
Designate Type of Completion:	Elevation: Ground: 1943' Kelly Bushing: 1954'				
New Well Re-Entry Workover	Total Depth: 932' Plug Back Total Depth: N/A				
Oil SWD SIOW	Amount of Surface Pipe Set and Cemented at: 351 Feet				
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No				
CM (Coal Bed Methane) Temp. Abd.	If yes, show depth set: Feet				
Dry OtherLost Hole	If Alternate II completion, cement circulated from:				
(Core, WSW, Expl., Cathodic, etc.)					
If Workover/Re-entry: Old Well Info as follows:	feet depth to:w/sx cmt.				
Operator:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)				
Well Name:					
Original Comp. Date: Original Total Depth:	Chloride content: 11,000 ppm Fluid volume: 300 bbls				
Deepening Re-perf Conv. to Enhr Conv. to SWD Plug Back: Plug Back Total Depth	Dewatering method used: HAULED OFF SITE				
	Location of fluid disposal if hauled offsite:				
Commingled Docket No.: Dual Completion Docket No.:	Operator Name: AMERICAN WARRIOR, INC.				
Other (SWD or Enhr.?) Docket No.:	Lease Name: ALEXANDER 1-10 License No.: 4058				
12-3-08 12-6-08 12-6-08	Quarter SE Sec. 10 Twp.32 S. R. 15 East West				
Spud Date or Date Reached TD Completion Date or	County: BARBER Docket No.: D-28,670				
Recompletion Date Recompletion Date					
Kansas 67202, within 120 days of the spud date, recompletion, workover or confidence of side two of this form will be held confidential for a period of 12 months if required tiality in excess of 12 months). One copy of all wireline logs and geologist we BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 for	ell report shall be attached with this form. ALL CEMENTING TICKETS MUST m with all temporarily abandoned wells.				
All requirements of the statutes, fulles and regulations promulgated to regulate the are complete and correct to the bast of my knowledge. Signature	he oil and gas industry have been fully complied with and the statements herein KCC Office Use ONLY				
Title: Compliance Coordinator Date: 6-17-09	4/3				
1916 7	Letter of Confidentiality Received				
Subscribed and sworn to before me this // = day of	If Denied, Yes Date:				
20 Off.	Wireline Log Received				
Notary Public:	Geologist Report Received RECEIVED				
A DEBRA J. P	OKCELL				
Date Commission Expires: Notary Public St. My Appt. Expires \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	JUN 2 2 2009				
manus set a later attention of the set of th	KCC WICHITA				

Side Two

Operator Name: 🔼	ichcan vvainoi,	1110.		ne: IVIANSH		Well #: 1-3	2		
Sec. 32 Twp. 3	31 _{S. R.} 15	East West	County: E	BARBER					
time tool open and cl recovery, and flow ra	osed, flowing and shu	d base of formations per t-in pressures, whether s st, along with final chart report.	shut-in pressure	e reached static level	, hydrostatic pres	ssures, bottom i	nole tempera	ture, fluid	
Drill Stem Tests Taken (Attach Additional Sheets) Samples Sent to Geological Survey Yes No				Log Formation (Top), De			pth and Datum Sample		
				Name Top Lost Hole and Abandoned					
Cores Taken Electric Log Run (Submit Copy)	Yes No	Lost Hole and Abandoned							
List All E. Logs Run:									
		CASING	RECORD [✓ New Used					
]			-conductor, surfac	e, intermediate, produc	ion, etc.		1		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Addit		
Surface Pipe	7-7/8"	8-5/8"	23#	351'	60:40:4	520	2% Gel;	3% CC	
		ADDITIONA	LOSMSNITNO	/ COUETZE DECODE				<u> </u>	
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Use	/ SQUEEZE RECORD	Type and Percent Additives				
Perforate Protect Casing Plug Back TD									
Plug Off Zone									
Shots Per Foot		ON RECORD - Bridge Plu Footage of Each Interval Pe			cture, Shot, Ceme mount and Kind of N		rd	Depth	
	Lost Hole - A	bandoned							
			<i>j</i>			RECEIV	ED		
					·	JUN 2 2	2009		
				·					
						CC WICI	HIIA		
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes N	0			
Date of First, Resumed	d Production, SWD or En	hr. Producing Mel	_	Flowing Pump	ng 🗌 Gas l	_ift	er (Explain)	13.2 1 113	
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf	Water E	Bbls.	Gas-Oil Ratio	(Gravity	
			· · · · · · · · · · · · · · · · · · ·						
	ION OF GAS:	1	METHOD OF CO		mminate d	PRODUCTI	ON INTERVAL	:	
Vented Sol	d Used on Lease ubmit ACO-18.)	Open Hole Other (Specify)	Perf.	Dually Comp. Co	mmingled				

ALLIED CEMENTING CO., LLC. 34140

	.037.01								
REMIT TO P.O. B RUSS		NSAS 6766	55		SERV	ICE POINT: Medical	nelady, to		
DATE 12-6-08	SEC. 3 2	TWP. 315	RANGE 15	CALLED OUT	ON LOCATION 3:00 AA	JOB START	JOB FINISH		
MA/Gh LEASE	WELL#	1-32	LOCATION /60 1	SUN City Rd.		COLINTY	STATE KS.		
OLD OR NEW (Cir		1 3-	N+E FUT		2,000,112	DAZBEZZ	F-3 .		
		¥	10 . C FP (1						
CONTRACTOR	Puke	145-		OWNER A	elican WA	44.61, In	1C.		
TYPE OF JOB (K)	OTH/Y	TD	932'	CEMENT					
CASING SIZE *	5/4"	DEF			DERED 520	5x 60.4	4014		
TUBING SIZE		DEI							
DRILL PIPE	٠	DEI			·				
TOOL		DEI			7/2 0		11020110		
PRES. MAX Some MEAS. LINE	90		NIMUM 100 DE JOINT	COMMON POZMIX	<u>312 A</u> 208		<u>4820.40</u> 1664.00		
CEMENT LEFT IN	CSG.	3110	JE JOHNI	FOZMIX GEL	18		374.40		
PERFS.		-		CHLORIDE					
DISPLACEMENT				ASC					
	EQU	JIPMENT			DECEN	_@			
					RECEI				
			mgs DeMorro	<u> </u>	JUN 2 2	2009			
***************************************	HELPER	Phymor	d C.			@			
BULK TRUCK # 381-319	DRIVER	MAH	·T		KCC WI	CellA	· · · · · · · · · · · · · · · · · · ·		
BULK TRUCK	DRIVER	rail							
# 421-251	DRIVER	MATT	<i>T</i> ,	– HANDLING	538	_@ @ <i>2.40</i>	1291.20		
Marie Control					15 X 53 R		1345.00		
	RE	MARKS:					9495.00		
RUN 1" TO 3	50	Plue RA	thole w/155	×		,			
	Down	- 47 =		$\overline{\mathbf{Z}}$	SERVI	CE	÷		
robetur-s	1 110P	"out	F Hole AV/N	<u>ė</u>		- 0/			
10. cd 02	CALL	tor nor	e ceryent, R	DEPTH OF JOH	<u>5</u>	50'	1813 00		
2014014 W/2	DR-7	hole,	VIII Detu	Z PUMP TRUCK EXTRA FOOTA	CHARGE		1017.00		
vo Fluid on,	t, Pus	4 85/8	Rubber Plus	MILEAGE			175,00		
auto 250 o	2 topo	PDC:417	fe toporta	.,		_			
00566014914	cope.	at life	a whole To	<u> </u>		_@			
USFACE	1		Thankyou			_@	· · · · · · · · · · · · · · · · · · ·		
CHARGE TO:	Mer,	CAN H	Ithlior, In						
STREET				_ 874"		TOTAL	1192.00		
CITY	rz	`ATE	71P	, ,					
	51	/ NI L	ZM		PLUG & FLOAT EQUIPMENT				
				7-00-11	21	_@			
				top Rubb.	r rive		_113.00		
To Allied Cement	•				<u> </u>				
and furnish ceme	•		nenting equipment						
		•	ne above work was	3					
			of owner agent or			TOTAL	113.00		
		-	nd the "GENERAL	L	a	,			
TERMS AND CO	ONDITIC	NS" listed	l on the reverse sid	e. SALES TAX (I	f Any)				
				TOTAL CHAR	GES	"是集"			
PRINTED NAME	You	INY	MARTI	${\mathcal U}$ discount $_$	2	IF PAI	D IN 30 DAYS		
	•		•	the second of th					

WILL BE CHARGED UPON INVOICING

ALLIED CEMENTING CO., LLQW 23 2531

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665 SERVICE POINTCHITA Medicine Large

			<u> </u>			0
DATE \ 2-03-08	SEC 315	RANGE IS W	CALLED OUT D400 PM	ON LOCATION 0530 pm	JOB START O630pm	JOB FINISH DZDOPM
LEASE Marsh	WELL# 1-32	LOCATION 1608S	on City Rd		COUNTY Barber	STATE
OLD OR NEW Cir		NINTO				
CONTRACTOR D	ouke 5		OWNER An	nerican Wa	- k(v),0(,	
TYPE OF JOB 50	vrfqce					
HOLE SIZE 1分り		. 339	CEMENT	_		
CASING SIZE § 5	18 23 # DE	PTH 351	AMOUNT O	RDERED 2205	x60:40:2	+3%CC
TUBING SIZE		PTH		·		
DRILL PIPE		PTH				
TOOL	_	PTH	_			
PRES. MAX 35		NIMUM 100	COMMON_	132 A		2039.40
MEAS. LINE	CCC 2010cc	DE JOINT 20'	POZMIX _	88	_@ <u>8.60</u>	704.00
PERFS.	CSG. FO PELC	justomer Reques		<u> </u>	_@ <u>20.80</u>	83.20
DISPLACEMENT	21 Bbls Frest	water	_ CHLORIDE _		_@ <i>_58,20_</i>	407.40
DISPLACEMENT			ASC	· · · · · · · · · · · · · · · · · · ·	_@	·
	EQUIPMENT		-		-	
					- [@]	·
	CEMENTER 60		-			
	HELPER Heath -	M				
BULK TRUČK	44.1					
	DRIVER Michael	<i>N</i>	-		@	
BULK TRUCK						
# <u>l</u>	DRIVER		- HANDLING	231	@ 2.40	554.40
			MILEAGE _	25 x 231 >	1.10	577.50
	REMARKS:	,		•	TOTAL	4365.90
Bbls Fresh war To Surface	itter, shut in,	te, Disp. With 21 Cement Circulate	DEPTH OF JO PUMP TRUC	K CHARGE 0-		1018.00
			. EXTRA FOO . MILEAGE	TAGE <u>51'</u>		<u> 43.35</u>
	<u> </u>		· · · · · · · · · · · · · · · · · · ·		_@ <u>_7.07</u> _ @	175.00
			MANIFOLD Head Ren			113.00
		•	1.014 0.0	1	_ @ <i>71 5.00</i> _ @	
CHARGE TO: An	verican War	nor	<u> </u>			3
STREET			- -		TOTAL	1349.35
CITY	STATE	ZIP	05/			
			85/1	PLUG & FLOAT	EQUIPMEN	T
			Wooden Pl	U9 I	@ <u>68.00</u>	68.00
			· · · · · · · · · · · · · · · · · · ·		_ @	
To Allied Cement	ing Co., LLC.			•	@	
You are hereby re	quested to rent cer	nenting equipment			_@	
and furnish cemer	nter and helper(s) t	o assist owner or			_@	· ·
contractor to do w	ork as is listed. T	he above work was				4 0 0 00
done to satisfaction	on and supervision	of owner agent or			TOTAL	68.00
contractor. I have	read and understa	nd the "GENERAL				
TERMS AND CO	NDITIONS" liste	d on the reverse side.	SALES TAX	(If Any)		····
	,		TOTAL CHA	RGES\$	100 PM	3
PRINTED NAME	GOONX M	AATIN	_ DISCOUNT .	A STATE OF THE PARTY OF THE PAR	IF PAII	O IN 30 DAYS
_	- (<u> </u>				
SIGNATURE	and In	7	6 1 1	PPLICABLE T		
SIOIVAI UKE	VIVY //6	WW.	- 1 m 1 m 1 m 1 m 1 m 1 m 1 m 1 m 1 m 1	BE CHARGE		
*Thank YOU	<i>(</i> 1		UPO	N INVOICING	3	The Real Property Control of the Real Propert
•	•			· wares		******