

JUN 05 2007

CONSERVATION DIVISION
WICHITA, KS

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Operator: License # 33344
Name: Quest Cherokee, LLC
Address: 211 W. 14th Street
City/State/Zip: Chanute, KS 66720
Purchaser: Bluestem Pipeline, LLC
Operator Contact Person: Jennifer R. Ammann
Phone: (620) 431-9500
Contractor: Name: Ground Source
License: 33824
Wellsite Geologist: Ken Recoy

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back _____ Plug Back Total Depth _____
 Commingled _____ Docket No. _____
 Dual Completion _____ Docket No. _____
 Other (SWD or Enhr.?) _____ Docket No. _____

1/26/07 3/2/07 3/9/07
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date

API No. 15 - 099-24176 -00-00
County: Labette
_____ ne - sw Sec. 25 Twp. 32 S. R. 18 East West
1980 feet from S N (circle one) Line of Section
1980 feet from E W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: Winters, David H. Well #: 25-2
Field Name: Cherokee Basin CBM
Producing Formation: multiple
Elevation: Ground: 825 Kelly Bushing: n/a
Total Depth: 884 Plug Back Total Depth: 878.65
Amount of Surface Pipe Set and Cemented at 22 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from 878.65
feet depth to surface w/ 115 sx cmt.
ALT 2 - Dig - 9/17/08

Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit)
Chloride content _____ ppm Fluid volume _____ bbls
Dewatering method used _____
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Jennifer R. Ammann
Title: New Well Development Coordinator Date: 6/4/07
Subscribed and sworn to before me this 4th day of June,
2007.
Notary Public: Denise V. Venneeman
Date Commission Expires: 7-1-08

DENISE V. VENNEEMAN
ROTARY PUBLIC
STATE OF KANSAS
MY APPT. EXPIRES 7-1-08

KCC Office Use ONLY
 Letter of Confidentiality Received
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

Operator Name: Quest Cherokee, LLC Lease Name: Winters, David H. Well #: 25-2
 Sec. 25 Twp. 32 S. R. 18 East West County: Labette

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No (Attach Additional Sheets) Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No (Submit Copy) List All E. Logs Run: Dual Induction Log Compensated Density Neutron Log Gamma Ray Neutron Log	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum See attached
---	--

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12-1/4	8-5/8"	20	22	"A"	5	
Production	6-3/4	4-1/2	10.5	878.65	"A"	115	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
4	766-768/708-710/701-702	300gal 15%HCLw/ 20 bbls 2%kcl water, 601bbls water w/ 2% KCL, Biocide, 10700# 20/40 sand	766-768/708-710 701-702
4	551-553/457-459/426-429/393-395	300gal 15%HCLw/ 28 bbls 2%kcl water, 616bbls water w/ 2% KCL, Biocide, 10000# 20/40 sand	551-553/457-459 426-429/393-395
4	328-332/300-304	300gal 15%HCLw/ 29 bbls 2%kcl water, 501bbls water w/ 2% KCL, Biocide, 8500# 20/40 sand	328-332/300-304

TUBING RECORD		Size	Set At	Packer At	Liner Run	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
		2-3/8"	788	n/a			
Date of First, Resumerd Production, SWD or Enhr.			Producing Method				
4/30/07			<input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)				
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Obbls	Gas-Oil Ratio	Gravity		
	n/a	4.8mcf					


Disposition of Gas Vented Sold Used on Lease (If vented, Submit ACO-18.)

METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled Other (Specify) _____

Production Interval _____

QUEST

Resource Corporation



211 W. 14TH STREET,
CHANUTE, KS 66720
620-431-9500

RECEIVED
KANSAS CORPORATION COMMISSION

JUN 05 2007

CONSERVATION DIVISION
WICHITA, KS

TICKET NUMBER 2069

FIELD TICKET REF #

FOREMAN Joe

618240

TREATMENT REPORT & FIELD TICKET CEMENT

DATE	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
3-9-07	WINTERS DAVID 25-2	25	32	18	LB

FOREMAN / OPERATOR	TIME IN	TIME OUT	LESS LUNCH	TRUCK #	TRAILER #	TRUCK HOURS	EMPLOYEE SIGNATURE
Joe B	6:45	12:00		903427		5.25	<i>Joe B</i>
Maverick D	7:00			903197		5	<i>Maverick D</i>
Russell A	7:00			903103		5	<i>Russell A</i>
Gary C	6:45			931500			<i>Gary C</i>
Craig G	6:45	↓		extra driver		5.25	<i>Craig G</i>

JOB TYPE Logstring HOLE SIZE 6 3/4 HOLE DEPTH 884.40 CASING SIZE & WEIGHT 4 1/2 10.5
 CASING DEPTH 878.65 DRILL PIPE _____ TUBING _____ OTHER _____
 SLURRY WEIGHT 14.5 SLURRY VOL _____ WATER gal/sk _____ CEMENT LEFT in CASING _____
 DISPLACEMENT 14.01 DISPLACEMENT PSI _____ MIX PSI _____ RATE 4 bpm

REMARKS:

Installed cement head RA, 2 SKS col + 8 bbl dup 4 1/2 SKS of cement to get
due to surface flush pump. Pumpwiper plug to bottom of 5' float shoe

	878.65	ft 4 1/2 Casing	
	5	Centralizers	
903140	5 hr	Casing tractor	
	5 hr	Casing trailer	

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION OF SERVICES OR PRODUCT	TOTAL AMOUNT
903427	5.25 hr	Foreman Pickup	
903197	5 hr	Cement Pump Truck	
903103	5 hr	Bulk Truck	
1104	110 SK	Portland Cement	
1124	2	50/50 POZ Blend Cement <u>Baffle 2 1/2 43</u>	
1126	1	OWC Blend Cement <u>4 1/2 wiper plug</u>	
1110	10 SK	Gilsonite	
1107	1 SK	Flo-Seal	
1118	2 SK	Premium Gel	
1215A	1 gal	KCL	
1111B	2 SK	Sodium Silicate <u>Calc chloride</u>	
1123	700000-l	City Water	
		Transport Truck	
		Transport Trailer	
931500	hr	80 Vac	