RECEIVED JAN 2 0 2006 KCC WICHITA

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Operator: License # 32278	API No. 15 - 009-24861-0000
Name: Tengasco, Inc	County: Barton
Address: PO Box 458	SW _ SW _ Sec. 21 Twp. 17 S. R. 14 ☐ East 🗸 West
City/State/Zip: Hays, Ks 67601	feet from \$\infty\$ / N (circle one) Line of Section
Purchaser: N/A	410 feet from E / (Circle one) Line of Section
Operator Contact Person: Gary Wagner	Footages Calculated from Nearest Outside Section Corner:
Phone: (785_) 625-6374	(circle one) NE SE NW (SW)
Contractor: Name: Forrest Energy	Lease Name: Keenan Well #: B #6
License: 33436	Field Name: Carroll
Wellsite Geologist: Rod Tremblay	Producing Formation:
Designate Type of Completion:	Elevation: Ground: 1862' Kelly Bushing: 1874'
New Well Re-Entry Workover	Total Depth: 3380' Plug Back Total Depth: surface
Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at 810 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator:	feet depth tow/sx cmt.
Well Name:	DH-DIC 10/14/08
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content 6000 ppm Fluid volume 200 bbls
Plug Back Plug Back Total Depth	Dewatering method used Evaporation
Commingled Docket No	
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
10-5-05 10-12-05 10-13-05	Lease Name: License No.:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, workov Information of side two of this form will be held confidential for a period of	th the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, wer or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 12 months if requested in writing and submitted with the form (see rule 82-3-3 and geologist well report shall be attached with this form. ALL CEMENTING s. Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regulation are complete and correct to the best of my knowledge.	ate the oil and gas industry have been fully complied with and the statements
Signature: Pary Wageer	KCC Office Use ONLY
Fitle: Production Manager Date: 1-17-06	
. 14	If Denied, Yes Date:
Subscribed and sworn to before me this // day of	Wireline Log Received
0006	Geologist Report Received
Notary Public: Serde K. Hananetes	UIC Distribution
Date Commission Expires: 2/5/08	



Operator Name: Ten	gasco, Inc			Lease Name	: Keenan		_ Well #:B	#6
	7S. R <u>14</u>	☐ East 🗸] West	County: Bar	ton	 		
INSTRUCTIONS: Sh tested, time tool oper temperature, fluid rec Electric Wireline Logs	n and closed, flowing overy, and flow rate	g and shut-in p s if gas to surfa	ressures, whe ace test, along	ther shut-in p with final ch	oressure reached	static level, hydro	ostatic pressu	res, bottom hole
(Attach Additional Sheets)		□No	7	Log Formati	on (Top), Depth ε	and Datum	Sample	
		☐ Yes	✓No	Na	me		Тор	Datum
Cores Taken		Yes			ebner		3036'	-1162
Electric Log Run (Submit Copy)		✓ Yes	Ves No		tonto		3047'	-1173 \
List All E. Logs Run:	st All E. Logs Run:		LKC BLKC			3112' 3303'	-1238 -1429	
Dual Compens Micro Log	sated Porosity	, Dual Ind	uction,	, DL				-1429
		Report all s	CASING REC	_	New Dused ntermediate, product	ion etc		
Purpose of String	Size Hole	Size Cas	ing	Weight	Setting	Type of	# Sacks	Type and Percent
Surface csg	Drilled 12-1/4"	Set (In O.D.) 8-5/8"		Lbs. / Ft. 23#	Depth 810'	Cement	Used 425	Additives 3% CC, 2% gel
		ADI	DITIONAL CEM	IENTING / SC	QUEEZE RECORD			
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Type of Ce	ment #	Sacks Used	·	Type and P	ercent Additives	
Shots Per Foot		ATION RECORD - Bridge Plugs Set/Type fy Footage of Each Interval Perforated			Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth			
							Ni-de-stee	

TUBING RECORD	Size	Set At	Pa	cker At	Liner Run	Yes No		
Date of First, Resumerd I	Production, SWD or En	hr. Prod	ucing Method	Flowin			Othe	ır (Explain)
Estimated Production Per 24 Hours	Oil E	ibls. C	Gas Mcf	Wa	ter Bb	ls. Ga	s-Oil Ratio	Gravity
Disposition of Gas	METHOD OF CO	OMPLETION		1	Production Interv	al .		
Vented Sold	Used on Lease	= '	oen Hole	Perf.	Dually Comp. [Commingled		

ALLIED CEMENTING CO., INC. 225/6

· EMITTO P.O. B	TO' P.O. BOX 31 RUSSELL, KANSAS 67665							à
	SEC.	TWP.	RANGE	CALLE	D OUT	ON LOCATION 7:30 AM	IOB START	JOB FINISH STATE
ATEID-12-05	21		LOCATION			18W N/S	COUNTY	Kan-
EASERIEDON	WELL#	D-10	LOCATION	00190				
OLD OR NEW C	ircle one)							
CONTRACTOR	Forward	8 * N		O/	WNER S	one		
YPE OF JOB	grand &	,yna-	278001		EMENT		10/	
HOLE SIZE 7	8.		D. 3380' EPTH	Al	MOUNT O	RDERED 1351	~ 140 b	Portol
CASING SIZE			EPTH					
TUBING SIZE ORILL PIPE 49	407	D	EPTH 900'					
rool	Δ	D	EPTH		014140N	81.	<u> </u>	704.70
PRES. MAX			INIMUM		OMMON_ OZMIX _	54	<u> </u>	253.80
MEAS. LINE		S	HOE JOINT		EL _	8	@ 14.00	112,00
CEMENT LEFT	IN CSG.				HLORIDE	3	@	
PERFS.	· · · · · · · · · · · · · · · · · · ·				SC		@	
DISPLACEMEN		AT IT DATES	JT.				@	
	EC	QUIPMEN	N1	-		RECEIVE		
	CEMEN	TTCB	O			NECEIVE	 @	
PUMP TRUCK	HELPE		J. H			JAN 2 0 200		
# 181 BULK TRUCK	HULLE	<u> </u>	300-11	-		KCC WICH	TA @	
#342	DRIVE	R - TR	roy L			TICG WICH		
BULK TRUCK						11/2	-@ 7,6	0 228,80
#	DRIVE	R	1		HANDLIN	16 143 20.6.14	3 @ 116 mix	1/1- 22
					MILEAGE	20.0	FOT	1100 25
	F	REMARK	S :				101	110
Mired -	Sola	6 900				SEI	RVICE	·
	50 D	e 350	- 1			36		
	10 m	6 40	0 0		DEPTH ()	F JOB 900 .		
	15 x	- Ko	and.		PUMP TR	UCK CHARGE _		665,00
	10 al	- MA	were a		EXTRA F	OOTAGE	@-	100,00
			9-0		MILEAG	E 20		<u> </u>
			trank	~	MANIFO	LD		
		,						0000
CHARGE TO:	Pary	رصيم	Inc.				TC	TAL 165,00
STREET	,	•						
211001		OTATE	ZIP			NIUC 9 EI	OAT EQUIP	MENT
CITY		_SIAIE.				PLUGATI	JOAI EQUI	141131 (-
							(a)	
To Allied Ce	ementing (Co., Inc.					@	
Von are here	hy reques	sted to rei	nt cementing equi	ipment			@	
and function	cementer	and helpe	er to assist owner	OF				B
contractor to	a do work	as is list	ed. The above we	OIK was			T	OTAL —
done to satis	sfaction a	nd superv	rision of owner ag	MS AND				
contractor.	I have rea	d & unde	erstand the "TER	1410 7 11 (2	TAX —			
CONDITIO	INS liste	ս տո աշ ւ	Cycrac arde.		TOTAL	CHARGE		
		/	,	<i>_</i> *	DISCO			IF PAID IN 30 DAY
					NI2CO	1		11
	\ /	17.	11/1	-		6460A	Dylls	H
SIGNATUR	Е 📈	MIMIL			\	Ville	PRINTED NA	ME
	1 V/				\			

E.

ALLIED CEMENTING CO., INC. 22663

.EMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665	SERV	/ICE POINT:	1 0 1
ROSSELL, RANSAS 07003		-ROAT	Wand
SEC. TWP. RANGE	CALLED OUT ON LOCATION	JOB ŞTART	JOB FINISH
DATE 10.5-05 21 17 100	200 pm 3:00 pm	Col Spin	7/15 pr
LEASE KEEPTEN WELL# 13-6 LOCATION 28/	+4 Himme loopt	COUNTY	STATE
OLD OR NEW (Circle one)	Poulh into		
	(0)(1)((1))	J	
CONTRACTOR J-ORRES FREEDY	OWNER 1 en 90500	, Frc	
TYPE OF JOB Surface	_ /		
HOLE SIZE 12 T.D. State Control of the control of t	CEMENT	0	
CASING SIZE 85/8 DEPTH 857/814	AMOUNT ORDERED 425.	sx Comm	on -
TUBING SIZE DEPTH	310 104 296 gd	- :-	
DRILL PIPE DEPTH			
TOOL DEPTH PRES. MAX MINIMUM	CONTROL 1125	870	3697,50
	COMMON 425		9011130
	POZMIX	-@- <u></u>	101-00
PERFS. 20/2	GEL 9 CHLORIDE 13	@ <u>14,00</u> @ 38,00	126,00
DISPLACEMENT RICE TO THE PROPERTY OF THE PROPE	ASC	@ <u> </u>	494,00
	ASC	_	
EQUIPMENT		_	
	RECEIVED	- @ <u></u>	
PUMPTRUCK CEMENTER Jack		_	
# /20 . HELPER Bus	JAN 2 0 2006	 _ @	
BULK TRUCK	KCC WICHITA	_ ~	·
# 344' DRIVER ()on.	**CC WICHIP	<u> </u>	
BULK TRUCK		@	
# DRIVER	HANDLING 449	@ [,60	118.40
,	MILEAGE 20 · 6 · 449		538,80
REMARKS:	,	TOTAL	5574.70
Bun 20 its 028 1/3 039 - Cigo with		1011112	
mud- My 235 3x centent down esq	SERVI	CF	
of Displace plug with 51 BCIS of Smesh	SERVI	CE	
Water - Coment Did Cine	DEPTH OF JOB 814		
	PUMP TRUCK CHARGE		670.00
	EXTRA FOOTAGE 514	_@_,55	282 70
	MILEAGE 20		100.00
Thighks	MANIFOLD		
	MARII OLD	_	
		_ @	
CHARGE TO: Leaguesco, Inc.			10.52.70
STREET P.O. Bay 458		TOTAL	as the
STREET F.O. Box 458		IOIAL	
CITY HALLS STATE KS, ZIP 6760/			
511 to 1 (100)	PLUG & FLOAT	TEQUIPMEN	\mathbf{T}
	/		
	1.8 % Rubber.	@	100.00
To Allied Cementing Co., Inc.		_	
You are hereby requested to rent cementing equipment		@	
and furnish cementer and helper to assist owner or		_ @	
contractor to do work as is listed. The above work was			
done to satisfaction and supervision of owner agent or		TOTAL	100,00
contractor. I have read & understand the "TERMS AND			
CONDITIONS" listed on the reverse side.	TAX	_	
COLUMN TO HOUSE OF THE TEVELSE SIDE.			
	TOTAL CHARGE		
	DISCOUNT -	IF PAII	O IN 30 DAYS
Z)			
SIGNATURE Lagy Wagner			
- The same of the		77. 37.13.57	