KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

MAR 1 0 2006 September 1999 Form Must Be Typed

RECEIVED

Form ACO-1

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE CC WICHITA

Operator: License # 32710	API No. 15 - 207-26969 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Name: Laymon Oil II, LLC	County: Woodson
Address: _1998 Squirrel Road	NESK NV NV NV Sec. 02 Twp. 24 S. R. 16 V East West
City/State/Zip: Neosho Falls, KS 66758	5115 feet from (S)/ N (circle one) Line of Section
Purchaser: Coffeyville Resources	4680 feet from W (circle one) Line of Section
Operator Contact Person: Kenneth Laymon	Footages Calculated from Nearest Outside Section Corner:
Phone: (<u>620</u>) <u>963-2495</u>	(circle one) NE SE NW SW
Contractor: Name: Kelly Down Drilling Co., Inc	Lease Name: Alexander Well #: WSW 9-05
License: 5661	Field Name: Vernon
Wellsite Geologist: none	Producing Formation: K C Lime
Designate Type of Completion:	Elevation: Ground: n/a Kelly Bushing: n/a
New Well Re-Entry Workover	Total Depth: 580 Plug Back Total Depth: 575
OilSIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 43 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ✓ No
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well info as follows:	If Alternate II completion, cement circulated from 43
Operator:	feet depth to surface w/ 8 sx cmt.
Well Name:	A —
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan AH II NUR (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content ppm Fluid volume bbls
Plug BackPlug Back Total Depth	Dewatering method used
Commingled Docket No.	
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
26	Lease Name: License No.:
01/04/06	Quarter Sec Twp S. R
Recompletion Date Recompletion Date	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, workov information of side two of this form will be held confidential for a period of	n the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, er or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 12 months if requested in writing and submitted with the form (see rule 82-3-3 and geologist well report shall be attached with this form. ALL CEMENTING S. Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regul herein are complete and correct to the best of my knowledge.	ate the oil and gas industry have been fully complied with and the statements
Signature Dennito Dayson	KCC Office Use ONLY
Title: <u>Owner</u> Date: <u>03-07-01</u>	Letter of Confidentiality Attached
Subscribed and sworn to before me this	If Denied, Yes Date:
	, Wireline Log Received
19 2006.	Geologist Report Received
Notary Public: Kajisa Laymor NOTARY PUBLIC State	
Date Commission Expires: 07/21/09 REGINA LAYN	

RECEIVED MAR 1 0 2006

Side Two

KCC WICHITA

Operator Name: Laymon Oil II, LLC			Lease Name: Alexander				Well #: WSW 9-05			
Sec. 02 Twp. 24		✓ East	West		. Woo					
INSTRUCTIONS: Shot tested, time tool open temperature, fluid reco	and closed, flowing very, and flow rate	g and shut- s if gas to	in pressures, v surface test, a	whether sh long with fi	nut-in pre	ssure reached s	static level, hydros	static pressur	es, bottoi	n hole
Drill Stem Tests Taken			s 📝 No		Log Formation (Top), Depth a		and Datum		Sample	
,		☐ Ye	s 🗸 No		Nam	e		Тор	í	Datum
Cores Taken		Ye	s 🗸 No							
Electric Log Run (Submit Copy)	electric Log Run Yes V No		s 📝 No	attached						
List All E. Logs Run:										
	Size Hole	,	CASING tall strings set-ce			w Used ermediate, product	ion, etc.	# Sacks	Type	and Percent
Purpose of String	Drilled Drilled		(in O.D.)	Lbs. /		Depth	Cement	Used		dditives
Surface	10 5/8"	8 5/8"		24#		43'	common	8	2%	
Production	6 1/4"	4.5"	4.5"			575'	common	60		
Tuing		2 3/8"	2 3/8"			573'				
			ADDITIONAL	CEMENTI	NG / SQL	JEEZE RECORD				
Purpose: Depth Top Botto Perforate Protect Casing		Туре	of Cement	#Sacks Used Type a		Type and Pe	and Percent Additives			
Plug Back TD Plug Off Zone										
	PERSONAT	ION DECOD	D D-:	C-A/Time		Anid Con	ture Chat Comont	Saussan Bass	-d	
Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated						Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth				
						Acid Frac -	500 gal 15% H	CL Acid		550'
						w/55 sacks	sand			
					. • .					
	· · · · · · · · · · · · · · · · · · ·				. ,					
TUBING RECORD	Size	Set At		Packer A	At	Liner Run	Yes No			
Date of First, Resumed F		inhr.	Producing Meth	-	Flowin	g Depumpir	ng Gas Lift	: Oth	er (Explain)
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	_	bls. G	as-Oil Ratio		Gravity
Disposition of Gas	METHOD OF COMPLETION Production Interval									
Vented Sold	Used on Lease		Open Hole	Perf	f. 🔲 I	Dually Comp.	Commingled			

Other (Specify)

Kelly Down Drilling Co., Inc 1998 Squirrel Rd Neosho Falls, KS 66758

RECEIVED MAR 1 0 2006 KCC WICHITA

620-963-2495

fax 620-963-2921

Laymon Oil II, LLC 1998 Squirrel Road Neosho Falls, KS 66758

> Alexander WSW 9-05 API: 15-207-26969 Spud Date: 01/04/06 Comp Date: 01/06/04 06 02/24/16 WO CO

Formation	From	То
Soil Shale Lime Lime & Shale Sandy Lime Lime Total Depth	0 14 206 229 541 556	14 206 229 541 556 580 580

Set 43' 8 5/8" surface w/8 sks cement. Ran 575' 4 1/2" pipe.

				CONDITIONS		
802 N. Industrial Rd. P.O. Box 664	M				Divered to the nearest accessi power. Due to delivery at own	
Iola, Kansas 66749	lE	A PAR	cret	roadways, drivewa	o reeponsibility for damages ye, buildings, trees, shrubbery, allotted time for unloading tr	in any manner to sidewalks, etc. which are at customer's
Phone: (620) 365-5588	1	- NO		Water contents for	perior riologing indicated. We d	O not assume responsibility for
	111			NOTICE TO OWNE	Mares, is added at chatomes a tec	luest.
	P	roducii x Lil	.C.	Failure of this controllers this controllers	ractor to pay those persons su act can result in the filing of a n	pplying material or services to nechanicis lien on the property
SOLO TO		77		which is the subject	Of this contract.	SHIP TO:
CASH CUSTOMERS			LAT	V6 2)	1 1 1 Sec. 1	
CASH CUSTOMERS			MIM		CHAIN ON C	
			1-99		7D/54 W TO	XYLAN .
	W		AD.	M 10 100 M	I MI WILLO	W. N 4
			•)	NEOSHO	FALLS/M, E	. 4M KB
	. II.					66750
TIME FORMULA LOAD SIZE		YARDS ORDERED 1		DRIVER/TRUCK		PLANT/TRANSACTION #
01:16:05 WELL 2 8:00	Π		Calai	BC	7 ALT	1 I I I I I I I I I I I I I I I I I I I
		4.00	0.00	31	0.00	1
DATE KOAD#		YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
01-06-06 To Date-1	11		4. 11		The state of the s	A CONDINIONALISM
		·2:100 42:	478		0.00	15405
WARNING	1	PROPERTY DAMAGE RELE	\SE	Excessive Water	is Detrimental to Concr	ete Performance
Contains Portland Coment, West Rubber Books and Glaves, PROTORICED CONTACT NAME	1	TO BE SIGNED IF DELIVERY TO BE MADE. [Dear Customer the driver of this truck in prese	NSIDE CURBLINE) I		ded By Request/Author	zed By
REPTATING TO THE SKIN AND EYES Contains Portland Cement. Wear Publier Boots and Gloves. PROCONGED CONTACT MAY. GAUSE SURNS. Avoid Contact With Eyes and Brolonged Contact With Skin. In Case of Contact With Skin or Teyes. Flush Thoroughly With: Walter if Intration Persists, Get Medical Attention. KEEP CHILDREN AWAY.		Dear Customer The driver of this truck in present your for four eignature is of the distinct that the truck may possibly cause damage to the pre property it is places the material in this bad with the present the property in the present the property in the present the p	size and weight of his muses and/or adjacent	GAL X	4	
		properly if the places the material in this bad with our wish, to hall by oursen every wey that we can, the driver if requesting that you sign this RELE this supplier, from any reprostability from any to the premises landfor adjacent property, throwers, explore, such, by the deliperoid, this lasts agree by help him formove mud-ingri the with the supplier in the property of the supplier in the art of the supplier in the property of the year. In the undereighed garees to indemnify and let of this thrick and this sumplier to any were all as the property of the property of the property of the of this thrick and this sumplier to any were all as the property of the property of the property of the property of the property of the property of the property of the property of the the the the the the the the	ere you desire it it is but in order to do this ANE relievant blossand	WEIGHMASTER		
CONGRETE is a PERIBHABLE COMMODITY and BECOMES the PROPERTY of the PURCHABER UPON LEAVING the PLANT SAY CHANGES OR CANGELATION TO DRIGINAL INSTRUCTIONS MUST be TELEPHORE to the PPICE BEFORE LOADING STARTS. The ubgregled profiles to pay all costs, including tessorable attorney res, including tessorable attorney res, including tessorable attorney res, including		this supplier from any responsibility from any d	wage that may occur Kuildings, sidewalks			
TELEPHONED to the OFFICE BEFORE LOADING STARTS. The ubdarsigned profittes to pay all costs, including responsible attriment fees increased to collection.		driveways course etc., by the delivery of this also agree to help him remove mud from the w	paterial, and that you reals of his vehicle so	1 444		
any sums owed. All accounts not paid within 30 days of delivery will bear interest at the rate of \$4% ber annuin.		fon, the undersigned agrees to indemnity and he of this tuck and this supplier for any and all da	d hamless the diver	NOTICE: MY SIGNATURE BELO	OW INDICATES THAT I HAVE RE L NOT BE RESPONSIBLE FO	AD THE HEALTH WARNING
Not Responsible for Reactive Aggregate or Color Citality. No Claim Allowed Unless Made at Time		and/or adjacent property which may be claime arisin out of delivery of this order.		WHEN DELIVERING INSIDE CUI	RB LINE.	H ANY DAMAGE CAUSED
A \$20 Service Charge and Loss of the Cash Discount will be collected to all Returned Charge		SIGNED		LOAD RÉCEIVED BY	1 18	C+10
Expess Delay Time Charged @ \$50/MR		X	**	X _/4/19/	Green W.	DW 406
QUANTITY CODE DESCRIPTION	11.		3 ()		UNITPRICE	EXTENDED PRICE
2.00 H WELL ! WELL SLU	in'	(LØ SOCKS)		ാ മര	all the charge	to a tomorphic and the same and
2.00 TRUCKING TRUCKING	121	lopar		5 00	60.00	120.00
				2.00	55.00	110.00
	4.8		10			
RETURNED TO PLANT LEFT YOR AND PARISH UNI DADING	141 ·					
RETURNED TO PLANT LEFT 108 PINISH UNLOADING		PELAY EXPLANATION/CYLINGER		A TIME ALLOWED	SubTotal \$	a zolak
KAN MERINANA		JOB NOT BEADY	JCK BROKE DOWN DIDENT		Tax 5.300	
LEFT PLANT ARRIVED JOB START UNLOADING	#	JOB NOT BEADY. 1 SLOW POUR OR PUMP 77. AC TRUCKAHEAD ON JOB 80. OR CONTRACTOR BRIDKÉ DOWN 9. OT ADDED WATER	ATION or		Total o	242.19
TAHI UNLUADING		ADDED WATER		I HIVICUUE I	Irder &	242.19
M 1 2004 1 1009	11			u l		E-75. 1.7
TOTAL ROUND TRIP TOTAL AT JOB II UNLOADING TIME	y ·		4 1	<u> </u>	ADDITIONAL CHARGE 1	
Question invited					ADDITIONAL CHARGE 2	
コード・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・						

RECEIVED MAR KCC WICHITA

802, N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588 SOLUTO CASH CASH CLISTUMERS	Payle	Locucis, L.L.C.	under truck's own; seiler assumes no roadweye, drivewey tiek. The maximum charge will, its max water contents for a sirength test when NOTICE TO OWNE Fallure of this contromplete this contromplete this controllet which is the aubject.	actor to pay those persons supplying to the result in the filling of a mechal of this contract.	r injermediary's direction, y manner to sidewalks, which are at customer's is 5-minutes per yard, A poncrete contains correct assume responsibility for an analysis of the property SHIPTO
TIME FORMULA SUIT	TelCAD.SIZE4	ELDO D. OU	DHIVER/TRUCK	7 Air 0.00 +	ANT/TRANSACTION #
DATE	i i si ala zini e	WARDS DEL (BATCH#	WATER TRIM	SLUMP"	TICKET NUMBER
01-06-06 To Date:		4.50 82479		0.00	15406
WARNING Contains Portland Cement. Wear Hubber Bodes Edit Skin AND Contains Portland Cement. Wear Hubber Bodes Edit Gloves. PROST CAUSE BURNS. Available Contact: With Eyes, and Prophaged Costes Contact With Eyes, and Prophaged Costes Costes Contact With Eyes, and Prophaged Costes Costes Contact With Eyes, and Prophaged Costes Coste	Control of the contro	** PROPERTY DAMAGE FILE ABS I GO BE SIGNED IF DEGIVERY TO BE MADE INSUID CORB LINE.) Dear Customer-The other of the Intelliging properties of the Intelliging of Intelliging of the Intelliging of Intelliging of Intelliging on Int		OW INDICATES THAT I HAVE REAL LL NOT BE RESPONSIBLE FOR JRB LINE.	OTHE HEALTH WARNING ANY DAMAGE CAUSED
QUANTITY 1 CODE	DESCRIPTION 11			UNITERICE	EXTENDED PRICE
2.50 WELL		Y 140 SAEKS	4.50	60.00	150,00
	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	SubTotal *	150.00
LEFT PLANT ARRIVED JOB	START UNLOADING	JOB NOT READY 8. TRUCK BROKE DOWN SIGNOV 100 POWN 100 POW	TIME.DUE	Tax 5.300 Total # Order # ADDITIONAL CHARGE 1_	71.95 157.95 400.14
TOTAL ROUND TRIP TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 2	
	A stead			GRAND TOTAL	

RECEIVED MAR 1 0 2006 KCC WICHITA "Courtesy" - "Quality" - "Service"

P.O. No.

Delivered To

QUANTITY

00i

X RECEIVED ABOVE IN GOOD ORDER

THE NEW KLEIN LUMBER CO., INC.

NOTICE: ACCOUNTS ARE DUE BY THE 10th OF THE MONTH. PAST DUE ACCOUNTS ARE SUBJECT TO FINANCE CHARGE COMPUTED AT 1-1/2% PER MONTH ON THE BALANCE, ANNUAL PERCENTAGE RATE OF 18%.

No. 112457

RECEIVED MAR 1 0 2006 KCC WICHITA