

**KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE**

ORIGINAL
Form ACO-1
September 1999
Form Must Be Typed

Operator: License # 32639
Name: CORAL PRODUCTION CORP.
Address: 1600 STOUT ST, SUITE 1500
City/State/Zip: DENVER, CO 80202
Purchaser: N/A
Operator Contact Person: JIM WEBER
Phone: (303) 623-3573
Contractor: Name: VONFELDT DRILLING CO., INC.
License: 9431
Wellsite Geologist: TIM LAUER

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back _____ Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

<u>10/24/05</u>	<u>11/3/05</u>	<u>11/3/05</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 163-23491-00-00
County: ROOKS
 - - - Sec. 21 Twp. 10 S. R. 17 East West
2070 feet from (S) N (circle one) Line of Section
1100 feet from (E) W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE (SE) NW SW
Lease Name: GANOUNG Well #: 1
Field Name: WILDCAT
Producing Formation: LANSING/ARBUCKLE
Elevation: Ground: 2031' Kelly Bushing: 2036'
Total Depth: 3700' Plug Back Total Depth: _____
Amount of Surface Pipe Set and Cemented at 212 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from _____
feet depth to _____ w/ _____ sx cm.


Drilling Fluid Management Plan AIF II NCR
(Data must be collected from the Reserve Pit) 10-27-08
Chloride content 48000 ppm Fluid volume 400 bbls
Dewatering method used ALLOWED TO DRY & BACKFILL
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter MAR 3rd 2006 Twp. _____ S. R. _____ East West
County KCC WICHITA Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]
Title: PRESIDENT Date: 2/23/06

Subscribed and sworn to before me this 27th day of February
20 06.
Notary Public: [Signature]
Date Commission Expires: 2/1/2009



KCC Office Use ONLY

Letter of Confidentiality Received
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

Operator Name: CORAL PRODUCTION CORP. Lease Name: GANOUNG Well #: 1
 Sec. 21 Twp. 10 S. R. 17 East West County: ROOKS

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: DUAL INDUCTION LOG 3700'-SURFACE DENSITY NEUTRON 3700'-2900' MICRO LOG 3700'-2900' SONIC 3700'-2900'	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:60%;">Name</td> <td style="width:20%;">Top</td> <td style="width:20%;">Datum</td> </tr> <tr> <td>TOPEKA</td> <td>2994'</td> <td>-958</td> </tr> <tr> <td>HEEBNER</td> <td>3217'</td> <td>-1181'</td> </tr> <tr> <td>LANSING</td> <td>3256'</td> <td>-1220'</td> </tr> <tr> <td>BKC</td> <td>3506'</td> <td>-1470'</td> </tr> <tr> <td>PENN CGL</td> <td>3533'</td> <td>-1497'</td> </tr> <tr> <td>SIMPSON SAND</td> <td>3642'</td> <td>-1606'</td> </tr> <tr> <td>ARBUCKLE</td> <td>3651'</td> <td>-1615'</td> </tr> </table>	Name	Top	Datum	TOPEKA	2994'	-958	HEEBNER	3217'	-1181'	LANSING	3256'	-1220'	BKC	3506'	-1470'	PENN CGL	3533'	-1497'	SIMPSON SAND	3642'	-1606'	ARBUCKLE	3651'	-1615'
Name	Top	Datum																							
TOPEKA	2994'	-958																							
HEEBNER	3217'	-1181'																							
LANSING	3256'	-1220'																							
BKC	3506'	-1470'																							
PENN CGL	3533'	-1497'																							
SIMPSON SAND	3642'	-1606'																							
ARBUCKLE	3651'	-1615'																							

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
SURFACE	12 1/4"	8 5/8" NEW	24	212'	COMM	160	3% CC, 2% GEL
PRODUCTION	7 7/8"	5 1/2" NEW	14	3698'	ASC	150	2% GEL

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input checked="" type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone	0-1280'	60/40 POZ	250	6% GEL, 1/4 LB/SK FLOSEAL

RECEIVED
MAR 01 2006

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth
4	3653'-3654' SET PLUG @ 3595'	NONE
2	3312'-3316'; 3345'-3350'; 3393'-3397';	250 GAL 15% MUD ACID; 250 GAL 15% MUD ACID
	3418'-3422'; 3438'-3444';	250 GAL 15% MUD ACID
	3462'-3465'; 3480'-3484'	250 GAL 15% MUD ACID; 7000 GAL 20% HCL ALL ZONES ABOVE

KCC WICHITA

TUBING RECORD Size <u>2 7/8"</u> Set At <u>3618'</u> Packer At	Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr. <u>1/13/06</u>	Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)
Estimated Production Per 24 Hours	Oil Bbls. <u>8</u> Gas Mcf <u>150</u> Water Bbls. <u>150</u> Gas-Oil Ratio <u> </u> Gravity <u> </u>

Disposition of Gas Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled
(If vented, Submit ACO-18.) Other (Specify)

COPY

DRILLERS WELL LOG

Date Commenced: October 24, 2005
Date Completed: November 3, 2005

Coral Production Corporation
Ganoung #1
90'S & 45'W W/2 W/2 SE NE
Sec. 21-10S-17W
Rooks County, Kansas

Elevation 2031' G.L.
2036' K.B.

0 - 42' Sand & Lime
42 - 212' Sand
212 - 284' Cement & Shale
284 - 1297' Sand & Shale
1297 - 1332' Anhydrite
1332 - 2575' Sand & Shale
2575 - 3195' Shale & Lime
3195 - 3290' Lime & Shale
3290 - 3430' Shale & Lime
3430 - 3500' Shale
3500 - 3570' Lime & Shale
3570 - 3660' Shale & Lime
3660 - 3700' Lime & Shale
3700' R.T.D.

FORMATION DATA

Anhydrite 1297'
Base Anhydrite 1332'
Topeka 2994'
Lansing 3256'
Base LKC 3506'
Conglomerate 3533'
Arbuckle 3651'

Surface Pipe: Set 24#, new, 8 5/8"
casing @ 212' with 160 sacks
Common, 3% CC, 2% Gel.

Production Pipe: Set 14#, new,
5 1/2" casing @ 3698' with 150 sacks
ASC, 2% Gel., 500 gallons WFR/2.

AFFIDAVIT

STATE OF KANSAS)
) ss:
COUNTY OF RUSSELL)

Alan Vonfeldt of lawful age, does swear and state that the facts and statements herein are true and correct to the best of his knowledge.


Alan Vonfeldt
Alan Vonfeldt

Subscribed and sworn to before me this 6th day of November, 2005.

My Commission Expires:

August 30, 2007

Cheryl M. Payne
Cheryl M. Payne, Notary Public



ALLIED CEMENTING CO., INC.

21808

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: Russell

DATE <u>12/14/05</u>	SEC. <u>21</u>	TWP. <u>10</u>	RANGE <u>17</u>	CALLED OUT	ON LOCATION <u>10:30 am</u>	JOB START <u>10:45 am</u>	JOB FINISH <u>1:15 pm</u>
LEASE <u>Canaway</u>	WELL # <u>1</u>	LOCATION <u>Codell & River Rd Jct</u>		COUNTY <u>Rooks</u>	STATE <u>KS</u>		
OLD OR NEW (Circle one) <u>OLD</u>			<u>1 W 5 N Winto</u>				

CONTRACTOR Majors Well Service OWNER _____
 TYPE OF JOB Port Collar Circulate Cement
 HOLE SIZE _____ T.D. _____
 CASING SIZE 5 1/2 DEPTH _____
 TUBING SIZE _____ DEPTH _____
 DRILL PIPE _____ DEPTH _____
 TOOL P.C. DEPTH 1280
 PRES. MAX 800 psi MINIMUM _____
 MEAS. LINE _____ SHOE JOINT _____
 CEMENT LEFT IN CSG. _____
 PERFS. _____
 DISPLACEMENT 4 bbl

EQUIPMENT

PUMP TRUCK CEMENTER Shane
 # 398 HELPER Glen
 BULK TRUCK
 # 396 DRIVER Brian
 BULK TRUCK
 # _____ DRIVER _____

REMARKS:

P.C. 1280 Tested tool @ 800psi;
Held open Port Collar got
Circulation and mixed 250 sks to
Circulate Cement Closed tool
tested to 800psi washed clean
Came out of hole

CHARGE TO: Coral Production Corp.
 STREET _____
 CITY _____ STATE _____ ZIP _____

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

Signature Tom Majors
 SIGNATURE _____

CEMENT Used 250 sks
 AMOUNT ORDERED 300 60% 6% Gel
1/4" Flt

COMMON	<u>150</u>	@	<u>8.70</u>	<u>1305.00</u>
POZMIX	<u>100</u>	@	<u>4.70</u>	<u>470.00</u>
GEL	<u>13</u>	@	<u>14.00</u>	<u>182.00</u>
CHLORIDE		@		
ASC		@		
<u>Fiberglass</u>	<u>63#</u>	@	<u>1.70</u>	<u>107.10</u>
		@		
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>315</u>	@	<u>1.40</u>	<u>504.00</u>
MILEAGE	<u>64 / 54 / mile</u>			<u>756.00</u>
TOTAL				<u>3324.10</u>

SERVICE

DEPTH OF JOB				
PUMP TRUCK CHARGE				<u>785.00</u>
EXTRA FOOTAGE		@		
MILEAGE	<u>40</u>	@	<u>5.00</u>	<u>200.00</u>
MANIFOLD		@		
		@		
		@		
TOTAL				<u>985.00</u>

PLUG & FLOAT EQUIPMENT

	@		
	@		
	@		
	@		
	@		
TOTAL			

TAX _____
 TOTAL CHARGE _____
 DISCOUNT _____ IF PAID IN 30 DAYS
 PRINTED NAME _____

ALLIED CEMENTING CO., INC.

22551

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Great Bend

DATE <i>10-24-05</i>	SEC. <i>21</i>	TWP. <i>10</i>	RANGE <i>17</i>	CALLED OUT <i>12:00 NOON</i>	ON LOCATION <i>2:45 PM</i>	JOB START <i>7:00 PM</i>	JOB FINISH <i>7:45 PM</i>
LEASE <i>Hanging</i>			WELL # <i>A-1</i>	LOCATION <i>West of Codell, ^{SOUTH} to white church</i>	COUNTY <i>Roark</i>	STATE <i>KA</i>	
<input checked="" type="radio"/> OLD OR <input checked="" type="radio"/> NEW (Circle one)			LOCATION <i>West to rd BB to NO outlet sign, 1/4 W</i>				

CONTRACTOR *Vonfeldt*

TYPE OF JOB *Surface*

HOLE SIZE *12 1/4* T.D. *212'*

CASING SIZE *8 5/8* DEPTH *212'*

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG. *15'*

PERFS.

DISPLACEMENT *12.7 BBLS*

OWNER *Coral*

CEMENT

AMOUNT ORDERED *160 ox common*

3% cc 2% gel

COMMON	<i>160 ox</i>	@	<i>8.70</i>	<i>1392.00</i>
POZMIX		@		
GEL	<i>3 ox</i>	@	<i>14.00</i>	<i>42.00</i>
CHLORIDE	<i>5 ox</i>	@	<i>38.00</i>	<i>190.00</i>
ASC		@		

EQUIPMENT

H.B.

PUMP TRUCK CEMENTER *Rick Heine*

181 HELPER *Rick Heine*

BULK TRUCK

341 DRIVER *Terry Sedford*

BULK TRUCK

DRIVER

RECEIVED
MAR 01 2006
KCC WICHITA

HANDLING	<i>160 ox</i>	@	<i>1.60</i>	<i>268.80</i>
MILEAGE	<i>160 ox</i>	@	<i>55</i>	<i>554.40</i>
TOTAL				<i>2447.20</i>

REMARKS:

Ran 8 5/8 casing to Bottom, Circulate w rig, hook up to pump truck & mixed 160 ox common 3% cc 2% gel shut down, change valves over, release 8 5/8 TWP, & displace with 12 1/2 BBLS fresh H₂O. (Cement did circulate.)

SERVICE

DEPTH OF JOB	<i>212'</i>			
PUMP TRUCK CHARGE				<i>670.00</i>
EXTRA FOOTAGE		@		
MILEAGE	<i>55</i>	@	<i>5.00</i>	<i>275.00</i>
MANIFOLD		@		

CHARGE TO: *Coral Productions*

STREET *1600 Stout Street Suite 1500*

CITY *Denver* STATE *Colorado* ZIP *80202*

TOTAL *945.00*

PLUG & FLOAT EQUIPMENT

<i>1 - 8 5/8 TWP</i>	@	<i>55.00</i>	<i>55.00</i>
	@		
	@		
	@		
	@		

TOTAL *55.00*

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE *Wally Budig*

SIGNATURE *Wally Budig*
PRINTED NAME

Thank you!

ALLIED CEMENTING CO., INC. 25714

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Russell

DATE 11-3-05	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION 2:00pm	JOB START 4:00pm	JOB FINISH 4:45pm
LEASE <u>Garage</u>	WELL # A-1	LOCATION <u>Cadell 16 12S Winto</u>				COUNTY <u>Rooks</u>	STATE <u>KS</u>
<input checked="" type="radio"/> OLD OR NEW (Circle one)							

CONTRACTOR Vonfeldt Drilling
TYPE OF JOB Production String
HOLE SIZE 7 7/8" T.D. 3700
CASING SIZE 5 1/2" 14lb DEPTH 3695'
TUBING SIZE _____ DEPTH _____
DRILL PIPE _____ DEPTH _____
TOOL Port Collar (R) DEPTH 1315'
PRES. MAX _____ MINIMUM _____
MEAS. LINE _____ SHOE JOINT 16.90
CEMENT LEFT IN CSG. 16.90
PERFS. _____
DISPLACEMENT 89 3/4 Bbl 166
127

OWNER _____
CEMENT
AMOUNT ORDERED 150 sks ASC 2% Gml
500 Gml WFR 3

COMMON @ _____
POZMIX @ _____
GEL @ _____
CHLORIDE @ _____
ASC @ _____
@ _____
@ _____
@ _____
@ _____
@ _____
@ _____
@ _____

HANDLING @ _____
MILEAGE @ _____

TOTAL _____

EQUIPMENT

PUMP TRUCK CEMENTER Steve
345 HELPER Craig
BULK TRUCK
213 DRIVER Brown
BULK TRUCK
_____ DRIVER _____

RECEIVED
MAR 01 2006
KCS WICHITA

REMARKS:

15 sks Pat Hahn 10 sks Maus Hahn
Mix 125 sks Flood did not hold

SERVICE

DEPTH OF JOB _____
PUMP TRUCK CHARGE _____
EXTRA FOOTAGE @ _____
MILEAGE @ _____
MANIFOLD @ _____
@ _____
@ _____

TOTAL _____

CHARGE TO: Cadell
STREET _____
CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

1 5 1/2" Rubber Plug @ _____
6 5 1/2" Centralizers @ _____
2 " Backs @ _____
1 " Guide Shoe @ _____
1 " Insect Valve @ _____
1 " Port Collar (R) @ _____

TOTAL _____

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____
TOTAL CHARGE _____
DISCOUNT _____ IF PAID IN 30 DAY

SIGNATURE Joe Borla

Joe Borla
PRINTED NAME