

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License #_32639	API No. 15 - 163-23515-00-00
Name: CORAL PRODUCTION CORP.	County: ROOKS
Address: 1600 STOUT ST, SUITE 1500	SESWSWSec17Twp10SR17East 🗹 West
City/State/Zip: DENVER, CO 80202	400 feet from S/ N (circle one) Line of Section
Purchaser:	790 feet from E / (W)(circle one) Line of Section
Operator Contact Person: JIM WEBER	Footages Calculated from Nearest Outside Section Corner:
Phone: (303) 623-3573	(circle one) NE SE NW (SW)
Contractor: Name: VONFELDT DRILLING, INC.	Lease Name: VIVIAN GANOUNG Well #: 1
License: 9431	Field Name: WILDCAT
Wellsite Geologist: TIM LAUER	Producing Formation:
Designate Type of Completion:	Elevation: Ground: 2125' Kelly Bushing: 2130'
New Well Re-Entry Workover	Total Depth: 3740' Plug Back Total Depth:
Oil SWD SIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 237 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? Yes No
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator:	feet depth tow/sx cmt.
Well Name:	
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) 10-27-08
Deepening Re-perf Conv. to Enhr./SWD	Chloride content 8,000 ppm Fluid volume 250 bbls
Plug Back Plug Back Total Depth	Dewatering method used allow to dry and backfill
Commingled Docket No	
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
	Lease Name: License No.:
2/24/06	QuarterSecTwpS. R. CEVEDEast West
Recompletion Date Recompletion Date	County: Docket NAR 2 7 2006
	KCO:
Information of side two of this form will be held confidential for a period of	the Kansas Corporation Commission, 130 S. Market - Hoom 2048, Wichita, er or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 12 months if requested in writing and submitted with the form (see rule 82-3-130) and geologist well report shall be attached with this form. ALL CEMENTING Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regulation are complete and correct to the best of my knowledge.	ate the oil and gas industry have been fully complied with and the statements
Signature: K. Wille	KCC Office Use ONLY
Title: PRESIDENT Date: 3/23/06	Letter of Confidentiality Received
Subscribed and sworn to before me this 23 day of Macch	If Denied, Yes Date:
	Wireline Log Received
20.06	Geologist Report Received
Notary Public: All A A A A A A A A A A A A A A A A A	UIC Distribution
Date Commission Expires: 2/1/2007	

Operator Name: COR	AL PRODUCTI	ON CORP	•	Lease	Name:_	VIVIAN GAN	OUNG	Well #:	
Sec. <u>17</u> Twp. <u>10</u>					ROO				4
INSTRUCTIONS: Sho tested, time tool open temperature, fluid reco Electric Wireline Logs	and closed, flowing very, and flow rate	g and shut-in s if gas to su	pressures, rface test, a	whether sh long with fi	ut-in pre	essure reached	static level, hydr	ostatic pressur	es, bottom hole
(Attach Additional Sheets)		∠ Yes	Yes No Nam		.og Formation (Top), Depth and Datum			Sample	
		Yes			Nam	е		Тор	Datum
Cores Taken Electric Log Run	Cores Taken Y					SING		3354' 3597'	-1224' -1467'
(Submit Copy) List All E. Logs Run:						UCKLE		3632'	-1602'
RADIATION G	UARD LOG	0-3739'	CASING	RECORD	Ne	ew 🗸 Used			A A A A A A A A A A A A A A A A A A A
	Size Hole	· · · · · · · · · · · · · · · · · · ·	II strings set-c	onductor, sur Weig		ermediate, produc	tion, etc.	# Sacks	Type and Percent
Purpose of String	Drilled		n O.D.)	Lbs./		Depth	Cement	Used	Additives
SURFACE	10 3/4"	8 5/8"		23		237'	СОММ	170	3% CC, 2% GEL
			ADDITIONAL	CEMENTIN	NG / SQL	JEEZE RECORI)		
Purpose: Perforate	Depth Top Bottom	Type of Cement		#Sacks Used		Type and Percent Additives			
Protect Casing Plug Back TD Plug Off Zone	0-30'	ASC		225		3% CC, 2% GEL, 5% GILSONITE			
Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated				Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth					
								REC	EIVED 27 2006 ICHITA
					***************************************			MAR	2 7 2006
								KCC W	ICHITA
TUBING RECORD	Size	Set At		Packer At	<u> </u>	Liner Run			
Data of Circl Data was all	Dood with CMD or 5				<i></i>		Yes No)	
Date of First, Resumerd N/A	Froduction, SWD OF E	zinir. P	roducing Meth		Flowin	g Pumpi	ng 🔲 Gas L	ift 🗌 Oth	er (Explain)
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate	er E	bls.	Gas-Oil Ratio	Gravity
Disposition of Gas	METHOD OF (COMPLETION				Production Interval			
Vented Sold	Used on Lease		Open Hole	Perf.		Dually Comp.	Commingled .		

ALLIED CEME. J. J., INC. 25072

TTO P.O. BOX 31 RUSSELL, KANSAS 67665	SERVICE POINT:				
DATE 2 25/06 SEC 7 TWP. 0 RANGE	CALLED OUT ON LOCATION 3/30 pr	JOB START	JOB FINISH		
LEASE Grandy WELL# LOCATION Hays	19 N 3 E	COUNTY	STATE		
OLD OI NEW (Circle one)					
CONTRACTOR VonSeldt Dailling	OWNER				
HOLE SIZE 12 14 T.D. 237	CITA KERIM				
HOLE SIZE 12 14 T.D. 237 CASING SIZE 8 8 2 DEPTH 234.62	CEMENT AMOUNT ORDERED / 74	2000	6 6		
TUBING SIZE DEPTH	29. Gel	(00-)	γ. ι. <u>(</u>		
DRILL PIPE DEPTH					
TOOL DEPTH					
PRES. MAX MINIMUM MEAS. LINE SHOE JOINT	COMMON	_@ <u>\$40</u>	1432 00		
MEAS. LINE SHOE JOINT CEMENT LEFT IN CSG. /)	POZMIX	@			
PERFS.	GEL <u>*3</u> CHLORIDE <u>5</u>	_ @ <u>/5%</u>	4/500		
DISPLACEMENT /4 //	CHLORIDE5	_@ <i>_4/2</i> ** @	2/000		
EQUIPMENT	noc	_ @			
2 CONTINUE	RECEIVED				
PUMPTRUCK CEMENTER Shane		@			
# 366 HELPER 6-1701	MAR 2 7 2006	@			
BULK TRUCK	KCC WICHITA	_ @			
# 345 DRIVER Brican		_@			
BULK TRUCK		_ @ @			
# DRIVER	HANDLING/78	_ @ <u>/ Zº</u>	302.60		
	MILEAGE TISKINITEE		585,62		
REMARKS:	TOTAL <u>2.775.21.</u> SERVICE				
	DEPTH OF IOD		——————————————————————————————————————		
PIMPHY	DEPTH OF JOBPUMP TRUCK CHARGE		وه و و و و و و و و و و و و و و و و و و		
Civin	EXTRA FOOTAGE	@	735		
	MILEAGE 47	-@ _	and the second section of the section o		
	MANIFOLD	@			
		@			
CHARGE TO: Coral Production Corp.		_ @			
STREET		TOTAL .	7358		
CITYSTATEZIP	PLUG & FLOAT	' EOUIPMENT	,		
		_@			
To Allied Computing C. J.	8 / Wood As	_@			
To Allied Cementing Co., Inc.	07 WOAL FIS		77.7		
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or		_ @ @			
contractor to do work as is listed. The above work was					
done to satisfaction and supervision of owner agent or		TOTAL _	55		
contractor. I have read & understand the "TERMS AND		TOTAL _			
CONDITIONS" listed on the reverse side.	TAX				
1 , ,					
Thomas 1	TOTAL CHARGE				
	TOTAL CHARGE				
IGNATURE ()	DISCOUNT —		IN 30 DAYS		

ED CEMENTING CO., INC. 25071

KEÞIT TÓ P.O. B RUSS	OX 31 ELL, KANSAS 676	SERVICE POINT:				
DATE 2/25/06	SEC. 17 TWP.	RANGE /)	CALLED OUT	ON LOCATION		JOB FINISH
LEASE GAOUAS	WELL#	LOCATION Hays	19 N	3 E	COUNTY	STATE
OLD OR NEW Ci	rcle one)	Ninta				
CONTRACTOR LA	ess Circulation	ling Suface				· · · · · · · · · · · · · · · · · · ·
HOLE SIZE /2/	7		CEMENT		- ACC	29 (
CASING SIZE TUBING SIZE		PTH PTH	AMOUNT	ORDERED 22	5 A3C	3/2 (
DRILL PIPE		PTH) / E O	٠/١١٨١٢٠ .	2/0 0-21	
TOOL		PTH				
PRES. MAX		NIMUM	COMMON		@	
MEAS. LINE	SH	OE JOINT	POZMIX		@	
CEMENT LEFT IN	N CSG.	alt.	GEL		4 @ 15°°	60°0
PERFS.			CHLORID		<u> </u>	<u> 294°°</u>
DISPLACEMENT			ASC			265500
	EQUIPMENT	1	GILSO	WITE 1/10	<u>00</u> @ _ 45	71500
		7-10	 	PECEUM	@	
	CEMENTER 5 ha	ME		RECEIVED	@	
	HELPER G-/r-1			MAR 2 7 2006	<u> </u>	
BULK TRUCK	DDIVED A				@	
# 345 BULK TRUCK	DRIVER Doug		<u> </u>	CC WICHITA	@	
	DRIVER				@	
	DKIVEK		HANDLIN		@ / 70	4/19 92
			MILEAGE	79/5R/ME		8/2,63
	REMARKS:			•	TOTAL	4956,53
Mixel 150		Il up seller.				
Waited 30 m	lin of mixed	75 sks k		SER	VICE	
Filed celler	,					
			DEPTH OF			
				JCK CHARGE		
			EXTRAFO	ООТАGE	@	22-00
1400 A				D		
	^			·		
CHARGE TO.	and Prod	uction Corpora	L .			-
	OJ CAT TOOM	· ·	TIDA		TOTAL	9700
CITY	STATE	ZIP		PLUG & FLO	AT EQUIPMEN	JT
			•	I DOG WI DO	in EquitiviEi	•

To Allied Cement	ting Co. Inc				@	
	•	nenting equipment				
	nter and helper to a					
	-	he above work was				
	on and supervision				TOTAL	,
	-	d the "TERMS AND				
	listed on the revers		TAX			
1	1		TOTAL CU	IARGE		
1	(cs					
MAR	•		DISCOUN	Τ ———	IF PAI	D IN 30 DAYS
SIGNATURE	1			.		
SIGNATURE	oug Bul	j	Doug	Budig		

ALLIED CEMENTING CO., INC. 25115

REMIT TO P.O. BOX 31 SERVICE POINT: **RUSSELL, KANSAS 67665** Russell TWP. RANGE CALLED OUT ON LOCATION JOB FINISH 10,35 P Vivian LOCATION Plainuille LEASE GANOUAS OLD OR NEW (Circle one) MAR 1 5 2003 CONTRACTOR Von Feld **OWNER** TYPE OF JOB Rohay CORAL PRODUCTION COMP. CEMENT
AMOUNT ORDERED HOLE SIZE > >> T.D. **CASING SIZE** DEPTH **TUBING SIZE** DEPTH DRILL PIPE DEPTH TOOL **DEPTH** PRES. MAX <u>MINIMUM</u> COMMON_ 90 MEAS. LINE @ 5.20 POZMIX CEMENT LEFT IN CSG. GEL PERFS. **CHLORIDE** DISPLACEMENT ASC__ FLOSE AL **EQUIPMENT** RECEIVED CEMENTER Shane **PUMP TRUCK** @ 409 MAR 2 7 2006 HELPER **BULK TRUCK** KCC WICHITA @ 378 **BULK TRUCK** @ DRIVER 236 HANDLING MILEAGE __ .07/6K/m **REMARKS:** TOTAL 3/14.40 3700 u les 430 **SERVICE** 275 **DEPTH OF JOB** 103 PUMP TRUCK CHARGE EXTRA FOOTAGE 45ml. MILEAGE @ 5,00 Pat Hole @ MANIFOLD _ @ (a) TOTAL 1060 = STREET CITY____ __ STATE __ ZIP PLUG & FLOAT EQUIPMENT @ _ @ _ To Allied Cementing Co., Inc. @_ You are hereby requested to rent cementing equipment @ and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was TOTAL ___35.00 done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND TAX_ CONDITIONS" listed on the reverse side. SIGNATURE Doug Bushy TOTAL CHARGE _____ IF PAID IN 30 DAYS DISCOUNT -