## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

ORIGINAL Form ACO-1
September 1999

Form Must Be Typed

## **WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE**

Operator: License #	API No. 15 - 091-23,046-00-00
Name: D.E. Exploration, Inc.	County: Johnson
Address: P.O. Box 128	SW_NE_NW_SW_Sec28 Twp14 S. R22
City/State/Zip: Wellsville, KS 66092	2200' feet from (S)/ N (circle one) Line of Section
Purchaser: Sem Crude	4400' feet from (E) / W (circle one) Line of Section
Operator Contact Person: Douglas G. Evans, President	Footages Calculated from Nearest Outside Section Corner:
Phone: (785 ) 883-4057	(circle one) NE (SE) NW SW
Contractor: Name: Finney Drilling Company	Lease Name: Gardner Holdings Well #: 1-4
License: 5989	Field Name:
Wellsite Geologist: None	Producing Formation: Bartlesville
Designate Type of Completion:	Elevation: Ground: NA Kelly Bushing: NA
New Well Re-Entry Workover	Total Depth: 924.0' Plug Back Total Depth: 912.15'
Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at 29.0' Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator:	feet depth to
Well Name:	iest depin to
Original Comp. Date:Original Total Depth:  DeepeningRe-perfConv. to Enhr./SWD  Plug BackPlug Back Total Depth  CommingledDocket No  Dual CompletionDocket No  Other (SWD or Enhr.?) Docket No  8/3/05	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)    10-28-08    Chloride content ppm Fluid volume bbls   Dewatering method used   Location of fluid disposal if hauled offsite:    Operator Name: License No.:   Quarter Sec Twp S. R East West   County: Docket No.:   The Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, er or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 2 months if requested in writing and submitted with the form (see rule 82-3-and geologist well report shall be attached with this form. ALL CEMENTING. Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regulate herein are complete and correct to the best of my knowledge.	ate the oil and gas industry have been fully complied with and the statements
Signature: Drufa h	KCC Office Use ONLY
Title: President Date: November 11, 200	5 James of Confidentiality Bossins
11th	Letter of Confidentiality Received  If Denied, Yes Date:
Subscribed and sworn to before me this 11 day of 1000 day	Wireline Log Received
20.05.	October 19 December 19 Decembe
Notary Public: Stacy & Thyle	Geologist Report RECEIVED  ———————————————————————————————————
Date Commission Expires: 3-31-07 101ARY PUSC STACY J.	APR n s 2000
STATE OF KANSAS My Appt. Exp. 3	THE TOTAL CONTRACTOR OF THE PARTY OF THE PAR

Operator Name: D.E. Exploration, Inc.					Lease Name: Gardner Holdings				_ Well #: 1-4		
	4S. R. 22		: West		ty: John						
INSTRUCTIONS: SI tested, time tool ope temperature, fluid red Electric Wireline Log	n and closed, flowin	g and shut es if gas to	-in pressures, surface test, a	whether s long with	shut-in pro	essure reache	ed static level, hydro	static pressu			
Drill Stem Tests Taken		es 🗸 No			.og Form	ation (Top), Depth a	and Datum	Sample			
Samples Sent to Geological Survey  Cores Taken  Electric Log Run  (Submit Copy)		☐ Yes		Name			Тор	Datum			
List All E. Logs Run:  Gamma Ray/	Neutron/CCL										
						[7]					
		Repo	CASING rt all strings set-c	RECORD conductor, s		ew 🔽 Used ermediate, proc	luction, etc.				
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)			eight s. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives		
Surface	12 1/4"	7"		19		29.0'	Portland	12	Service Co.		
Production	5 5/8"	2.7/8"		6.5		912.15'	50/50 Poz	95	Service Co.		
			ADDITIONAL	. CEMENT	ING / SQ	UEEZE RECO	RD				
Purpose:  —— Perforate  —— Protect Casing  —— Plug Back TD  —— Plug Off Zone	Depth Top Bottom	Type of Cement			ks Used	Type and Percent Additives					
Shots Per Foot							Fracture, Shot, Cemer (Amount and Kind of M		ord Depth		
21	847.0'-857.0'					2" DML RTG 847					
									857.0'		
TUBING RECORD	Size 2 7/8"	Set At 912.		Packer <b>N</b> C		Liner Run	Yes V No	)			
Date of First, Resume	rd Production, SWD or	Enhr.	Producing Met	thod	Flowin	ng 🔲 Pur	mping Gas L	ift 🔲 Ot	her <i>(Explain)</i>		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wa	ter NA	Bbls.	Gas-Oil Ratio	Gravity		
Disposition of Gas	METHOD OF	COMPLETI	ON			Production I	nterval				
Vented Sold	Used on Lease		Open Hole	✓ Pe	erf,	Dually Comp.	Commingled _	<u>_</u>	RECEIVED_		
(ii veilleu, o			Other (Spec	city)				B	/PR 0 5 2013		



## REMIT TO

Consolidated Oil Well Services, Inc. P.O. Box 493 Chanute, KS 66720

MAIN OFFICE P.O. Box 884 Chanute, KS 66720 620/431-9210 • 1-800/467-8676 FAX 620/431-0012

INVOICE

Invoice #

198855

Invoice Date:

Terms:

Page

08/16/2005

GARDNER HOLDING I-4

4860

08/05/05

P.O. BOX 128 66092

D.E. EXPLORATION

WELLSVILLE KS

(785)883-4057

DOUG EVANS

Part Number Description Qty Unit Price Total 1124 50/50 POZ CEMENT MIX 95.00 7.5500 717.25

1118B PREMIUM GEL / BENTONITE 7.00 6.6300 46.41 1107 FLO-SEAL (25#) 1.00 42.7500 42.75 16.9000 1110A KOL SEAL (50# BAG) 12.00 202.80

GRANULATED SALT (50 #) 81.20 1111 290.00 .2800 2 1/2" RUBBER PLUG 4402 1.00 17.00 17.0000

Description Hours Unit Price Total 164 765.00 CEMENT PUMP 765.00 1.00 75.00 164 EQUIPMENT MILEAGE (ONE WAY) 30.00 2.50

195 MIN. BULK DELIVERY 1.00 240.00 240.00 369 80 BBL VACUUM TRUCK (CEMENT) 2.00 82.00 164.00

1107.41 Freight: 70.88 AR 2422.29 .00 Tax: Parts:

.00 Misc: 2422.29 .00 Total: Labor: .00 Supplies: .00 .00 Change:

Signed

BARTLESVILLE, OK P.O. Box 1453 74005 918/338-0808 EUREKA, KS 820 E. 7th 67045 620/583-7664

OTTAWA, KS 2631 So. Eisenhower Ave. 66067 785/242-4044

Date GILLETTE, WY

307/686-4914

300 Enterprise Avenue 82716

THAYER, KS 8655 Dom Road 66776