

ORIGINAL

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

RECEIVED

Form ACO-1
September 1999
Form Must Be Typed

FEB 22 2006

KCC WICHITA

Operator: License # 30537
Name: Venture Resources, Inc.
Address: P.O. Box 101234
City/State/Zip: Denver CO 80250
Purchaser: Coffeyville Resources, LLC
Operator Contact Person: Ron Mackey
Phone: (303) 722-2899
Contractor: Name: American Eagle Drilling, LLC
License: 33493
Wellsite Geologist: Ron Mackey, Greg Mackey

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

10/14/05	11/01/05	11/23/05
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 051-25443-0000
County: Ellis

NW _SE_ _NE_ Sec. 14 Twp. 11 S. R. 18 East West
1650 feet from S (N) (circle one) Line of Section
990 feet from (E) W (circle one) Line of Section


Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: Carmichael Well #: 3
Field Name: Bemis-Shutts
Producing Formation: Arbuckle
Elevation: Ground: 1864.77' Kelly Bushing: 1869.77'
Total Depth: 3450' Plug Back Total Depth: NA
Amount of Surface Pipe Set and Cemented at 219' Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set 1783.15' Feet
If Alternate II completion, cement circulated from 1783.15'
feet depth to Surface w/ 760 sx cmt.

Alt 2 - Dlg - 10/20/08
Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit)
Chloride content 43,000 ppm Fluid volume 1180 bbls
Dewatering method used Pull liquids to swd.
Location of fluid disposal if hauled offsite:
Operator Name: Venture Resources, Inc.
Lease Name: Ridler A-West SWD License No.: 30537
Quarter NW Sec. 12 Twp. 11 S. R. 18 East West
County: Ellis Docket No.: 27,752

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: _____
Title: PRESIDENT Date: 2-16-2006
Subscribed and sworn to before me this 16 day of _____
20 06
Notary Public: Linda G. Mackey
Date Commission Expires: 9-21-2006



KCC Office Use ONLY
 Letter of Confidentiality Received
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

Operator Name: Venture Resources, Inc. Lease Name: Carmichael Well #: 3
 Sec. 14 Twp. 11 S. R. 18 East West County: Ellis

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <i>(Attach Additional Sheets)</i>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
Samples Sent to Geological Survey	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Name	Top	Datum
Cores Taken	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Anhydrite	1136	+734
Electric Log Run <i>(Submit Copy)</i>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Topeka	2814	-944
List All E. Logs Run:		Heebner	3039	-1169
		Lansing	3082	-1212
		BKC	3313	-1443
		Simpson Dol.	3352	-1482
		Arbuckle	3370	-1500

Dual Induction/ Nertron-Density

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 3/4	8 5/8	20#	219	Common	160	2% gel, 3% cc
Production	7 7/8	5 1/2	14#	3433.72	ASC	175	2% gel, wfr-2,500
2nd Stage	7 7/8	5 1/2	14#	1783	60/40	760	6% gel. 1/4# flo-

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth
4 spf	3372-3376		

TUBING RECORD	Size <u>2 7/8</u>	Set At <u>3300'</u>	Packer At <u>none</u>	Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr.	Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
11-23-2005				
Estimated Production Per 24 Hours	Oil Bbls. <u>35.75</u>	Gas Mcf <u>0</u>	Water Bbls. <u>560.11</u>	Gas-Oil Ratio <u>28</u>

Disposition of Gas Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled _____
 (If vented, Submit ACO-18.) Other (Specify) _____

RECEIVED

FEB 22 2006

ALLIED CEMENTING CO., INC. KCC WICHITA 25628

Federal Tax I.D.# [REDACTED]

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Russell

DATE <u>10-14-05</u>	SEC. <u>14</u>	TWP. <u>11</u>	RANGE <u>18</u>	CALLED OUT <u>3:45 PM</u>	ON LOCATION <u>6:15 PM</u>	JOB START <u>11:45 AM</u>	JOB FINISH <u>12:00 AM</u>
LEASE <u>CARMICHAEL</u>		WELL # <u>3</u>	LOCATION <u>HAY'S N. TO RUR RD.</u>	COUNTY <u>ELLIS</u>	STATE <u>KANSAS</u>		
OLD OR <u>NEW</u> (Circle one)				<u>1 1/2 E 1/2 S</u>			

CONTRACTOR AMERICAN EAGLE #2 OWNER

TYPE OF JOB SURFACE

HOLE SIZE 12 1/4 T.D. 225

CASING SIZE 8 5/8 New DEPTH 219

TUBING SIZE 10# DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG. 15'

PERFS.

DISPLACEMENT 13 / BBL

EQUIPMENT

PUMP TRUCK CEMENTER GILMAN

345 HELPER CRAIG

BULK TRUCK

213 DRIVER REITH

BULK TRUCK

DRIVER

REMARKS:

Cement
CIRCULATED

CHARGE TO: VENTURE Resources

STREET _____

CITY _____ STATE _____ ZIP _____

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Mike Wagoner

CEMENT

AMOUNT ORDERED 160 Com.

29% GEL

3% CC

COMMON 160 @ 870 1392.00

POZMIX @ _____

GEL 3 @ 14.00 42.00

CHLORIDE 5 @ 190.00 190.00

ASC @ _____

@ _____

@ _____

@ _____

@ _____

@ _____

@ _____

@ _____

@ _____

HANDLING 168 @ 160 268.80

MILEAGE 44 6 1/2 / 5K/mile 443.52

TOTAL 2,336.32

SERVICE

DEPTH OF JOB _____

PUMP TRUCK CHARGE _____ 670.00

EXTRA FOOTAGE @ _____

MILEAGE 44 @ 5.00 220.00

MANIFOLD @ _____

@ _____

@ _____

TOTAL 890.00

PLUG & FLOAT EQUIPMENT

8 5/8 wooden wiper Plug 55.00

@ _____

@ _____

@ _____

@ _____

@ _____

TOTAL 55.00

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

PRINTED NAME Mike Wagoner

ALLIED CEMENTING CO., INC. 25787

Federal Tax I.D.#

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Russell

DATE <u>11/2/05</u>	SEC. <u>14</u>	TWP. <u>11</u>	RANGE <u>18</u>	CALLED OUT <u>6:00 am.</u>	ON LOCATION <u>8:15 am</u>	JOB START <u>12:30pm</u>	JOB FINISH <u>1:50pm</u>
LEASE <u>Carmichael</u>	WELL # <u>3</u>	LOCATION <u>Hays N to River Rd</u>		COUNTY <u>Ellis</u>	STATE <u>Ks.</u>		
<input checked="" type="radio"/> OLD OR NEW (Circle one)		<u>2 E Sinto</u>		RECEIVED			

CONTRACTOR American Eagle Drilling

TYPE OF JOB Production String

HOLE SIZE 7 7/8 T.D. 3450

CASING SIZE 5 1/2 #14 DEPTH 3425.72 3432.22

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL Port Collar DEPTH 1783.15

PRES. MAX 1500 psi MINIMUM _____

MEAS. LINE _____ SHOE JOINT 42.55

CEMENT LEFT IN CSG. 42.55

PERFS. _____

DISPLACEMENT 82.75 661

OWNER _____

FEB 22 2006

KCC WICHITA

CEMENT AMOUNT ORDERED 175 ASC 29 Gal

500 Gal WFR-2

COMMON	_____	@	_____	_____
POZMIX	_____	@	_____	_____
GEL	<u>41</u>	@	<u>14.00</u>	<u>56.00</u>
CHLORIDE	_____	@	_____	_____
ASC	<u>175</u>	@	<u>1075</u>	<u>1881.25</u>
	<u>500 941 WFR-2</u>	@	<u>1.00</u>	<u>500.00</u>
	_____	@	_____	_____
	_____	@	_____	_____
	_____	@	_____	_____
	_____	@	_____	_____
	_____	@	_____	_____
HANDLING	<u>179</u>	@	<u>1.60</u>	<u>286.40</u>
MILEAGE	<u>64 / 515/mile</u>			<u>451.08</u>
TOTAL				<u>3174.23</u>

EQUIPMENT

PUMP TRUCK CEMENTER Shane

366 HELPER Rlen

BULK TRUCK _____

282 DRIVER Doug

BULK TRUCK _____

_____ DRIVER _____

REMARKS:

15 sks Ret H.G.

10 sks Ret H.G.

Loaded Plug @ 1500 psi

Float Held!

SERVICE

DEPTH OF JOB	_____		_____
PUMP TRUCK CHARGE	_____		<u>1,320.00</u>
EXTRA FOOTAGE	_____	@	_____
MILEAGE	<u>42</u>	@	<u>5.00</u>
MANIFOLD	_____	@	_____
	_____	@	_____
	_____	@	_____
TOTAL			

1,530.00

CHARGE TO: Venture Resources, Inc.

STREET _____

CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

<u>5/2 Guide Shoe</u>	@	<u>160.00</u>
<u>5/2 AFU Insert</u>	@	<u>235.00</u>
<u>5/2 Turbo Cent</u>	@ <u>60.00</u>	<u>420.00</u>
<u>5k Port Collar</u>	@	<u>1,750.00</u>
<u>5k Basket</u>	@	<u>140.00</u>
<u>5k Plug</u>		<u>60.00</u>
TOTAL		

2,765.00

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

Thanks!

SIGNATURE Randy Neely

PRINTED NAME

RECEIVED
FEB 22 2006

NOV 23 2005

KCC WICHITA

ALLIED CEMENTING CO., INC. 25718

Federal Tax I.D.#

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Russell

DATE <u>11-11-05</u>	SEC. <u>14</u>	TWP. <u>11</u>	RANGE <u>18</u>	CALLED OUT	ON LOCATION <u>9:30am</u>	JOB START <u>9:30am</u>	JOB FINISH <u>3:00pm</u>
LEASE <u>Carmichael</u>		WELL # <u>3</u>	LOCATION <u>Hays N to River Rd</u>	COUNTY <u>Ellis</u>		STATE <u>KS</u>	
<input checked="" type="radio"/> OLD OR <input checked="" type="radio"/> NEW (Circle one)		<u>NE</u>					

CONTRACTOR Chitos Well Service
 TYPE OF JOB Port Callar
 HOLE SIZE _____ T.D. _____
 CASING SIZE 5 1/2" DEPTH _____
 TUBING SIZE 2 3/8" DEPTH _____
 DRILL PIPE _____ DEPTH _____
 TOOL _____ DEPTH 1782'
 PRES. MAX _____ MINIMUM _____
 MEAS. LINE _____ SHOE JOINT _____
 CEMENT LEFT IN CSG. _____
 PERFS. _____
 DISPLACEMENT _____

OWNER _____
 CEMENT Used 760sks
 AMOUNT ORDERED 1000sks 60/40 60/60
1/4 lb Flo Seal

COMMON	<u>456</u>	@	<u>8⁷⁰</u>	<u>3967.20</u>
POZMIX	<u>294</u>	@	<u>4⁷⁰</u>	<u>1381.80</u>
GEL	<u>45</u>	@	<u>14⁰⁰</u>	<u>630.00</u>
CHLORIDE		@		
ASC		@		
<u>FLO-SEAL</u>	<u>200#</u>	@	<u>1.70</u>	<u>340.00</u>
HANDLING	<u>1060</u>	@	<u>1⁶⁰</u>	<u>1696.00</u>
MILEAGE	<u>68/SK/MILE</u>			<u>2471.20</u>
TOTAL				<u>10,686.20</u>

EQUIPMENT

PUMP TRUCK CEMENTER Steve
 # 345 HELPER Craig
 BULK TRUCK
 # 396 DRIVER Doug
 BULK TRUCK
 # 222 DRIVER Brian

REMARKS:

Pressure casing to 800psi Open tool
& break circulation Mix 500sks
Cement did not circulate Close tool & pressure
to 800 psi & Run 5 joints & wash clean
Order 500 more sks Mix 260sks
Cement did circulate Close tool
Pressure to 800 psi & Run 5 joints &
wash clean
Thank You

SERVICE

DEPTH OF JOB				
PUMP TRUCK CHARGE				<u>785.00</u>
EXTRA FOOTAGE		@		
MILEAGE	<u>42</u>	@	<u>5.00</u>	<u>210.00</u>
MANIFOLD		@		
		@		
		@		
TOTAL				<u>995.00</u>

CHARGE TO: Venture
 STREET _____
 CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

	@		
	@		
	@		
	@		
	@		

TOTAL _____

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____
 TOTAL CHARGE _____
 DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE _____

PRINTED NAME _____