

ORIGINAL

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 30128
Name: KENNETH S. WHITE
Address: 2400 N. Woodlawn, Suite 115
City/State/Zip: Wichita KS 67220
Purchaser: _____
Operator Contact Person: Kenneth S. White
Phone: (316) 682-6300
Contractor: Name: Murfin Drilling Co., Inc.
License: 30606
Wellsite Geologist: Tom Robinson

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

10/15/05 10/23/05 1/03/06
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date

API No. 15 - 187-21065-0000
County: Stanton
NW-NW-SE-NW Sec. 13 Twp. 30 S. R. 41 East West
1540' feet from S (N) (circle one) Line of Section
1510' feet from E (W) (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: Barnhardt Well #: 3
Field Name: Beauchamp NE
Producing Formation: Morrow
Elevation: Ground: 3344 Kelly Bushing: 3353
Total Depth: 5500 Plug Back Total Depth: 5476'
Amount of Surface Pipe Set and Cemented at 1652 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set 3492' Feet
If Alternate II completion, cement circulated from 3492'
feet depth to surface w/ 500 sx cmt.
API-DG-10/22/08

Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit)
Chloride content _____ ppm Fluid volume _____ bbls
Dewatering method used Evaporation
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____


INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Kenneth S. White
Title: Operator Date: 3/15/06

Subscribed and sworn to before me this 15th day of March

xx 2006
Notary Public: Janell A. Jones
Date Commission Expires: 8-04-09



KCC Office Use ONLY

Letter of Confidentiality Attached
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

RECEIVED
MAR 22 2006

KCC WICHITA

JAN 1990 Well # 3

Operator Name: KENNETH S. WHITE Lease Name: Barnhardt
 Sec. 13 Twp. 30 S. R. 41 East West County: Stanton

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
 (Attach Additional Sheets)

Samples Sent to Geological Survey Yes No

Cores Taken Yes No

Electric Log Run Yes No
 (Submit Copy)

List All E. Logs Run:

Compensated Density/Neutron
 Dual Induction
 Sonic Log, Micro Log

Log Formation (Top), Depth and Datum		Sample
Name	Top	Datum
Atoka Shale	4872	-1519
Morrow Shale	4970	-1617
Lower Morrow Marker	5284	-1931
Mississippi	5428	-2075

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12-1/4"	8-5/8"	24#	1652	See	attached	sheet
Production		5-1/2"	15.5#	5506	See	attached	sheet

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
4	5384' - 5392'	250 gal. 15% MCA	

TUBING RECORD		Size	Set At	Packer At	Liner Run
		2-7/8"	5400'	none	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumed Production, SWD or Enhr.			Producing Method		
			<input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

Disposition of Gas Vented Sold Used on Lease (If vented, Sumit ACO-18.)

METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled

Production Interval Other (Specify) _____

ATTACHED TO ACO-1 FORM FOR
KENNETH S. WHITE
#3 BARNHARDT
1540' FNL and 1510' FWL
Sec 13-30S-41W
Stanton County, Kansas
API# 15-187-21065-0000

Surface Casing Cement:

Cemented with 470 sacks Lite Cement with 3% C.C. and 150 sacks Common Cement with 3% C.C.

Production Casing Cement

Cemented 1st stage with 50 sacks Lite Cement with ¼# Floseal/sack as scavenger and 150 sacks ASC Cement with 10% Salt, 5# gilsonite/sack and ¼ lb Floseal/sack. Cemented 2nd stage through DV tool with 500 sacks Lite Cement with ¼# Floseal/sack. Mouse Hole plugged with 10 sacks and Rat Hole plugged with 15 sacks

RECEIVED
MAR 22 2006
KCC WICHITA

ALLIED CEMENTING CO., INC. 19939

Federal Tax I.D.#

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
OAKLEY

DATE <u>10-16-05</u>	SEC. <u>13</u>	TWP. <u>30S</u>	RANGE <u>41W</u>	CALLED OUT	ON LOCATION <u>2:45 PM</u>	JOB START <u>5:45 PM</u>	JOB FINISH <u>7:00 PM</u>
LEASE <u>BARNHART</u>		WELL # <u>3</u>		LOCATION <u>Johnson 85-1/2E-54W 2N</u>		COUNTY <u>STANTON</u>	STATE <u>Ks</u>
OLD OR <input checked="" type="radio"/> NEW (Circle one)							

CONTRACTOR MURPHY DRUG. RIG # 25 OWNER SAME

TYPE OF JOB SURFACE
 HOLE SIZE 12 1/4" T.D. 1652'
 CASING SIZE 8 7/8" DEPTH 1652'
 TUBING SIZE _____ DEPTH _____
 DRILL PIPE _____ DEPTH _____
 TOOL _____ DEPTH _____
 PRES. MAX _____ MINIMUM _____
 MEAS. LINE _____ SHOE JOINT 39.15'
 CEMENT LEFT IN CSG. 39.15'
 PERFS. _____
 DISPLACEMENT 102 3/4 BBL

CEMENT
 AMOUNT ORDERED 150 SKS COM 3% CC
470 SKS LITE 3% CC 1/4" FLO-SEAL

EQUIPMENT

PUMP TRUCK CEMENTER TERRY
 # 191 HELPER WAYNE
 BULK TRUCK
 # 394 DRIVER ALAN
 BULK TRUCK
 # 377 DRIVER KELLY

COMMON	<u>150 SKS</u>	@	<u>10 %</u>	<u>1500</u>
POZMIX		@		
GEL		@		
CHLORIDE	<u>20 SKS</u>	@	<u>38 %</u>	<u>760</u>
ASC		@		
	<u>LITE 470 SKS</u>	@	<u>9 %</u>	<u>4371</u>
		@		
	<u>FLO-SEAL 118"</u>	@	<u>1 %</u>	<u>200</u>
		@		
		@		
		@		
HANDLING	<u>1064 SKS</u>	@	<u>1 %</u>	<u>1062</u>
MILEAGE	<u>64 PER SK/MILE</u>			<u>3187</u>
TOTAL				<u>11081</u>

REMARKS:
CEMENT DIED GIRC.

SERVICE

DEPTH OF JOB 1652'
 PUMP TRUCK CHARGE 1320
 EXTRA FOOTAGE _____ @ _____
 MILEAGE 80 MC @ 5 % 400
 MANIFOLD _____ @ _____
 _____ @ _____
 _____ @ _____

CHARGE TO: Kenneth S. White
 STREET _____
 CITY _____ STATE _____ ZIP _____

TOTAL 1720

8 5/8 PLUG & FLOAT EQUIPMENT

1-GUIDE SHOES			<u>235</u>
1-AFU INSERT	@		<u>325</u>
3-CENTRALIZERS	@	<u>55 %</u>	<u>165</u>
1-BASKET	@		<u>180</u>
1-RUBBER PLUG	@		<u>100</u>
	@		

TOTAL 1005

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____
 TOTAL CHARGE _____
 DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE Kenneth White

PRINTED NAME MAR 22 2006

RECEIVED
KCC WICHITA

ALLIED CEMENTING CO., INC.

21915

Federal Tax I.D.:

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Cockley

10-24-05 DATE	SEC 13	TWP 30s	RANGE 41W	CALLED OUT Pump Trk	ON LOCATION 7:00 PM	JOB START 8:10 AM	JOB FINISH 9:00 AM
Barnhart LEASE	WELL # 3	LOCATION Johnson 9.3 1/2 E S4W JN			COUNTY Stanton	STATE KS	
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR Murfin Drg Rig 25
 TYPE OF JOB Two Stage - (Bottom Stage)
 HOLE SIZE 7 7/8 T.D. 5500'
 CASING SIZE 5 1/2 1550' DEPTH 5509.96'
 TUBING SIZE _____ DEPTH 5505.81'
 DRILL PIPE _____ DEPTH _____
 TOOL Stage collar DEPTH 3492'
 PRES. MAX 1300' MINIMUM _____
 MEAS. LINE _____ SHOE JOINT 21.99'
 CEMENT LEFT IN CSG. 21.99'
 PERFS. _____
 DISPLACEMENT 50 Bbls water + 81 Bbls Mud.

OWNER same
 CEMENT AMOUNT ORDERED
150 sks ASC, 1000 salt, 5# Gilsomite
50 sks Lite 1/4 # P/O Seal
 COMMON _____ @ _____
 POZMIX _____ @ _____
 GEL _____ @ _____
 CHLORIDE _____ @ _____
 ASC 150 sks @ 11.65 1747.50
Lite weight 50 sks @ 8.80 440.00
Gilsomite 750# @ .60 450.00
Salt 9 cwt @ 15.75 141.75
P/O Seal 13# @ 1.70 22.10
WFR-II 500 gals @ 1.00 500.00
 _____ @ _____
 _____ @ _____
 HANDLING 227 sks @ 1.60 363.20
 MILEAGE 64 / SK/mile 1088.60
 TOTAL 4754.15

REMARKS:

Pump 500 gals Mud Flush, mix 50 sks
Lite + 150 sks ASC, Wash up Pump
+ Line, Drop Plug Disp 50 Bbls water
+ 81 Bbls Mud, Plug Landed Float Head
Drop opening tool open tool at 800'
circulated for 2 hrs

Thank you

CHARGE TO: Kenneth S. White
 STREET _____
 CITY _____ STATE _____ ZIP _____

SERVICE

DEPTH OF JOB _____
 PUMP TRUCK CHARGE _____ 1610.00
 EXTRA FOOTAGE _____ @ _____
 MILEAGE 80 miles @ 5.00 4000.00
 MANIFOLD _____ @ _____
Head Rental @ _____ 75.00
Waiting Time 4hrs @ 140.00 560.00
 TOTAL 2645.00
~~2085.00~~

PLUG & FLOAT EQUIPMENT

2- Turbalizers @ 60.00 120.00
 _____ @ _____
 _____ @ _____
 _____ @ _____
 TOTAL 120.00

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____
 TOTAL CHARGE _____
 DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE Neil Duant

Herb Dorant
 PRINTED NAME

RECEIVED

MAR 22 2006

KCC WICHITA

ALLIED CEMENTING CO., INC.

21916

Federal Tax I.D.#

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Oakley

DATE <u>10-24-05</u>	SEC <u>13</u>	TWP. <u>30s</u>	RANGE <u>41W</u>	CALLED OUT	ON LOCATION	JOB START <u>11:35 AM</u>	JOB FINISH <u>12:30 P.</u>
LEASE <u>Barnhart</u>	WELL# <u>3</u>	LOCATION <u>Johnson 9S 1/2E SW FN</u>			COUNTY <u>Stanton</u>	STATE <u>KS</u>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)							

CONTRACTOR Martin Drg Rig 25
 TYPE OF JOB Two stage (Top stage)
 HOLE SIZE 7 7/8 T.D. 5500
 CASING SIZE 5 1/2 DEPTH
 TUBING SIZE DEPTH
 DRILL PIPE DEPTH
 TOOL Stage collar DEPTH 3492'
 PRES. MAX 2000.4 MINIMUM
 MEAS. LINE SHOE JOINT
 CEMENT LEFT IN CSG.
 PERFS.
 DISPLACEMENT 83.1 Bbls

OWNER Same
 CEMENT AMOUNT ORDERED
525SKS Liteweight 1/4" Flt Seal
 COMMON @
 POZMIX @
 GEL @
 CHLORIDE @
 ASC @
Liteweight 525SKS @ 8.80 4620.00
Flt Seal 132# @ 1.70 224.40
 HANDLING 566SKS @ 1.60 905.60
 MILEAGE 64/SK/mile 2716.80
 TOTAL 8466.80

EQUIPMENT
 PUMP TRUCK CEMENTER Dean
 #373-291 HELPER Andrew / Max
 BULK TRUCK
 # 363 DRIVER Steve
 BULK TRUCK.
 # 386 DRIVER Kelly

REMARKS:
Plug mouse Hole w/10SKS, Plug Rat
Hole w/15SKS, Cmt Egg w/500SKS
Lite, wash pump + line. Drop Plug +
Disp 83 1/4 Bbls. Landed Plug
Close Tool.
Cement did not circulate
Thank You

CHARGE TO: Kenneth S. White
 STREET _____
 CITY _____ STATE _____ ZIP _____

SERVICE
 DEPTH OF JOB _____
 PUMP TRUCK CHARGE 7857.00
 EXTRA FOOTAGE @ _____
 MILEAGE 80 miles @ MT
 MANIFOLD @ _____
 TOTAL 7857.00

PLUG & FLOAT EQUIPMENT
 @ _____
 @ _____
 @ _____
 @ _____
 @ _____
 TOTAL _____

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment
 and furnish cementer and helper to assist owner or
 contractor to do work as is listed. The above work was
 done to satisfaction and supervision of owner agent or
 contractor. I have read & understand the "TERMS AND
 CONDITIONS" listed on the reverse side.

TAX _____
 TOTAL CHARGE 8466.80
 DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE Herb DuMont

Herb DuMont
 PRINTED NAME

RECEIVED
 MAR 22 2006
 KCC WICHITA