

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

**ORIGINAL**

Form ACO-1  
September 1999  
Form Must Be Typed

**WELL COMPLETION FORM**  
**WELL HISTORY - DESCRIPTION OF WELL & LEASE**

Operator: License # 6622  
Name: Jason Oil Company  
Address: P.O. Box 701  
City/State/Zip: Russell, KS 67665  
Purchaser: \_\_\_\_\_  
Operator Contact Person: Jim Schoenberger  
Phone: (785) 483-4204  
Contractor: Name: Vonfeldt Drilling, Inc.  
License: 9431  
Wellsite Geologist: Ed Glassman

Designate Type of Completion:  
 New Well     Re-Entry     Workover  
 Oil     SWD     SIOW     Temp. Abd.  
 Gas     ENHR     SIGW  
 Dry     Other (Core, WSW, Expl., Cathodic, etc.)

If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening     Re-perf.     Conv. to Enhr/SWD  
 Plug Back     Plug Back Total Depth  
 Commingled    Docket No. \_\_\_\_\_  
 Dual Completion    Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?)    Docket No. \_\_\_\_\_

4/27/06    5/3/06    5/3/06  
Spud Date or    Date Reached TD    Completion Date or  
Recompletion Date       Recompletion Date

API No. 15 - 167-23349-0000  
County: Russell  
Address: 130130'E - SW-SE-NE Sec. 12 Twp. 14 S. R. 15  East  West  
2970 feet from  N (circle one) Line of Section  
860 feet from  W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:  
(circle one) NE SE NW SW  
Lease Name: Steinert Well #: 1 A  
Field Name: Gorham  
Producing Formation: \_\_\_\_\_  
Elevation: Ground: 1865' Kelly Bushing: 1870'  
Total Depth: 3297' Plug Back Total Depth: \_\_\_\_\_  
Amount of Surface Pipe Set and Cemented at 435 Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from \_\_\_\_\_  
feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmf.

Drilling Fluid Management Plan A11 I NUR  
(Data must be collected from the Reserve Pit) 11-6-08  
Chloride content 56,000 ppm Fluid volume 400 bbls  
Dewatering method used Fluids are to be hauled off  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: Jason Oil Company  
Lease Name: Schwien License No.: 6622  
Quarter NW/4 Sec. 30 Twp. 14 S. R. 14  East  West  
County: Russell Docket No.: 19417

**RECEIVED**  
**JUN 02 2006**  
**KCC WICHITA**

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: James L. Schoenberger  
Title: Owner Date: 6-1-2006  
Subscribed and sworn to before me this 1st day of June  
20 06  
Notary Public: Fred Weigel, Jr.  
Date Commission Expires: July 18, 2006

**FRED WEIGEL, JR.**  
**NOTARY PUBLIC**  
**STATE OF KANSAS**  
My Appt. Exp. 7-18-2006

**KCC Office Use ONLY**  
 Letter of Confidentiality Received  
If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution

Operator Name: **Jason Oil Company**  
 Sec. **12** Twp. **14** S. R. **15** East  West

Lease Name: **Steinert #** Well #: **1A**  
 County: **Russell**

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <i>(Attach Additional Sheets)</i>	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Log	Formation (Top), Depth and Datum	Sample
Samples Sent to Geological Survey	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Name	Top	Datum
Cores Taken	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Hydrate	807	4073
Electric Log Run <i>(Submit Copy)</i>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	" Hose	932	4037
List All E. Logs Run:		Topoka	2756	-886
		LKC	3087	-1167
By Wireline Services	Radiation Guard Log	LKC	3268	-1398
By Wireline Services	Sonic Log	Azbuckle	3290	-1420

**CASING RECORD**  New  Used

Report all strings set-conductor, surface, intermediate, production, etc.

Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight lbs./ Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface pipe		8 5/8"	238	454	Common	225	3%CC, 2% Col.
Production		5"	148	3297	ASC	150	2% Col, 500 gal. HF-2

**ADDITIONAL CEMENTING / SQUEEZE RECORD**

Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
Perforate				
Protect Casing				
Plug Back TD				
Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth

**TUBING RECORD** Size **2 7/8"** Set At **3294** Packer At **-** Liner Run  Yes  No

Date of First, Resumed Production, SWD or Enhr. **5-20-2006** Producing Method  Flowing  Pumping  Gas Lift  Other (Explain)

Estimated Production Per 24 Hours  
 Oil **70** Bbls. **60** Gas **-** Mcf **-** Water **222** Bbls. **6** Gas-Oil Ratio **-** Gravity **-**

Disposition of Gas **VENTED** **METHOD OF COMPLETION**  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify)

*(If vented, Submit ACO-18.)*

# ALLIED CEMENTING CO., INC. 25557

Federal Tax I.D.

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: 2

DATE <u>4-28-06</u>	SEC. <u>12</u>	TWP. <u>14</u>	RANGE <u>15</u>	CALLED OUT	ON LOCATION <u>5 1/2 mi</u>	JOB START <u>6:30 AM</u>	JOB FINISH <u>7:00 AM</u>
LEASE <u>STEINERT</u> WELL # <u>A-1</u>		LOCATION <u>FWTA 5 I 70 15 well</u>			COUNTY <u>RUSSELL</u>	STATE <u>KS</u>	
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR VON PELDT  
 TYPE OF JOB SURFACE  
 HOLE SIZE 12 1/4 T.D. 455  
 CASING SIZE 8 7/8 DEPTH 435  
 TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_  
 PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_  
 CEMENT LEFT IN CSG. 15'  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT 26 3/4

OWNER \_\_\_\_\_  
 CEMENT  
 AMOUNT ORDERED 225 Con 39 cc  
29 cc GEL

EQUIPMENT  
 PUMP TRUCK CEMENTER MURK  
 # 366 HELPER JODY  
 BULK TRUCK  
 # 410 DRIVER DOUG  
 BULK TRUCK  
 # \_\_\_\_\_ DRIVER \_\_\_\_\_

COMMON \_\_\_\_\_ @ \_\_\_\_\_  
 POZMIX \_\_\_\_\_ @ \_\_\_\_\_  
 GEL \_\_\_\_\_ @ \_\_\_\_\_  
 CHLORIDE \_\_\_\_\_ @ \_\_\_\_\_  
 ASC \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 HANDLING \_\_\_\_\_ @ \_\_\_\_\_  
 MILEAGE \_\_\_\_\_

REMARKS:

CEMENT GEL

RECEIVED  
 TOTAL  
 JUN 02 2006  
 SERVICE KCC WICHITA

CHARGE TO: JASON OIL  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

DEPTH OF JOB \_\_\_\_\_  
 PUMP TRUCK CHARGE \_\_\_\_\_  
 EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_  
 MILEAGE \_\_\_\_\_ @ \_\_\_\_\_  
 MANIFOLD \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

PLUG & FLOAT EQUIPMENT

8 7/8 TRIP @ \_\_\_\_\_  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_

TOTAL \_\_\_\_\_

TAX \_\_\_\_\_  
 TOTAL CHARGE \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE [Signature]

PRINTED NAME \_\_\_\_\_

# ALLIED CEMENTING CO., INC. 24328

Federal Tax I

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: Russell

DATE <u>5/3/06</u>	SEC. <u>12</u>	TWP. <u>14</u>	RANGE <u>15</u>	CALLED OUT	ON LOCATION	JOB START <u>3:15p</u>	JOB FINISH <u>3:50</u>
LEASE <u>Steiner</u>	WELL# <u>1A</u>	LOCATION <u>Rutts + E-20 1.5 W. 12</u>	COUNTY <u>Russell</u>	STATE <u>Ks</u>			

OLD OR NEW (Circle one)  OLD  NEW

CONTRACTOR Vonfeldt Drilling Rig #1

TYPE OF JOB Production String

HOLE SIZE 7 7/8 T.D. 3297

CASING SIZE 5 7/8 - 1 1/2" DEPTH 3294

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT 42.25

CEMENT LEFT IN CSG. 42.25

PERFS. \_\_\_\_\_

DISPLACEMENT 79 1/4 bbl

OWNER \_\_\_\_\_

CEMENT AMOUNT ORDERED 150 Asc 250  
500 Gal WFR-2

COMMON \_\_\_\_\_ @ \_\_\_\_\_

POZMIX \_\_\_\_\_ @ \_\_\_\_\_

GEL \_\_\_\_\_ @ \_\_\_\_\_

CHLORIDE \_\_\_\_\_ @ \_\_\_\_\_

ASC \_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

HANDLING \_\_\_\_\_ @ \_\_\_\_\_

MILEAGE \_\_\_\_\_ @ \_\_\_\_\_

**EQUIPMENT**

PUMP TRUCK CEMENTER Shane

# 409 HELPER Craig

BULK TRUCK DRIVER Robert

# 213

BULK TRUCK DRIVER \_\_\_\_\_

# \_\_\_\_\_

**REMARKS:**

Pat Hole 15 sks  
Misc Hole 10 sks

landed plug @ 1500 psi  
Float Held 1

CHARGE TO: Sason Oil Company

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**RECEIVED**  
TOTAL  
JUN 02 2006  
SERVICE  
**KCC WICHITA**

DEPTH OF JOB \_\_\_\_\_

PUMP TRUCK CHARGE \_\_\_\_\_

EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_

MILEAGE \_\_\_\_\_ @ \_\_\_\_\_

MANIFOLD \_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

**PLUG & FLOAT EQUIPMENT**

5/2 { Parker Spec @ \_\_\_\_\_

4 Cests @ \_\_\_\_\_

batch down directly @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

*Thanks!*

SIGNATURE Jim Johnson

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

PRINTED NAME \_\_\_\_\_

COPY

DRILLERS WELL LOG

Date Commenced: April 27, 2006  
Date Completed: May 3, 2006

Jason Oil Company  
Steinert #1 A  
130'E SW SE NE Sec. 12-14S-15W  
Russell County, Kansas

Elevation            1865' G.L.  
                          1870' K.B.

- 0 - 895' Sand & Shale
- 895 - 932' Anhydrite
- 932 - 2379' Sand & Shale
- 2379 - 2631' Shale
- 2631 - 2836' Sand & Shale
- 2836 - 3006' Shale & Lime
- 3006 - 3105' Shale
- 3105 - 3295' Lime & Shale
- 3295 - 3297' Shale
- 3297' R.T.D.

RECEIVED  
JUN 02 2006  
KCC WICHITA

FORMATION DATA

Anhydrite                            895'  
Base Anhydrite                    932'

Surface Pipe: Set 23#, new, 8 5/8"  
casing @ 435' with 225 sacks  
Common, 3% CC, 2% Gel.

Production Pipe: Set 14#, new  
5 1/2" casing @ 3294' with 150 ASC,  
2% Gel., 500 gallons WFR-2.

AFFIDAVIT

STATE OF KANSAS            )  
    )    ss:  
COUNTY OF RUSSELL    )

Alan Vonfeldt of lawful age, does swear and state that the facts and statements  
herein are true and correct to the best of his knowledge.

Alan Vonfeldt  
Alan Vonfeldt

Subscribed and sworn to before me this 8<sup>th</sup> day of May, 2006.

My Commission Expires:  
8/28/07

Chelsea Wagner  
Chelsea Wagner, Notary Public

