

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

**ORIGINAL**

Form ACO-1  
September 1999  
Form Must Be Typed

**WELL COMPLETION FORM**  
**WELL HISTORY - DESCRIPTION OF WELL & LEASE**  
(CORRECTED)

Operator: License # 7076  
Name: Black Diamond Oil, Inc.  
Address: P.O. Box 641  
City/State/Zip: Hays, KS 67601  
Purchaser: Coffeyville Resources  
Operator Contact Person: Kenneth Vehige  
Phone: (785) 625-5891  
Contractor: Name: 33575  
License: WW Drilling

Wellsite Geologist: Tony Richardson  
Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SIOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening  Re-perf.  Conv. to Enhr./SWD  
 Plug Back \_\_\_\_\_ Plug Back Total Depth \_\_\_\_\_  
 Commingled \_\_\_\_\_ Docket No. \_\_\_\_\_  
 Dual Completion \_\_\_\_\_ Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?) \_\_\_\_\_ Docket No. \_\_\_\_\_

| 02-28-2008                        | 3-1-2008        | 4-30-2008                               |
|-----------------------------------|-----------------|---|
| Spud Date or<br>Recompletion Date | Date Reached TD | Completion Date or<br>Recompletion Date |

API No. 15 - 137-20476-00-00  
County: Norton  
C  E/2  NE  NW Sec. 36 Twp. 5 S. R. 21  East  West  
680 4290 feet from  S  N (circle one) Line of Section  
2310 2970 feet from  E  W (circle one) Line of Section  
Footages Calculated from Per Oper - Rec-Dig Nearest Outside Section Corner:  
(circle one) NE SE  NW SW  
Lease Name: Wyrill Well #: 1-36  
Field Name: Ray


Producing Formation: \_\_\_\_\_  
Elevation: Ground: 2200 Kelly Bushing: 2205  
Total Depth: 1779 Plug Back Total Depth: 1721  
Amount of Surface Pipe Set and Cemented at 221 Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from 1772  
feet depth to surface w/ 250 sx cmt.  
Alt 2 - Dig - 10/7/08

**Drilling Fluid Management Plan**  
(Data must be collected from the Reserve Pit)  
Chloride content 4000 ppm Fluid volume 320 bbls  
Dewatering method used haul off free fluid  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: Black Diamond Oil  
Lease Name: Vehige #1 SWD License No.: 7076  
Quarter SW Sec. 33 Twp. 6 S. R. 20  East  West  
County: Rooks Docket No.: D-23,315

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]  
Title: President Date: 10-1-08  
Subscribed and sworn to before me this 15<sup>th</sup> day of October, 2008.  
Notary Public: [Signature]  
Date Commission Expires: 7-18-2011



**KCC Office Use ONLY**

N Letter of Confidentiality Received  
 If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution

**RECEIVED**  
KANSAS CORPORATION COMMISSION  
**OCT 07 2008**

CONSERVATION DIVISION  
WICHITA, KS

Operator Name: Black Diamond Oil, Inc. Lease Name: Wyrill Well #: 1-36  
 Sec. 36 Twp. 5 S. R. 21  East  West County: Norton

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken  Yes  No  
 (Attach Additional Sheets)  
 Samples Sent to Geological Survey  Yes  No  
 Cores Taken  Yes  No  
 Electric Log Run  Yes  No  
 (Submit Copy)

List All E. Logs Run:

L-K Gamma Ray Collar Log

Log Formation (Top), Depth and Datum  Sample  
 Name Top Datum  
 Anhydrite 1774 +431

RECEIVED  
 KANSAS CORPORATION COMMISSION  
**OCT 07 2008**  
 CONSERVATION DIVISION  
 WICHITA, KS

| CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used |                   |                           |                   |               |                |              |                            |
|---|-------------------|---------------------------|-------------------|---------------|----------------|--------------|----------------------------|
| Report all strings set-conductor, surface, intermediate, production, etc.           |                   |                           |                   |               |                |              |                            |
| Purpose of String   | Size Hole Drilled | Size Casing Set (In O.D.) | Weight Lbs. / Ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
| Surface Pipe  | 12 1/4            | 8 5/8                     | 23                | 221           | com            | 150          | 3 % cc 2% gel              |
| Production  | 7 7/8             | 5 1/2                     | 14                | 1772          | SMD            | 250          |                            |
|   |                   |                           |                   |               |                |              |                            |

| ADDITIONAL CEMENTING / SQUEEZE RECORD   |                  |                |             |                            |
|---|------------------|----------------|-------------|----------------------------|
| Purpose:                                | Depth Top Bottom | Type of Cement | #Sacks Used | Type and Percent Additives |
| <input type="checkbox"/> Perforate      |                  |                |             |                            |
| <input type="checkbox"/> Protect Casing |                  |                |             |                            |
| <input type="checkbox"/> Plug Back TD   |                  |                |             |                            |
| <input type="checkbox"/> Plug Off Zone  |                  |                |             |                            |

| Shots Per Foot | PERFORATION RECORD - Bridge Plugs Set/Type<br>Specify Footage of Each Interval Perforated | Acid, Fracture, Shot, Cement Squeeze Record<br>(Amount and Kind of Material Used) | Depth |
|----------------|---|---|-------|
| 1              | 1350-1380   | None  |       |
|                |   |   |       |
|                |   |   |       |
|                |   |   |       |

| TUBING RECORD   |           | Size  | Set At      | Packer At     | Liner Run   |
|---|-----------|---|-------------|---------------|---|
|   |           | 2 7/8 (lined)   | 1311        | 1312          | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| Date of First, Resumerd Production, SWD or Enhr.<br>5/20/2008 |           | Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) |             |               |   |
| Estimated Production Per 24 Hours                             | Oil Bbls. | Gas Mcf   | Water Bbls. | Gas-Oil Ratio | Gravity   |

Disposition of Gas  Vented  Sold  Used on Lease (If vented, Submit ACO-18.)

METHOD OF COMPLETION  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify) \_\_\_\_\_

Production Interval \_\_\_\_\_

# ALLIED CEMENTING CO., LLC. 30259

Fer

P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
Russell, Ks.

|                                |                    |                                      |                                |                 |             |           |                        |
|--------------------------------|--------------------|--------------------------------------|--------------------------------|-----------------|-------------|-----------|------------------------|
| DATE <u>2-28-08</u>            | SEC. <u>36</u>     | TWP. <u>5</u>                        | RANGE <u>21</u>                | CALLED OUT      | ON LOCATION | JOB START | JOB FINISH <u>3:45</u> |
| LEASE <u>Wynill</u>            | WELL # <u>1-36</u> | LOCATION <u>Damar N to 24 Hwy 3N</u> | COUNTY <u>Norton</u>           | STATE <u>Ks</u> |             |           |                        |
| OLD OR <u>NEW</u> (Circle one) |                    |                                      | <u>1 E 10 N 3 1/2 W S into</u> |                 |             |           |                        |

CONTRACTOR WW#4 Drilling LLC OWNER \_\_\_\_\_  
 TYPE OF JOB Surface  
 HOLE SIZE 12 1/4" T.D. 221'  
 CASING SIZE 8 5/8" DEPTH 220.36  
 TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_  
 PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_  
 CEMENT LEFT IN CSG. 15'  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT 13.1 bbls.

CEMENT  
 AMOUNT ORDERED 150 Com 3% cc  
2% Gel

|          |            |                |                |
|----------|------------|----------------|----------------|
| COMMON   | <u>150</u> | @ <u>12.15</u> | <u>1822.50</u> |
| POZMIX   |            | @              |                |
| GEL      | <u>3</u>   | @ <u>18.25</u> | <u>54.75</u>   |
| CHLORIDE | <u>5</u>   | @ <u>51.00</u> | <u>255.00</u>  |
| ASC      |            | @              |                |

**EQUIPMENT**

PUMP TRUCK CEMENTER Gary Shank  
 # 366 HELPER Mart  
 BULK TRUCK  
 # 345 DRIVER Rocky  
 BULK TRUCK  
 # \_\_\_\_\_ DRIVER \_\_\_\_\_

RECEIVED  
 KANSAS CORPORATION COMMISSION  
 JUL 23 2008  
 CONSERVATION DIVISION  
 WICHITA, KS

|          |              |               |                |
|----------|--------------|---------------|----------------|
| HANDLING | <u>158</u>   | @ <u>2.05</u> | <u>323.90</u>  |
| MILEAGE  | <u>5K/mi</u> | @             | <u>938.52</u>  |
| TOTAL    |              |               | <u>3394.67</u> |

**REMARKS:**

Cement Circ.

**SERVICE**

|                   |           |               |                |
|-------------------|-----------|---------------|----------------|
| DEPTH OF JOB      | _____     |               |                |
| PUMP TRUCK CHARGE |           |               | <u>893.00</u>  |
| EXTRA FOOTAGE     |           | @             |                |
| MILEAGE           | <u>66</u> | @ <u>7.00</u> | <u>462.00</u>  |
| MANIFOLD          |           | @             |                |
| TOTAL             |           |               | <u>1355.00</u> |

CHARGE TO: Black Diamond Oil  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

Thanks!

**PLUG & FLOAT EQUIPMENT**

|                          |  |   |              |
|--------------------------|--|---|--------------|
| <u>8 5/8 wooden Plug</u> |  |   | <u>66.00</u> |
|                          |  | @ |              |
|                          |  | @ |              |
|                          |  | @ |              |
|                          |  | @ |              |

To Allied Cementing Co., LLC.

**JOB LOG**

**SWIFT Services, Inc.**

DATE *7-27-08* PAGE NO.

CUSTOMER *Black Diamond L.P.C.* WELL NO. *24-36 SLD* LEASE *W. Hill* JOB TYPE *Convent. Maintenance* TICKET NO. *13414*

| CHART NO. | TIME        | RATE (BPM) | VOLUME (BBL) (GAL) | PUMPS |   | PRESSURE (PSI) |        | DESCRIPTION OF OPERATION AND MATERIALS  |
|-----------|-------------|------------|--------------------|-------|---|----------------|--------|---|
|           |             |            |                    | T     | C | TUBING         | CASING |   |
|           | <i>1900</i> |            |                    |       |   |                |        | <i>on loc R/F/E</i>   |
|           |             |            |                    |       |   |                |        | <i>RTD 1771'</i>  |
|           |             |            |                    |       |   |                |        | <i>5" x 14" x 1716 x 42'</i>  |
|           |             |            |                    |       |   |                |        | <i>Convent. 1, 3, 6, 12, 14</i>   |
|           |             |            |                    |       |   |                |        | <i>Buckets 13, 15, 18</i>   |
|           | <i>211</i>  |            |                    |       |   |                |        | <i>start FE</i>   |
|           | <i>221</i>  |            |                    |       |   |                |        | <i>start line</i>   |
|           | <i>2255</i> | <i>2</i>   | <i>3</i>           |       |   |                |        | <i>Plu. RT 15.1 x SLD</i>   |
|           | <i>2300</i> | <i>0</i>   | <i>0</i>           |       |   | <i>200</i>     |        | <i>start R-Flush 200 bbl KCL Flush</i>  |
|           | <i>2300</i> | <i>6.5</i> | <i>20/0</i>        |       |   | <i>200</i>     |        | <i>start R-Flush 235 ch. SMD 120 L.G.H.?</i>  |
|           | <i>2318</i> | <i>6.5</i> | <i>97/0</i>        |       |   | <i>200</i>     |        | <i>start R-Flush 200 bbl KCL Flush</i>  |
|           | <i>2321</i> |            | <i>23</i>          |       |   |                |        | <i>start R-Flush 200 bbl KCL Flush</i>  |
|           |             |            |                    |       |   |                |        | <i>RECEIVED<br/>KANSAS CORPORATION COMMISSION<br/>JUL 23 2008<br/>CONSERVATION DIVISION<br/>WICHITA, KS</i> |
|           | <i>2324</i> | <i>6"</i>  | <i>0</i>           |       |   | <i>200</i>     |        | <i>start Displacement</i>   |
|           | <i>2327</i> | <i>5</i>   | <i>23</i>          |       |   | <i>200</i>     |        | <i>catch cement</i>   |
|           | <i>2328</i> |            | <i>42</i>          |       |   | <i>150</i>     |        | <i>start R-Flush</i>  |
|           |             |            |                    |       |   |                |        | <i>15-1/2" Pers. 500'</i>   |
|           |             |            |                    |       |   |                |        | <i>start H. H.</i>  |
|           |             |            |                    |       |   |                |        | <i>CITC tasks to pit</i>  |
|           |             |            |                    |       |   |                |        | <i>Kenneth [Signature]</i>  |
|           |             |            |                    |       |   |                |        | <i>Deecee [Signature]</i>   |
|           |             |            |                    |       |   |                |        | <i>Thank you</i>  |
|           |             |            |                    |       |   |                |        | <i>Nick, Scott + Ryan</i>   |

# ALLIED CEMENTING CO., LLC. 30289

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT  
*Russell, KS*

|                                    |                    |                                     |                 |                            |                     |                 |                        |
|------------------------------------|--------------------|-------------------------------------|-----------------|----------------------------|---------------------|-----------------|------------------------|
| DATE <i>7-23-08</i>                | SEC. <i>36</i>     | TWP. <i>5</i>                       | RANGE <i>21</i> | CALLED OUT                 | ON LOCATION         | JOB START       | JOB FINISH <i>3:45</i> |
| LEASE <i>W/11</i>                  | WELL # <i>W-36</i> | LOCATION <i>Danna N 10 20 W 3 N</i> |                 |                            | COUNTY <i>Wagon</i> | STATE <i>KS</i> |                        |
| OLD OR NEW (Circle one) <u>NEW</u> |                    |                                     |                 | <i>1 E 10 N 28 W S 170</i> |                     |                 |                        |

CONTRACTOR *W W H H Drilling LLC* OWNER

TYPE OF JOB *5 1/4" hole*

HOLE SIZE *1 3/4"* TD *221'*

CASING SIZE *8 5/8"* DEPTH *220.36'*

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG *15'*

PERFS

DISPLACEMENT *13.11 mls*

**EQUIPMENT**

PUMP TRUCK CEMENTER *Gary Shand*

# *366* HELPER *Matt*

BULK TRUCK

# *345* DRIVER *Rocky*

BULK TRUCK

# DRIVER

**REMARKS:**

CEMENT AMOUNT ORDERED *150 Com 3% Gel*

COMMON @  
POZMIX @  
GEL @  
CHLORIDE @  
ASC @

RECEIVED  
KANSAS CORPORATION COMMISSION

JUL 23 2008

CONSERVATION DIVISION  
WICITA, KS

HANDLING @  
MILEAGE @

TOTAL

**SERVICE**

DEPTH OF JOB

PUMP TRUCK CHARGE

EXTRA FOOTAGE @

MILEAGE @

MANIFOLD @

@

@

TOTAL

**PLUG & FLOAT EQUIPMENT**

*3 5/8" wooden plug*

@

@

@

@

@

TOTAL

SALES TAX (if Any)

TOTAL CHARGES

DISCOUNT IF PAID IN 30 DAYS

CHARGE TO *Black Diamond Oil*

STREET

CITY STATE ZIP

*Thanks!*

To Allied Cementing Co., LLC  
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME

SIGNATURE *Rocky Shand*

DAILY DRILLING REPORT

43  
 CONTRACTOR: W.W. Drilling LLC DATE: 7-28-2008  
 COMPANY: Black Diamond Oil LEASE: Wyrill WELL NO.: 1-36 RIG NO.: 4  
 DISTRICT: Alton COUNTY: Kansas D. P. STRING NO.:  SIZE:

| FROM       | TO  | FORMATION             | ROTARY SPEED | WEIGHT ON BIT        | PUMP PRES. | NAME              | HRS. |
|------------|-----|-----------------------|--------------|----------------------|------------|-------------------|------|
|            |     |                       |              |                      |            | DM John McCarty   | 8    |
|            |     |                       |              |                      |            | EM Colby Rezelman | 8    |
|            |     |                       |              |                      |            | H John J. Hartner | 8    |
| SLOPE TEST |     | ACCIDENT:-(GIVE NAME) |              | 20 gal shells 4 lime |            | H                 |      |
| @          | FT. |                       |              |                      |            |                   |      |
| DEG. OFF   |     | DRLR: Will Mackean    |              |                      |            |                   |      |

| BIT AND COREHEAD RECORD |  | MUD RECORD           |  | TIME RECORD |  | DRILL STEM RECORD |     |
|-------------------------|--|----------------------|--|-------------|--|-------------------|-----|
| RUN NO.                 |  | WEIGHT               |  | DRILLING    |  | SIZE D. P.        |     |
| SIZE                    |  | VISC.                |  | CORING      |  | SIZE COLL.        |     |
| MAKE                    |  | WTR. LOSS-C.C.       |  | OTHER       |  | JTS. D. P.        | FT. |
| SERIAL NO.              |  | FILTER CAKE          |  | REPAIRS     |  | KELLY DOWN        | FT. |
| DEPTH IN                |  | PH.                  |  | TRIP        |  | COLLARS           | FT. |
| HOURS RUN               |  | MTL. ADDED (REMARKS) |  |             |  | TOTAL             | FT. |

REMARKS: 7:00-3:00 rig up + mix mud

RECEIVED  
 KANSAS CORPORATION COMMISSION

JUL 23 2008

CONSERVATION DIVISION  
 WICHITA, KS

| FROM       | TO      | FORMATION             | ROTARY SPEED | WEIGHT ON BIT | PUMP PRES. | NAME              | HRS. |
|------------|---------|-----------------------|--------------|---------------|------------|-------------------|------|
| -0-        | 221     |                       |              |               |            | DM Scott Bushholz | 8    |
|            |         |                       |              |               |            | EM Dave Owens     | 8    |
|            |         |                       |              |               |            | H Clifton Craig   | 8    |
| SLOPE TEST |         | ACCIDENT:-(GIVE NAME) |              | SPUD @ 10:15  |            | H Rodney Doherty  | 8    |
| @          | 221 FT. |                       |              |               |            |                   |      |
| DEG. OFF   |         | DRLR: J.D. Haslinger  |              |               |            |                   |      |

| BIT AND COREHEAD RECORD |        | MUD RECORD           |  | TIME RECORD |           | DRILL STEM RECORD |     |
|-------------------------|--------|----------------------|--|-------------|-----------|-------------------|-----|
| RUN NO.                 | 1      | WEIGHT               |  | DRILLING    | 3         | SIZE D. P.        |     |
| SIZE                    | 12 1/4 | VISC.                |  | CORING      | Rig 3 1/4 | SIZE COLL.        |     |
| MAKE                    | HTC    | WTR. LOSS-C.C.       |  | OTHER       |           | JTS. D. P.        | FT. |
| SERIAL NO.              | 322182 | FILTER CAKE          |  | REPAIRS     |           | KELLY DOWN        | FT. |
| DEPTH IN                | -0-    | PH.                  |  | TRIP        | 1 3/4     | COLLARS           | FT. |
| HOURS RUN               | 3      | MTL. ADDED (REMARKS) |  |             |           | TOTAL             | FT. |

REMARKS: 7:00-10:00 Finish Rig Up 10:00-10:15 Dig Rat Hole - SPUD @ 10:15  
 1:15 Dig Surface 1:15-3:00 cin Tet cin trip out + in

| FROM       | TO  | FORMATION             | ROTARY SPEED | WEIGHT ON BIT | PUMP PRES. | NAME           | HRS. |
|------------|-----|-----------------------|--------------|---------------|------------|----------------|------|
|            |     |                       |              |               |            | DM Jon Neuman  | 8    |
|            |     |                       |              |               |            | EM Bob Brown   | 8    |
|            |     |                       |              |               |            | H Art Marcotte | 8    |
| SLOPE TEST |     | ACCIDENT:-(GIVE NAME) |              |               |            | H              |      |
| @          | FT. |                       |              |               |            |                |      |
| DEG. OFF   |     | DRLR: Ricky Higgins   |              |               |            |                |      |

| BIT AND COREHEAD RECORD |  | MUD RECORD           |  | TIME RECORD |            | DRILL STEM RECORD |     |
|-------------------------|--|----------------------|--|-------------|------------|-------------------|-----|
| RUN NO.                 |  | WEIGHT               |  | DRILLING    |            | SIZE D. P.        |     |
| SIZE                    |  | VISC.                |  | CORING      |            | SIZE COLL.        |     |
| MAKE                    |  | WTR. LOSS-C.C.       |  | OTHER       | W.C. 7 1/4 | JTS. D. P.        | FT. |
| SERIAL NO.              |  | FILTER CAKE          |  | REPAIRS     |            | KELLY DOWN        | FT. |
| DEPTH IN                |  | PH.                  |  | TRIP        |            | COLLARS           | FT. |
| HOURS RUN               |  | MTL. ADDED (REMARKS) |  |             | 7 1/4      | TOTAL             | FT. |

REMARKS: 3:00-3:45 cin + cement 3:45-11:00 WOC

APPROVED: Kelley Staff

DAILY DRILLING REPORT  
43

CONTRACTOR W W Drilling DATE 2-29-08  
 COMPANY Black Diamond LEASE Wyrill WELL NO. 1-36 RIG NO. 4  
 DISTRICT COUNTY Norton STATE Ks D. P. STRING NO. SIZE

| FROM       | TO  | FORMATION               | ROTARY SPEED | WEIGHT ON BIT     | PUMP PRES. | NAME              | HRS. |
|------------|-----|-------------------------|--------------|-------------------|------------|-------------------|------|
| 221        | 750 | sand + shale            | 70           | 20,000            |            | DM John McCoy     | 8    |
|            |     |                         |              |                   |            | EM Colby Renzelma | 8    |
|            |     |                         |              |                   |            | H John J Heifner  | 8    |
| SLOPE TEST |     | ACCIDENT:-- (GIVE NAME) |              |                   |            | H                 |      |
| @          | FT. |                         |              |                   |            |                   |      |
| DEG. OFF   |     |                         |              | DRLR Will Madigan |            |                   | 8    |

| BIT AND COREHEAD RECORD |         | MUD RECORD           |    | TIME RECORD |         | DRILL STEM RECORD |     |
|-------------------------|---------|----------------------|----|-------------|---------|-------------------|-----|
| RUN NO.                 | # 2 RR  | WEIGHT               | 91 | DRILLING    | 7/4     | SIZE D. P.        |     |
| SIZE                    | 7/8     | VISC.                | 30 | CORING      |         | SIZE COLL.        |     |
| MAKE                    | Smith   | WTR. LOSS-C.C.       |    | OTHER       | WOC 3/4 | JTS. D. P.        | FT. |
| SERIAL NO.              | DJ 3156 | FILTER CAKE          |    | REPAIRS     |         | KELLY DOWN        | FT. |
| DEPTH IN                | 221     | PH.                  |    | TRIP        |         | COLLARS           | FT. |
| HOURS RUN               | 7       | MTL. ADDED (REMARKS) |    | TRIP        | 1/4     | TOTAL             | FT. |

REMARKS: 11:00-11:45 WOC 11:45-4:45 (RR) Ex spinning chain 4:45-5:00 Drlg  
 5:00-7:00 Drlg

| FROM       | TO    | FORMATION               | ROTARY SPEED | WEIGHT ON BIT       | PUMP PRES. | NAME              | HRS. |
|------------|-------|-------------------------|--------------|---------------------|------------|-------------------|------|
| 750        | 11655 | Sand & Shale            | 90           | 20,000              | 600        | DM Scott Buchholz | 8    |
|            |       |                         |              |                     |            | EM Dave Owens     | 8    |
|            |       |                         |              |                     |            | H Chris Keen      | 8    |
| SLOPE TEST |       | ACCIDENT:-- (GIVE NAME) |              |                     |            | H                 |      |
| @          | FT.   | 18-602                  |              |                     |            |                   |      |
| DEG. OFF   |       |                         |              | DRLR Rodney Doherty |            |                   | 8    |

| BIT AND COREHEAD RECORD |         | MUD RECORD           |         | TIME RECORD |       | DRILL STEM RECORD |     |
|-------------------------|---------|----------------------|---------|-------------|-------|-------------------|-----|
| RUN NO.                 | # 2 RR  | WEIGHT               | 90 (91) | DRILLING    | 7 3/4 | SIZE D. P.        |     |
| SIZE                    | 7/8     | VISC.                | 30 (30) | CORING      |       | SIZE COLL.        |     |
| MAKE                    | Smith   | WTR. LOSS-C.C.       |         | OTHER       |       | JTS. D. P.        | FT. |
| SERIAL NO.              | PJ 3156 | FILTER CAKE          |         | REPAIRS     |       | KELLY DOWN        | FT. |
| DEPTH IN                | 221     | PH.                  |         | TRIP        |       | COLLARS           | FT. |
| HOURS RUN               | 14 3/4  | MTL. ADDED (REMARKS) |         | TRIP        | 1/4   | TOTAL             | FT. |

REMARKS: 7:00-1:45 Drlg 1:45-2:00 Jet #1 & V Rig 2:00-3:00 Drlg

| FROM       | TO   | FORMATION               | ROTARY SPEED | WEIGHT ON BIT | PUMP PRES. | NAME               | HRS. |
|------------|------|-------------------------|--------------|---------------|------------|--------------------|------|
| 11655      | 1779 | Sand Shale              | 100          | 25            |            | DM Jon N. Anderson | 8    |
| 1779       | TD   |                         |              |               |            | EM Carl ...        | 8    |
|            |      |                         |              |               |            | H Art ...          | 8    |
| SLOPE TEST |      | ACCIDENT:-- (GIVE NAME) |              |               |            | H                  |      |
| @          | FT.  | (6 1/2 hrs co time)     |              |               |            |                    |      |
| DEG. OFF   |      |                         |              | DRLR ...      |            |                    | 8    |

| BIT AND COREHEAD RECORD |         | MUD RECORD           |    | TIME RECORD |       | DRILL STEM RECORD |     |
|-------------------------|---------|----------------------|----|-------------|-------|-------------------|-----|
| RUN NO.                 | 2 RR    | WEIGHT               | 95 | DRILLING    | 1 1/4 | SIZE D. P.        |     |
| SIZE                    | 7/8     | VISC.                | 28 | CORING      | 1 1/2 | SIZE COLL.        |     |
| MAKE                    | Smith   | WTR. LOSS-C.C.       |    | OTHER       | 2     | JTS. D. P.        | FT. |
| SERIAL NO.              | PJ 3156 | FILTER CAKE          |    | REPAIRS     |       | KELLY DOWN        | FT. |
| DEPTH IN                | 221     | PH.                  |    | TRIP        | 2     | COLLARS           | FT. |
| HOURS RUN               | 10      | MTL. ADDED (REMARKS) |    | TRIP        | 1/4   | TOTAL             | FT. |

REMARKS: 3:00-4:15 Drlg 4:15-4:30 / 1/4 g ... 4:30-4:45 ...  
 4:45-6:00 ... 6:00-6:45 ... 6:45-8:15 ...  
 Lay down pipe + collars 8:15-9:15, change-over 9:15-10:00 Run 5/8 WOC-11/4

APPROVED Kubing ...

RECEIVED  
 KANSAS CORPORATION COMMISSION  
 JUL 23 2008  
 CONSERVATION DIVISION  
 WICHITA, KS

DAILY DRILLING REPORT  
43

|                                  |                         |
|----------------------------------|-------------------------|
| CONTRACTOR<br><b>WW Dnlg LLC</b> | DATE<br><b>3-1-08</b>   |
| COMPANY<br><b>Black Diamond</b>  | LEASE<br><b>Wyrill</b>  |
| DISTRICT                         | WELL NO.<br><b>1-36</b> |
| COUNTY<br><b>Norton</b>          | RIG NO.<br><b>4</b>     |
| STATE<br><b>KS</b>               | D. P. STRING NO.        |
|                                  | SIZE                    |

| FROM       | TO | FORMATION                     | ROTARY SPEED | WEIGHT ON BIT     | PUMP PRES. | NAME               | HRS. |
|------------|----|-------------------------------|--------------|-------------------|------------|--------------------|------|
|            |    |                               |              |                   |            | DM John McCarey    | 12   |
|            |    |                               |              |                   |            | EM Colby Renzleman | 12   |
|            |    |                               |              |                   |            | H John Heifner     | 12   |
| SLOPE TEST |    | ACCIDENT: - Plug down @ 11:30 |              |                   |            |                    |      |
| @ FT.      |    | RX RELEASED @ 1:30 AM         |              |                   |            |                    |      |
| DEG. OFF   |    | (2 1/2 Hrs. (2 TIME))         |              | DRLR Will McClean |            |                    | 12   |

| BIT AND COREHEAD RECORD |  | MUD RECORD           |  | TIME RECORD |  | DRILL STEM RECORD |     |
|-------------------------|--|----------------------|--|-------------|--|-------------------|-----|
| RUN NO.                 |  | WEIGHT               |  | DRILLING    |  | SIZE D. P.        |     |
| SIZE                    |  | VISC.                |  | CORING      |  | SIZE COLL.        |     |
| MAKE                    |  | WTR. LOSS-C.C.       |  | OTHER       |  | JTS. D. P.        | FT. |
| SERIAL NO.              |  | FILTER CAKE          |  | REPAIRS     |  | KELLY DOWN        | FT. |
| DEPTH IN                |  | PH.                  |  | TRIP        |  | COLLARS           | FT. |
| HOURS RUN               |  | MTL. ADDED (REMARKS) |  |             |  | TOTAL             | FT. |

REMARKS: 11:00-11:30 cement 11:30-11:00 set slips tear down  
Load out Rig

| FROM       | TO | FORMATION   | ROTARY SPEED | WEIGHT ON BIT | PUMP PRES. | NAME | HRS. |
|------------|----|-------------|--------------|---------------|------------|------|------|
|            |    |             |              |               |            | DM   |      |
|            |    |             |              |               |            | EM   |      |
|            |    |             |              |               |            | H    |      |
| SLOPE TEST |    | ACCIDENT: - |              |               |            |      |      |
| @ FT.      |    | (GIVE NAME) |              |               |            |      |      |
| DEG. OFF   |    |             |              | DRLR          |            |      |      |

| BIT AND COREHEAD RECORD |  | MUD RECORD           |  | TIME RECORD |  | DRILL STEM RECORD |     |
|-------------------------|--|----------------------|--|-------------|--|-------------------|-----|
| RUN NO.                 |  | WEIGHT               |  | DRILLING    |  | SIZE D. P.        |     |
| SIZE                    |  | VISC.                |  | CORING      |  | SIZE COLL.        |     |
| MAKE                    |  | WTR. LOSS-C.C.       |  | OTHER       |  | JTS. D. P.        | FT. |
| SERIAL NO.              |  | FILTER CAKE          |  | REPAIRS     |  | KELLY DOWN        | FT. |
| DEPTH IN                |  | PH.                  |  | TRIP        |  | COLLARS           | FT. |
| HOURS RUN               |  | MTL. ADDED (REMARKS) |  |             |  | TOTAL             | FT. |

REMARKS:

| FROM       | TO | FORMATION   | ROTARY SPEED | WEIGHT ON BIT | PUMP PRES. | NAME | HRS. |
|------------|----|-------------|--------------|---------------|------------|------|------|
|            |    |             |              |               |            | DM   |      |
|            |    |             |              |               |            | EM   |      |
|            |    |             |              |               |            | H    |      |
| SLOPE TEST |    | ACCIDENT: - |              |               |            |      |      |
| @ FT.      |    | (GIVE NAME) |              |               |            |      |      |
| DEG. OFF   |    |             |              | DRLR          |            |      |      |

| BIT AND COREHEAD RECORD |  | MUD RECORD           |  | TIME RECORD |  | DRILL STEM RECORD |     |
|-------------------------|--|----------------------|--|-------------|--|-------------------|-----|
| RUN NO.                 |  | WEIGHT               |  | DRILLING    |  | SIZE D. P.        |     |
| SIZE                    |  | VISC.                |  | CORING      |  | SIZE COLL.        |     |
| MAKE                    |  | WTR. LOSS-C.C.       |  | OTHER       |  | JTS. D. P.        | FT. |
| SERIAL NO.              |  | FILTER CAKE          |  | REPAIRS     |  | KELLY DOWN        | FT. |
| DEPTH IN                |  | PH.                  |  | TRIP        |  | COLLARS           | FT. |
| HOURS RUN               |  | MTL. ADDED (REMARKS) |  |             |  | TOTAL             | FT. |

REMARKS:

APPROVED *Kenby Stewart*

RECEIVED  
KANSAS CORPORATION COMMISSION  
JUL 23 2008  
CONSERVATION DIVISION  
WICHITA, KS





**Gaschler Pulling Service, Inc.**  
 Kent Gaschler—Owner  
 785-650-7878

1811 Monroe P.O. Box 21  
 Ellis, KS 67637

Company: BLACK DIAMOND OIL Date: 4-30-08  
 Lease: WYRILL SWP Well #: 1-36 County: NORTON State: KS  
 Job description: COMPLETION

Vehicle Docket D-23,315 Reran In Well

| Pulled From Well |        |                           | Reran In Well              |      |        |                           |
|------------------|--------|---------------------------|----------------------------|------|--------|---------------------------|
| Feet             | Joints | Description               | Equipment                  | Feet | Joints | Description               |
|                  |        |                           | Polish Rod                 |      |        |                           |
|                  |        |                           | Liner                      |      |        |                           |
|                  |        |                           | Rod Subs                   |      |        |                           |
|                  |        |                           | Rods                       |      |        |                           |
|                  |        |                           | Rods                       |      |        |                           |
|                  |        |                           | Rods                       |      |        |                           |
|                  |        |                           | Pump                       |      |        |                           |
|                  |        |                           | Tubing Subs                |      |        |                           |
|                  |        |                           | Tubing                     |      |        |                           |
|                  |        |                           | Tubing                     |      |        |                           |
|                  |        |                           | Bbl. Seat N                |      |        |                           |
|                  |        | Where Set<br>Type<br>Size | Packer or<br>Tubing Anchor |      |        | Where Set<br>Type<br>Size |
|                  |        |                           | Mud Anchor                 |      |        |                           |

RECEIVED  
 KANSAS CORPORATION COMMISSION  
 JUL 23 2008  
 CONSERVATION DIVISION  
 WICHITA, KS

Y N Paint \_\_\_\_\_  
 Y N Diesel \_\_\_\_\_ GAL. \_\_\_\_\_ = \_\_\_\_\_  
 Thread Dope \_\_\_\_\_ x \_\_\_\_\_ Each \_\_\_\_\_  
 Circ Rubber New \_\_\_\_\_ Used \_\_\_\_\_  
 ⊕ N Circ Head 50  
 Y N Sand Pump \_\_\_\_\_  
 Y N Oil Saver Rubber \_\_\_\_\_  
 ⊕ N Swab Cup 8-5 1/2 W RINGS @ 19 ECH = 152  
 Y N Other \_\_\_\_\_

| Unit                      | Hrs.     | Per. Hr   | Amount         |
|---------------------------|----------|-----------|----------------|
| <u>RIG 1 DDP</u>          | <u>5</u> | <u>94</u> | <u>\$470</u>   |
| Operator <u>KENT G</u>    | <u>5</u> | <u>33</u> | <u>\$165</u>   |
| Floorman <u>JUSTIN V</u>  | <u>5</u> | <u>29</u> | <u>\$145</u>   |
| Floorman <u>MICHAEL H</u> | <u>5</u> | <u>29</u> | <u>\$145</u>   |
| Extra Equip.              |          |           | <u>\$202</u>   |
| Sales Tax                 |          |           | <u>68.18</u>   |
| TOTAL                     |          |           | <u>1195.18</u> |

Remarks: DRIVE TO LOCATION & RIGGED UP TO TUBING HEAD. L.N. RAN IN WITH LOG THEN PERFORATED. RIGGED L.N DOWN THEN WENT IN WITH CASING JARS & STARTED SWABBING. GOT SAND ON 5<sup>TH</sup> PULL. SWABBED SAND STEADY FOR 2 HRS. & SHUT DOWN.

By: Kent Gaschler  
 Gaschler Pulling Service, Inc.

By: \_\_\_\_\_  
 Authorized Signature



**Gaschler Pulling Service, Inc.**  
 Kent Gaschler—Owner  
 785-650-7878

1811 Monroe P.O. Box 21  
 Ellis, KS 67637

Company: BLACK DIAMOND OIL Date: 5-1-08  
 Lease: WYBELL SWD Well #: 1-36 County: MORTON State: KZ  
 Job description: COMPLETION

| Pulled From Well |        |                           |                            | Reran In Well |        |                           |
|------------------|--------|---------------------------|----------------------------|---------------|--------|---------------------------|
| Feet             | Joints | Description               | Equipment                  | Feet          | Joints | Description               |
|                  |        |                           | Polish Rod                 |               |        |                           |
|                  |        |                           | Liner                      |               |        |                           |
|                  |        |                           | Rod Subs                   |               |        |                           |
|                  |        |                           | Rods                       |               |        |                           |
|                  |        |                           | Rods                       |               |        |                           |
|                  |        |                           | Rods                       |               |        |                           |
|                  |        |                           | Pump                       |               |        |                           |
|                  |        |                           | Tubing Subs                |               |        |                           |
|                  |        |                           | Tubing                     |               |        |                           |
|                  |        |                           | Tubing                     |               |        |                           |
|                  |        |                           | Bbl. Seat N                |               |        |                           |
|                  |        | Where Set<br>Type<br>Size | Packer or<br>Tubing Anchor |               |        | Where Set<br>Type<br>Size |
|                  |        |                           | Mud Anchor                 |               |        |                           |

Y N Paint \_\_\_\_\_  
 Y N Diesel \_\_\_\_\_ GAL \_\_\_\_\_  
 Thread Dope \_\_\_\_\_ x \_\_\_\_\_ Each \_\_\_\_\_  
 Circ Rubber New \_\_\_\_\_ Used \_\_\_\_\_  
 Y N Circ Head \_\_\_\_\_  
 Y N Sand Pump \_\_\_\_\_  
 Y N Oil Saver Rubber \_\_\_\_\_  
 Y N Swab Cup 4-5 1/2 V RINGS @ 19 EACH - \$76  
 Y N Other \_\_\_\_\_


Unit BSG / DDP  
 Operator KENT G  
 Floorman JUSTIN V  
 Floorman MICHAEL H

| Hrs.         | Per. Hr | Amount  |
|--------------|---------|---------|
| 12           | 94      | \$1128  |
| 12           | 33      | \$396   |
| 12           | 29      | \$348   |
| 12           | 29      | \$348   |
| Extra Equip. |         | \$76    |
| Sales Tax    |         | 138.91  |
| TOTAL        |         | 2434.91 |

Remarks: WENT BACK TO SWABBING. FLUID STAYED @ 300' FROM SURFACE.  
SWABBED SAND TILL 2 THEN HOOKED UP WATER TRUCK TO SEE HOW  
WELL WOULD TAKE FLUID. WOULD TAKE FLUID. RAN IN WITH JUST  
JARS. STAKED OUT @ 1550'. SWABBED SAND REST OF DAY & SHUT DOWN.

By: Kent Gaschler  
 Gaschler Pulling Service, Inc.

By: \_\_\_\_\_  
 Authorized Signature



**Gaschler Pulling Service, Inc.**  
 Kent Gaschler—Owner  
 785-650-7878

1811 Monroe P.O. Box 21  
 Ellis, KS 67637

Company: BLACK DIAMOND OIL Date: 5-2-08  
 Lease: WYRELL SWO Well #: 1-36 County: DODSON State: KS  
 Job description: COMPLETION

| Pulled From Well |        |                           |                            | Reran In Well |        |                           |
|------------------|--------|---------------------------|----------------------------|---------------|--------|---------------------------|
| Feet             | Joints | Description               | Equipment                  | Feet          | Joints | Description               |
|                  |        |                           | Polish Rod                 |               |        |                           |
|                  |        |                           | Liner                      |               |        |                           |
|                  |        |                           | Rod Subs                   |               |        |                           |
|                  |        |                           | Rods                       |               |        |                           |
|                  |        |                           | Rods                       |               |        |                           |
|                  |        |                           | Rods                       |               |        |                           |
|                  |        |                           | Pump                       |               |        |                           |
|                  |        |                           | Tubing Subs                |               |        |                           |
|                  |        |                           | Tubing                     |               |        |                           |
|                  |        |                           | Tubing                     |               |        |                           |
|                  |        |                           | Bbl. Seat N                |               |        |                           |
|                  |        | Where Set<br>Type<br>Size | Packer or<br>Tubing Anchor |               |        | Where Set<br>Type<br>Size |
|                  |        |                           | Mud Anchor                 |               |        |                           |

Y N Paint \_\_\_\_\_  
 Y N Diesel \_\_\_\_\_ GAL \_\_\_\_\_ = \_\_\_\_\_  
 Thread Dope \_\_\_\_\_ x \_\_\_\_\_ Each \_\_\_\_\_  
 Circ Rubber New \_\_\_\_\_ Used \_\_\_\_\_  
 Y N Circ Head \_\_\_\_\_  
 Y N Sand Pump \_\_\_\_\_  
 Y N Oil Saver Rubber \_\_\_\_\_  
 Y N Swab Cup \_\_\_\_\_  
 Y N Other \_\_\_\_\_

|                           | Hrs. | Per. Hr | Amount         |
|---------------------------|------|---------|----------------|
| Unit <u>REG 1 DDP</u>     | 8    | 94      | \$752          |
| Operator <u>KENT G</u>    | 8    | 30      | \$264          |
| Floorman <u>MICHAEL H</u> | 8    | 29      | \$232          |
| Floorman <u>COOY G</u>    | 8    | 29      | \$202          |
| Extra Equip.              |      |         |                |
| Sales Tax                 |      |         | 89.54          |
| <b>TOTAL</b>              |      |         | <b>1569.54</b> |

Remarks: WENT TO YARD, PICKED UP PACKER + DADUE TO LOCATION. WATER TRUCK HOOKED UP TO WELL. TOOK 20 BBLs IN 13 MINUTES. WAS TOO WINDY TO RUN TUBING SO SWABBED SAND FOR 4 HOURS. SAUT DOWN.

By: Kent Gaschler  
 Gaschler Pulling Service, Inc.

By: \_\_\_\_\_  
 Authorized Signature



**Gaschler Pulling Service, Inc.**  
 Kent Gaschler—Owner  
 785-650-7878

1811 Monroe P.O. Box 21  
 Ellis, KS 67637

Company: BLACK DIAMOND OIL Date: 5-5-08  
 Lease: WYRILL 6WD Well #: 1-36 County: NORTON State: KS  
 Job description: COMPLETION

| Pulled From Well |        |                           |                                       | Reran In Well |   |
|------------------|--------|---------------------------|---------------------------------------|---------------|---|
| Feet             | Joints | Description               | Equipment                             | Feet          | Description                                       |
|                  |        |                           | Polish Rod                            |               |   |
|                  |        |                           | Liner                                 |               |   |
|                  |        |                           | Rod Subs                              |               |   |
|                  |        |                           | Rods                                  |               |   |
|                  |        |                           | Rods                                  |               |   |
|                  |        |                           | Rods                                  |               |   |
|                  |        |                           | Pump                                  |               |   |
|                  |        |                           | Tubing Subs                           |               |   |
|                  |        |                           | Tubing                                | 40            | 2 7/8 SEAL TITE                                   |
|                  |        |                           | Tubing                                |               |   |
|                  |        |                           | Bbl. Seat N                           |               |   |
|                  |        | Where Set<br>Type<br>Size | <del>Packer</del> or<br>Tubing Anchor | 1             | Where Set 1311'<br>Type 40'<br>Size 5 1/2 x 2 7/8 |
|                  |        |                           | Mud Anchor                            |               |   |

YN Paint \_\_\_\_\_  
 YN Diesel \_\_\_\_\_ GAL \_\_\_\_\_  
 Thread Dope 5 x 3 Each \$ 15  
 Circ Rubber New \_\_\_\_\_ Used \_\_\_\_\_  
 YN Circ Head \_\_\_\_\_  
 YN Sand Pump \_\_\_\_\_  
 YN Oil Saver Rubber \_\_\_\_\_  
 YN Swab Cup \_\_\_\_\_  
 YN Other \_\_\_\_\_

| Unit               | Hrs. | Per. Hr | Amount         |
|--------------------|------|---------|----------------|
| RIG 1 DDP          | 7    | 94      | \$658          |
| Operator HENT G    | 7    | 33      | \$231          |
| Floorman MICHAEL H | 7    | 29      | \$203          |
| Floorman MEL K     | 7    | 29      | \$203          |
| Extra Equip.       |      |         | \$15           |
| Sales Tax          |      |         | 79.26          |
| <b>TOTAL</b>       |      |         | <b>1389.26</b> |

Remarks: DRIVE TO P. VILLE & GOT WELLHEAD. GOT TO LOCATION & TALLIED TUBING & STARTED IN HOLE. RAN 40 JOIS., SET SLIPS & PACKED OFF HEAD. PUMPED PACKER FLUID THEN PULLED SLIPS, SET PACKER & LANDED TUBING. PRESSURED UP TO 300 PSI. WELL PASSED MIT. RIGGED DOWN & MOVED OFF.

By: Kent Gaschler  
 Gaschler Pulling Service, Inc.

By: \_\_\_\_\_  
 Authorized Signature



WW DRILLING, LLC

PO Box 307 WaKeeney, KS 67672

Office: 785-743-6774 Fax: 785-743-6752

PIPE & TUBING TALLY BOOK

DATE 2-29-08 COMPANY Black Diamond Oil LEASE W/1111#1-36 WELL NO. #1-36

|               |               |                  |               |   |
|---------------|---------------|------------------|---------------|---|
| SIZE<br>5 1/2 | WEIGHT<br>14# | MAKE<br>NEW      | GRADE         | RANGE   |
| THREAD        | COLLAR LENGTH | CONDITION<br>NEW | TRANSFER NOS. | OVERALL TALLY <input type="checkbox"/>                |
|               |               |                  |               | THREADS OFF TALLY <input checked="" type="checkbox"/> |

| Joint No. | Feet | Hnd | Joint No. | Feet | Hnd | Joint No. | Feet | Hnd | Joint No. | Feet | Hnd | Joint No. | Feet | Hnd | Joint No. | Feet | Hnd | Joint No. | Feet | Hnd |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|-----------|------|-----|-----------|------|-----|-----------|------|-----|-----------|------|-----|-----------|------|-----|-----------|------|-----|-----------|------|-----|-----|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| 1         | 42   | 21  | 21        | 42   | 93  | 41        | 42   | 65  | 61        |      |     | 81        |      |     | 101       |      |     | 121       |      |     | 141 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 2         | 42   | 76  | 22        | 42   | 95  | 42        | 37   | 12  | 62        |      |     | 82        |      |     | 102       |      |     | 122       |      |     | 142 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3         | 42   | 75  | 23        | 42   | 82  | 43        | 27   | 26  | 63        |      |     | 83        |      |     | 103       |      |     | 123       |      |     | 143 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4         | 42   | 90  | 24        | 43   | 55  | 44        |      |     | 64        |      |     | 84        |      |     | 104       |      |     | 124       |      |     | 144 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 5         | 42   | 99  | 25        | 42   | 76  | 45        |      |     | 65        |      |     | 85        |      |     | 105       |      |     | 125       |      |     | 145 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 6         | 42   | 81  | 26        | 42   | 67  | 46        |      |     | 66        |      |     | 86        |      |     | 106       |      |     | 126       |      |     | 146 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 7         | 42   | 60  | 27        | 42   | 84  | 47        |      |     | 67        |      |     | 87        |      |     | 107       |      |     | 127       |      |     | 147 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 8         | 43   | 63  | 28        | 42   | 74  | 48        |      |     | 68        |      |     | 88        |      |     | 108       |      |     | 128       |      |     | 148 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 9         | 42   | 90  | 29        | 42   | 87  | 49        |      |     | 69        |      |     | 89        |      |     | 109       |      |     | 129       |      |     | 149 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 10        | 42   | 97  | 30        | 42   | 86  | 50        |      |     | 70        |      |     | 90        |      |     | 110       |      |     | 130       |      |     | 150 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 11        | 42   | 85  | 31        | 42   | 77  | 51        |      |     | 71        |      |     | 91        |      |     | 111       |      |     | 131       |      |     | 151 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 12        | 42   | 78  | 32        | 42   | 77  | 52        |      |     | 72        |      |     | 92        |      |     | 112       |      |     | 132       |      |     | 152 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 13        | 42   | 63  | 33        | 42   | 85  | 53        |      |     | 73        |      |     | 93        |      |     | 113       |      |     | 133       |      |     | 153 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 14        | 42   | 90  | 34        | 42   | 82  | 54        |      |     | 74        |      |     | 94        |      |     | 114       |      |     | 134       |      |     | 154 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 15        | 42   | 85  | 35        | 42   | 70  | 55        |      |     | 75        |      |     | 95        |      |     | 115       |      |     | 135       |      |     | 155 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 16        | 42   | 87  | 36        | 42   | 84  | 56        |      |     | 76        |      |     | 96        |      |     | 116       |      |     | 136       |      |     | 156 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 17        | 42   | 82  | 37        | 42   | 85  | 57        |      |     | 77        |      |     | 97        |      |     | 117       |      |     | 137       |      |     | 157 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 18        | 42   | 79  | 38        | 42   | 89  | 58        |      |     | 78        |      |     | 98        |      |     | 118       |      |     | 138       |      |     | 158 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 19        | 42   | 76  | 39        | 42   | 87  | 59        |      |     | 79        |      |     | 99        |      |     | 119       |      |     | 139       |      |     | 159 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 20        | 42   | 82  | 40        | 42   | 82  | 60        |      |     | 80        |      |     | 100       |      |     | 120       |      |     | 140       |      |     | 160 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|           |      |     |           |      |     |           |      |     |           |      |     |           |      |     |           |      |     | TOTALS    |      |     |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |

RECEIVED  
KANSAS CORPORATION COMMISSION  
JUL 23 2008  
CONSERVATION DIVISION  
WICHITA, KS

Drillers TD 1779 Loggers TD \_\_\_\_\_

No. Jts. Run 42 Size 5 1/2 Wt. 14 Tested \_\_\_\_\_

Cent @ 1, 3, 6, 12, 14

Basket @ 13, 15, 28 D. V. Tool @ \_\_\_\_\_ Port Collar @ \_\_\_\_\_

Cemented by Swift SKs. Type Cement \_\_\_\_\_

Flush \_\_\_\_\_

Jts. To Be Left Out # 41

Shoe Jt. # 41 42.91 81 Pipe Set @ 1772 Off Bottom 28' 7"

Plug Down \_\_\_\_\_ AM PM / / Rig Release @ \_\_\_\_\_ AM PM / /

Job by \_\_\_\_\_

Pipe Left On Location 1 Jts. Talley \_\_\_\_\_ Threads On \_\_\_\_\_

tally 176650

JOB LOG

SWIFT Services, Inc.

DATE 7-27-08 PAGE NO. 1

CUSTOMER Black Diamond Oil Co WELL NO. 21-26 SMD LEASE Wyrill JOB TYPE Cement Logging TICKET NO. 13414

Table with columns: CHART NO., TIME, RATE (BPM), VOLUME (BBL) (GAL), PUMPS (T, C), PRESSURE (PSI) (TUBING, CASING), and DESCRIPTION OF OPERATION AND MATERIALS. Includes handwritten entries for operations like 'on loc R/F E', 'RT D 1779', 'start FE', 'Break Line', 'Plug RH', 'start P-flush', 'start Cement', 'Raise Weight', 'End Cement', 'Wash P/L', 'Drop Plug', 'start Displacement', 'Catch Cement', 'Loc Plug', 'Release Pressure', 'Float Hold'.

RECEIVED KANSAS CORPORATION COMMISSION

JUL 23 2008

CONSERVATION DIVISION WICHITA, KS

Circ tasks to pit Kenneth [Signature] Devere [Signature]

Thank you

Nick, Jack & Ryan



CHARGE TO: *Black Diamond Oil Co*

ADDRESS

CITY, STATE, ZIP CODE

RECEIVED  
KANSAS CORPORATION COMMISSION  
JUL 23 2008  
CONSERVATION DIVISION  
WICHITA, KS

TICKET  
No 13419

PAGE 1 OF 1

|   |  |   |                                      |                          |                                 |                        |                      |
|---|--|---|--------------------------------------|--------------------------|---------------------------------|------------------------|----------------------|
| SERVICE LOCATIONS<br>1. <i>Florys, KS</i> | WELL/PROJECT NO.<br><i>1-36</i>  | LEASE<br><i>Wyrill</i>                  | COUNTY/PARISH<br><i>Neola</i>        | STATE<br><i>KS</i>       | CITY                            | DATE<br><i>7-29-08</i> | OWNER<br><i>SAME</i> |
| 2. <i>Ness City, KS</i>                   | TICKET TYPE<br><input checked="" type="checkbox"/> SERVICE<br><input type="checkbox"/> SALES | CONTRACTOR<br><i>W &amp; W Drilling</i> | RIG NAME/NO.                         | SHIPPED VIA<br><i>TT</i> | DELIVERED TO<br><i>Location</i> | ORDER NO.              |                      |
| 3.  | WELL TYPE<br><i>SWD</i>  | WELL CATEGORY<br><i>Development</i>     | JOB PURPOSE<br><i>Cement Logging</i> | WELL PERMIT NO.          | WELL LOCATION                   |                        |                      |
| 4. REFERRAL LOCATION                      | INVOICE INSTRUCTIONS   |   |                                      |                          |                                 |                        |                      |

| PRICE REFERENCE | SECONDARY REFERENCE/<br>PART NUMBER | ACCOUNTING |      |    | DESCRIPTION             | QTY. |     | U/M    |  | UNIT PRICE | AMOUNT  |
|-----------------|-------------------------------------|------------|------|----|-------------------------|------|-----|--------|--|------------|---------|
|                 |                                     | LOC        | ACCT | DF |                         |      |     |        |  |            |         |
| 575             |                                     | 1          |      |    | MILEAGE #103            | 100  | mi  |        |  | 4.00       | 400.00  |
| 578             |                                     | 1          |      |    | Pump Charge (Logging)   | 1    | pu  | 1779   |  | 1250.00    | 1250.00 |
| 221             |                                     | 1          |      |    | KCL Liquid              | 2    | gal |        |  | 26.00      | 52.00   |
| 402             |                                     | 1          |      |    | Centralizers            | 5    | ea  | 5 1/2" |  | 100.00     | 500.00  |
| 403             |                                     | 1          |      |    | Baskets                 | 3    | ea  |        |  | 300.00     | 900.00  |
| 406             |                                     | 1          |      |    | L.D. Plug & Baffle      | 1    | ea  |        |  | 235.00     | 235.00  |
| 407             |                                     | 1          |      |    | Insert Float Shoe w/111 | 1    | ea  |        |  | 310.00     | 310.00  |
| 414             |                                     | 1          |      |    | Rotating Head           | 1    | ea  |        |  | 250.00     | 250.00  |
| 330             |                                     | 2          |      |    | SMD Cement              | 250  | shs |        |  | 15.00      | 3750.00 |
| 276             |                                     | 2          |      |    | Floccle                 | 60   | ea  |        |  | 1.25       | 75.00   |
| 551             |                                     | 2          |      |    | Cement Service Charge   | 250  | shs |        |  | 1.25       | 312.50  |
| 585             |                                     | 2          |      |    | Drayage                 | 1222 | TAM |        |  | 1.00       | 1222.00 |

**LEGAL TERMS:** Customer hereby acknowledges and agrees to the terms and conditions on the reverse side hereof which include, but are not limited to, **PAYMENT, RELEASE, INDEMNITY,** and **LIMITED WARRANTY** provisions.

MUST BE SIGNED BY CUSTOMER OR CUSTOMER'S AGENT PRIOR TO START OF WORK OR DELIVERY OF GOODS

X *Debel*

DATE SIGNED *2-29-08* TIME SIGNED *2345*  A.M.  P.M.

**REMIT PAYMENT TO:**

**SWIFT SERVICES, INC.**  
P.O. BOX 466  
NESS CITY, KS 67560  
785-798-2300

|  |  |            |           |                   |         |
|--|--|------------|-----------|-------------------|---------|
| <b>SURVEY</b>  | AGREE  | UN-DECIDED | DIS-AGREE | <b>PAGE TOTAL</b> | 9259.00 |
| OUR EQUIPMENT PERFORMED WITHOUT BREAKDOWN?                               |  |            |           |                   |         |
| WE UNDERSTOOD AND MET YOUR NEEDS?  |  |            |           | <b>TAX</b>        |         |
| OUR SERVICE WAS PERFORMED WITHOUT DELAY?                                 |  |            |           |                   |         |
| WE OPERATED THE EQUIPMENT AND PERFORMED JOB CALCULATIONS SATISFACTORILY? |  |            |           | <b>TOTAL</b>      |         |
| ARE YOU SATISFIED WITH OUR SERVICE?                                      | <input type="checkbox"/> YES <input type="checkbox"/> NO |            |           |                   |         |
| <input type="checkbox"/> CUSTOMER DID NOT WISH TO RESPOND                |  |            |           |                   |         |