



Operator Name: Siroky Oil Management, Inc. Lease Name: Knight Well #: 1  
 Sec. 34 Twp. 29 S. R. 15  East  West County: Pratt

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No (Attach Additional Sheets)  Samples Sent to Geological Survey <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No (Submit Copy)  List All E. Logs Run:	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample  Name Top Datum
--	---

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
surface		8 5/8"	23#	305.84'	60/40 poz	375	3% gel, 2%cc

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth

RECEIVED  
 KANSAS CORPORATION COMMISSION  
 SEP 11 2008  
 CONSERVATION DIVISION  
 WICHITA, KS

TUBING RECORD		Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr.		Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

Disposition of Gas  Vented  Sold  Used on Lease (If vented, Submit ACO-18.)

METHOD OF COMPLETION  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify) \_\_\_\_\_

Production Interval \_\_\_\_\_

# ALLIED CEMENTING CO., LLC. 32329

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT

*Med Edge*

DATE <i>7-21</i>	SEC <i>34</i>	TWP <i>29s</i>	RANGE <i>15E</i>	CALLED OUT	ON LOCATION <i>7:00 PM</i>	JOB START <i>8:00 AM</i>	JOB FINISH <i>8:30 AM</i>
LEASE <i>Knight</i>	WELL # <i>1</i>	LOCATION <i>Craft Ks 5 to Pal 116</i>			COUNTY <i>Platt</i>	STATE <i>Ks</i>	
OLD OR NEW (Circle one) <u>NEW</u>			<i>2 1/2 E 5 into</i>				

CONTRACTOR *Fossil Data*

TYPE OF JOB *Surface*

HOLE SIZE *13 7/8* T.D. *310*

CASING SIZE *8 7/8* DEPTH *305*

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES MAX *300* MINIMUM

MEAS LINE SHOE JOINT *42*

CEMENT LEFT IN CSG. *42*

PERFS.

DISPLACEMENT *17 bbls of 150 lb water*

OWNER *Siraky Oil Mgmt*

CEMENT

AMOUNT ORDERED *2550 / 60/40*

*2+3 + 300 of cement + 26cc of*

*Uracol 150 lb / A vent + 5 / cc*

EQUIPMENT

PUMP TRUCK CEMENTER *Mans G*

# *343* HELPER *Stone*

BULK TRUCK

# *353* DRIVER *Randy F*

BULK TRUCK

# *363* DRIVER *Randy F*

COMMON @

POZMIX @

GEL @

CHLORIDE @

ASC @

HANDLING @

MILEAGE @

TOTAL

REMARKS:

*Pipe on bottom circulate all 250 of*

*60/40 2+3 shut down pump release*

*plug start displacement pump 17 bbls*

*4 shut in cement did not circulate*

*Ann 5 points of win + top out w/*

*150 lb A 26cc to surface*

SERVICE

DEPTH OF JOB *305*

PUMP TRUCK CHARGE

EXTRA FOOTAGE @

MILEAGE @

MANIFOLD @

*Head rental* @

TOTAL

CHARGE TO *Siraky Oil Mgmt*

STREET

CITY STATE ZIP

PLUG & FLOAT EQUIPMENT

*8 7/8*

*1- Woods Plug* @

*1- Baffle Plug* @

TOTAL

To Allied Cementing Co., LLC.

You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

SALES TAX (If Any)

TOTAL CHARGES

DISCOUNT IF PAID IN 30 DAYS

PRINTED NAME *Scott Albright*

SIGNATURE *[Signature]*

# ALLIED CEMENTING CO., LLC. 31283

SHIP TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
*Medicine Lodge*

DATE <i>7-31-08</i>	SEC. <i>34</i>	TWP. <i>29S</i>	RANGE <i>15E</i>	CALLED OUT <i>10:00 AM</i>	ON LOCATION <i>12:00 PM</i>	JOB START <i>12:30 PM</i>	JOB FINISH <i>1:30 PM</i>
LEASE <i>Knight</i>		WELL # <i>1</i>	LOCATION <i>Croft, KS S to Rd</i>		COUNTY <i>Pratt</i>	STATE <i>KS</i>	
OLD OR <u>NEW</u> (Circle one)			<i>110, 2 1/2 E, S into</i>				

CONTRACTOR *Fossil*

TYPE OF JOB *Rotary Plug*

HOLE SIZE *7 7/8* T.D. *820'*

CASING SIZE *8 5/8* DEPTH *305*

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. \_\_\_\_\_

PERFS. \_\_\_\_\_

DISPLACEMENT *6 bbls of fresh water*

EQUIPMENT \_\_\_\_\_

OWNER *Siroky Oil*

CEMENT AMOUNT ORDERED *135 sy 60' 40' 4*

COMMON	<i>81 A</i>	@	<i>15.45</i>	<i>1251.45</i>
POZMIX	<i>54</i>	@	<i>8.00</i>	<i>432.00</i>
GEL	<i>5</i>	@	<i>20.80</i>	<i>104.00</i>
CHLORIDE		@		
ASC		@		
RECEIVED				
KANSAS CORPORATION COMMISSION				
@				
<b>SEP 11 2008</b>				
@				
CONSERVATION DIVISION				
@ WICHITA, KS				
@				
HANDLING	<i>140</i>	@	<i>2.40</i>	<i>336.00</i>
MILEAGE	<i>25 x 140 x 1.10</i>			<i>350.00</i>
				TOTAL <i>2473.4</i>

REMARKS:

*1st Plug - mix 50sy 9t 820ft*

*2nd plug - mix 50sy 9t 330ft*

*3rd plug - mix 20sy 9t 60ft*

*mix 15sy for Rehole*

CHARGE TO: *Siroky Oil*

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

SERVICE

DEPTH OF JOB	<i>820'</i>			
PUMP TRUCK CHARGE				<i>1017.00</i>
EXTRA FOOTAGE		@		
MILEAGE	<i>25</i>	@	<i>7.00</i>	<i>175.00</i>
MANIFOLD		@		
				TOTAL <i>1192.00</i>

PLUG & FLOAT EQUIPMENT

	@			
<i>none</i>	@			
	@			
	@			
TOTAL _____				

To Allied Cementing Co., LLC.

You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME *x Scott Alberg*

SIGNATURE *x [Signature]*

SALES TAX (If Any) \_\_\_\_\_

TOTAL CHARGES ~~\_\_\_\_\_~~

DISCOUNT ~~\_\_\_\_\_~~ IF PAID IN 30 DAYS

**ANY APPLICABLE TAX WILL BE CHARGED UPON INVOICING**