

ORIGINAL

CONFIDENTIAL

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

RECEIVED SEP 06 2006 Form ACO-1 September 1999 Form Must Be Typed

AMENDED

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE CONSERVATION DIVISION WICHITA, KS

Operator: License # 33365 Name: Layne Energy Operating, LLC Address: 1900 Shawnee Mission Parkway City/State/Zip: Mission Woods, KS 66205 Purchaser: KCC Operator Contact Person: M. B. Natrass SEP 05 2006 Phone: (913) 748-3987 Contractor: Name: McPherson Drilling License: 5675

Wellsite Geologist: Designate Type of Completion: [X] New Well [] Re-Entry [] Workover [] Oil [] SWD [] SLOW [] Temp. Abd. [X] Gas [] ENHR [] SIGW [] Dry [] Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows: Operator: Well Name: Original Comp. Date: Original Total Depth: Deepening Re-perf. Conv. to Enhr./SWD Plug Back Plug Back Total Depth Commingled Docket No. Dual Completion Docket No. Other (SWD or Enhr.?) Docket No.

1/13/2006 1/17/2006 7/17/2006 Spud Date or Recompletion Date Date Reached TD Completion Date or Recompletion Date

API No. 15 - 205-26299-00-00 County: Wilson NE NW SW Sec. 8 Twp. 30 S. R. 16 [X] East [] West 388 feet from S / (N) (circle one) Line of Section 901 feet from E / (W) (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner: (circle one) NE SE NW SW Lease Name: Kammerer B&B Well #: 4-8 Field Name: Neodesha Producing Formation: Cherokee Coals Elevation: Ground: 800' Kelly Bushing: Total Depth: 912' Plug Back Total Depth: 909' Amount of Surface Pipe Set and Cemented at 54' Feet Multiple Stage Cementing Collar Used? [] Yes [X] No If yes, show depth set Feet If Alternate II completion, cement circulated from 909' feet depth to Surface w/ 100 sx cmt.


Drilling Fluid Management Plan A H II NH 7 25 08 (Data must be collected from the Reserve Pit) Chloride content N/A ppm Fluid volume bbls Dewatering method used N/A - Air Drilled Location of fluid disposal if hauled offsite: Operator Name: Lease Name: License No.: Quarter Sec. Twp. S. R. [] East [] West County: Docket No.:

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: MB Natrass Title: Agent Date: 9/5/06 Subscribed and sworn to before me this 5 day of September 2006 Notary Public: Brooke C. Maxfield Date Commission Expires: 12/28/09

KCC Office Use ONLY [X] Letter of Confidentiality Attached If Denied, Yes [] Date: Wireline Log Received Geologist Report Received UIC Distribution



Operator Name: Layne Energy Operating, LLC Lease Name: Kammerer B&B Well #: 4-8
 Sec. 8 Twp. 30 S. R. 16 East West County: Wilson

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

<p>Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i></p> <p>Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i></p> <p>List All E. Logs Run:</p> <p>Compensated Density Neutron Dual Induction</p>	<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td><input checked="" type="checkbox"/> Log</td> <td>Formation (Top), Depth and Datum</td> <td><input type="checkbox"/> Sample</td> </tr> <tr> <td>Name</td> <td>Top</td> <td>Datum</td> </tr> <tr> <td>Pawnee Lime</td> <td>536 GL</td> <td>264</td> </tr> <tr> <td>Excello Shale</td> <td>658 GL</td> <td>142</td> </tr> <tr> <td>V Shale</td> <td>731 GL</td> <td>69</td> </tr> <tr> <td>Mineral Coal</td> <td>768 GL</td> <td>32</td> </tr> </table>	<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample	Name	Top	Datum	Pawnee Lime	536 GL	264	Excello Shale	658 GL	142	V Shale	731 GL	69	Mineral Coal	768 GL	32
<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample																	
Name	Top	Datum																	
Pawnee Lime	536 GL	264																	
Excello Shale	658 GL	142																	
V Shale	731 GL	69																	
Mineral Coal	768 GL	32																	

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacs Used	Type and Percent Additives
Surface	11	8.65	24	54'	Class A	35	Type 1 cement
Casing	6.75	4.5	10.5	909'	Thick Set	100	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth
	See Attached		

TUBING RECORD		Size	Set At	Packer At	Liner Run	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
		2 3/8"	803'			
Date of First, Resumerd Production, SWD or Enhr.			Producing Method			
8/23/2006			<input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity	
	0	0	82			

Disposition of Gas	METHOD OF COMPLETION	Production Interval
<input type="checkbox"/> Vented <input checked="" type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	<input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input checked="" type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify) _____	

KCC
SEP 05 2006
CONFIDENTIAL

RECEIVED
KANSAS CORPORATION COMMISSION

SEP 06 2006

CONSERVATION DIVISION
WICHITA, KS

Operator Name: Layne Energy Operating, LLC.
Lease Name: Kammerer B&B 4-8
Sec. 8 Twp. 30S Rng. 16E, Montgomery County
API: 15-205-26299

Shots per Foot	Perforation Record	Acid, Fracture, Shot, Cement Squeeze Record	Depth
4	768-769.5, 731-733, 709.5-710.5	Mineral, Croweburg, Bevier-4000# 20/40 sand, 371 bbls wtr, 450 gal 15% HCl acid	709.5-769.5
4	657.5-662.5, 641.5-644.5	Mulky, Summit-5300# 20/40 sand, 800 gal 15% HCl acid, 453 bbls wtr	641.5-662.5

Layne Energy, Inc.

1900 Shawnee Mission Parkway, Mission Woods, Kansas 66205 Phone: (913) 748-3987 Fax: (913) 748-3970

September 5, 2006

Kansas Corporation Commission
Oil & Gas Conservation Division
130 S. Market, Room 2078
Wichita, KS 67202

KCC
SEP 05 2006
CONFIDENTIAL

RECEIVED
KANSAS CORPORATION COMMISSION
SEP 06 2006
CONSERVATION DIVISION
WICHITA, KS

Re: Well Completion Forms

To Whom It May Concern:

I have enclosed the amended ACO-1 forms and associated data for the following wells:

API # 15-205-26275
Kammerer B&B 1-7


~~API # 15-205-26299~~
~~Kammerer B&B 4-8~~

API # 15-205-26277
Kammerer B&B 13-6

We respectfully request that all information submitted be kept confidential and per provision E-4 of K.A. R. 82-3-107, we request that the term of the confidentiality be extended by one year.

If you need additional information or have any questions or comments, please contact me at (913) 748-3987.

Best regards,


Brooke C. Maxfield

Enclosures

Cc Well File
Field Office

