

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

**ORIGINAL**

Form ACO-1  
September 1999  
Form Must Be Typed

**WELL COMPLETION FORM**  
**WELL HISTORY - DESCRIPTION OF WELL & LEASE**

Operator: License # 4058  
Name: American Warrior, Inc.  
Address: P. O. Box 399  
Garden City, KS 67846  
Purchaser: NCRA  
Operator Contact Person: Joe Smith  
Phone: ( 620 ) 275-2963  
Contractor: Name: Discovery Drilling Co, Inc.  
License: 31548  
Wellsite Geologist: Alan Downing

Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SLOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_

Well Name: \_\_\_\_\_

Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_

Deepening  Re-perf.  Conv. to Enhr./SWD  
 Plug Back  Plug Back Total Depth  
 Commingled  Docket No. \_\_\_\_\_  
 Dual Completion  Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?)  Docket No. \_\_\_\_\_

<u>5-30-06</u>	<u>6-3-06</u>	<u>PLUGGED 6-4-06</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 065-23,186-00-00

County: Graham

NE NE SE Sec. 22 Twp. 10 S. R. 21  East  West

2230 FSL feet from S / N (circle one) Line of Section

390 FEL feet from E / W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:

(circle one) NE SE NW SW

Lease Name: Carl Acheson Well #: 1-27 22

Field Name: Wildcat

Producing Formation: None

Elevation: Ground: 2141' Kelly Bushing: 2149'

Total Depth: 3765' Plug Back Total Depth: N/A

Amount of Surface Pipe Set and Cemented at 222 Feet

Multiple Stage Cementing Collar Used?  Yes  No

If yes, show depth set \_\_\_\_\_ Feet

If Alternate II completion, cement circulated from \_\_\_\_\_

feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

*PA - Dlg - 11/20/08*

**Drilling Fluid Management Plan**

(Data must be collected from the Reserve Pit)

Chloride content 9,000 ppm Fluid volume 300 bbls

Dewatering method used Evaporated

Location of fluid disposal if hauled offsite: \_\_\_\_\_

Operator Name: \_\_\_\_\_

Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_

Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West

County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: \_\_\_\_\_


Title: Compliance Coordinator Date: 8-3-06 8-15-06

Subscribed and sworn to before me this 15<sup>th</sup> day of August

20 06.

Notary Public: 09-12-09

Date Commission Expires: Erica Kuhlmeier



**KCC Office Use ONLY**

Letter of Confidentiality Received

If Denied, Yes  Date: \_\_\_\_\_

Wireline Log Received

Geologist Report Received

UIC Distribution

**RECEIVED**

**AUG 17**

**KCC WICHITA**

Operator Name: American Warrior, Inc. Lease Name: Carl Acheson Well #: 1-27  
 Sec. 22 Twp. 10 S. R. 21  East  West County: Graham

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Submit Copy)</i>  List All E. Logs Run:	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input checked="" type="checkbox"/> Sample  <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:60%;">Name</td> <td style="width:20%;">Top</td> <td style="width:20%;">Datum</td> </tr> <tr> <td>Topeka</td> <td>3173</td> <td>-1024</td> </tr> <tr> <td>Heebner</td> <td>3378</td> <td>-1279</td> </tr> <tr> <td>Toronto</td> <td>3400</td> <td>-1251</td> </tr> <tr> <td>LKC</td> <td>3419</td> <td>-1270</td> </tr> <tr> <td>BKC</td> <td>3646</td> <td>-1497</td> </tr> <tr> <td>ARBUCKLE</td> <td></td> <td>-1583</td> </tr> </table>	Name	Top	Datum	Topeka	3173	-1024	Heebner	3378	-1279	Toronto	3400	-1251	LKC	3419	-1270	BKC	3646	-1497	ARBUCKLE		-1583
Name	Top	Datum																				
Topeka	3173	-1024																				
Heebner	3378	-1279																				
Toronto	3400	-1251																				
LKC	3419	-1270																				
BKC	3646	-1497																				
ARBUCKLE		-1583																				

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface Pipe	12-1/4"	8-5/8"	23#	222	Common	150sx	3% cc 6% gel

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
	D & A	RECEIVED AUG 17 2006 KCC WICHITA	

TUBING RECORD	Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr.		Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio Gravity
	N/A	N/A	N/A	

Disposition of Gas  Vented  Sold  Used on Lease *(If vented, Submit ACO-18.)*

METHOD OF COMPLETION  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify) PLUGGED

Production Interval \_\_\_\_\_

# ALLIED CEMENTING CO., INC. 24386

 REMIT TO P.O. BOX 31  
 RUSSELL, KANSAS 67665

 SERVICE POINT: Russell

DATE <u>5-31-06</u>	SEC <u>22</u>	TWP. <u>10</u>	RANGE <u>21</u>	CALLED OUT <u>2:00 PM</u>	ON LOCATION <u>5:45 PM</u>	JOB START	JOB FINISH <u>7:30 PM</u>
LEASEE <u>Carl Acheson</u> WELL # <u>1-22</u>				LOCATION <u>Church of God SC</u>		COUNTY <u>Graham</u>	STATE <u>K</u>
OLD OR <input checked="" type="radio"/> NEW (Circle one)							

CONTRACTOR Discovery #1

TYPE OF JOB SURFACE

HOLE SIZE 12 1/4 T.D. 223

CASING SIZE 8 3/8 DEPTH 222

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. 15'

PERFS. \_\_\_\_\_

DISPLACEMENT 13.18 bbls

OWNER \_\_\_\_\_

CEMENT AMOUNT ORDERED 150 Com 3-2

COMMON	<u>150</u>	@	<u>10.65</u>	<u>1597.50</u>
POZMIX		@		
GEL	<u>3</u>	@	<u>16.65</u>	<u>49.95</u>
CHLORIDE	<u>5</u>	@	<u>46.60</u>	<u>233.00</u>
ASC		@		

<b>RECEIVED</b>	@	
AUG 17 2006	@	
KCC WICHITA	@	
	@	
	@	
	@	
	@	
	@	
HANDLING	<u>150</u>	@ <u>1.90</u> <u>302.10</u>
MILEAGE	<u>.08/mi/SK</u>	<u>737.76</u>
		TOTAL <u>2920.31</u>

**EQUIPMENT**

PUMP TRUCK # 409 CEMENTER Bill HELPER CR019

BULK TRUCK # 410 DRIVER Bob

BULK TRUCK # \_\_\_\_\_ DRIVER \_\_\_\_\_

**REMARKS:**

Ran 5 ft set c 222

Cent w/ 150 lbs abt

pump plug w/ 13.18 bbls of water

Cent did Circ.

CHARGE TO: American Workman

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**SERVICE**

DEPTH OF JOB			
PUMP TRUCK CHARGE			<u>815.00</u>
EXTRA FOOTAGE		@	
MILEAGE	<u>58</u>	@	<u>5.00</u> <u>290.00</u>
MANIFOLD		@	
		@	
		@	
			TOTAL <u>1105.00</u>

**PLUG & FLOAT EQUIPMENT**

<u>1</u>	@	
	@	
	@	
	@	
	@	
		TOTAL _____

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE [Signature]

PRINTED NAME \_\_\_\_\_

# ALLIED CEMENTING CO., INC. 24398

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
Russell

DATE <u>6-4-06</u>	SEC. <u>24</u>	TWP. <u>10</u>	RANGE <u>21</u>	CALLED OUT	ON LOCATION <u>6:30AM</u>	JOB START	JOB FINISH <u>8:30AM</u>
LEASE <u>Acheson</u>			WELL# <u>1-20</u>	LOCATION <u>PAICO S5S 4W 1/2 N</u>		COUNTY <u>Graham</u>	STATE <u>KS</u>
OLD OR NEW (Circle one)							

CONTRACTOR Discovey #1

TYPE OF JOB Plug

HOLE SIZE 7 3/8 T.D. 3765

CASING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. \_\_\_\_\_

PERFS. \_\_\_\_\_

DISPLACEMENT \_\_\_\_\_

OWNER \_\_\_\_\_

CEMENT AMOUNT ORDERED \_\_\_\_\_

200 lbs 60/110 - 6 1/4 # F10

**EQUIPMENT**

PUMP TRUCK CEMENTER Bill

# 409 HELPER CRAIG

BULK TRUCK \_\_\_\_\_

# \_\_\_\_\_ DRIVER \_\_\_\_\_

BULK TRUCK \_\_\_\_\_

# \_\_\_\_\_ DRIVER \_\_\_\_\_

COMMON	<u>120</u>	@	<u>10.65</u>	<u>1278.00</u>
POZMIX	<u>80</u>	@	<u>5.80</u>	<u>464.00</u>
GEL	<u>10</u>	@	<u>16.65</u>	<u>166.50</u>
CHLORIDE		@		
ASC		@		
<u>Flossal</u>	<u>50#</u>	@	<u>2.00</u>	<u>100.00</u>
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>210</u>	@	<u>1.90</u>	<u>399.00</u>
MILEAGE	<u>8 #/SL/MILE</u>			<u>1008.00</u>
<b>TOTAL</b>				<u>3415.50</u>

**REMARKS:**

1st plug c 1650 w/ 25 lb

2nd plug c 1025 w/ 100 lb

3rd plug c 275 w/ 40 lb

4th plug c 40 w/ 10 lb

15 lb RH

10 lb m.H.

**SERVICE**

DEPTH OF JOB			
PUMP TRUCK CHARGE			<u>815.00</u>
EXTRA FOOTAGE		@	
MILEAGE	<u>60</u>	@	<u>5.00</u>
MANIFOLD		@	
		@	
		@	

**RECEIVED**

AUG 17 2006

KCC WICHITA

TOTAL 1115.00

CHARGE TO: American WARRIOR

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**PLUG & FLOAT EQUIPMENT**

		@		
<u>D.H. Plug</u>		@	<u>35.00</u>	
		@		
		@		
<b>TOTAL</b>				<u>35.00</u>

To Allied Cementing Co., Inc.

You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE [Signature]

PRINTED NAME