

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 4058
Name: American Warrior, Inc.
Address: P. O. Box 399
City/State/Zip: Garden City, KS 67846
Purchaser: NCRA
Operator Contact Person: Joe Smith
Phone: (620) 275-2963
Contractor: Name: Discovery Drilling Co, Inc.
License: 31548
Wellsite Geologist: Alan Downing

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

5-23-06 5-27-06 Plugged 5-28-06
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date

API No. 15 - 065-23,159-06-00

County: Graham

NE SE SW Sec. 35 Twp. 9 S. R. 22 East West

1110 FSL feet from S / N (circle one) Line of Section

2299 FWL feet from E / W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:

(circle one) NE SE NW SW

Lease Name: McKenna Well #: 8-35

Field Name: Wildcat

Producing Formation: None

Elevation: Ground: 2329' Kelly Bushing: 2337'

Total Depth: 3765' Plug Back Total Depth: N/A

Amount of Surface Pipe Set and Cemented at 222 Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set _____ Feet

If Alternate II completion, cement circulated from _____

feet depth to _____ w/ _____ sx cmt.

PA-Dlg-11/2008

Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit)

Chloride content 9,000 ppm Fluid volume 300 bbls

Dewatering method used Evaporated

Location of fluid disposal if hauled offsite: _____

Operator Name: _____

Lease Name: _____ License No.: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West

County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: *[Signature]*


Title: Compliance Coordinator Date: 8-3-06 8-15-06

Subscribed and sworn to before me this 15th day of August

20 06

Notary Public: *[Signature]*

Date Commission Expires: 09-22-09



KCC Office Use ONLY

Letter of Confidentiality Received
If Denied, Yes Date: _____

Wireline Log Received
 Geologist Report Received
 UIC Distribution

RECEIVED
AUG 17 2006
KCC WICHITA

Operator Name: American Warrior, Inc. Lease Name: McKenna Well #: 8-35
 Sec. 35 Twp. 9 S. R. 22 East West County: Graham

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run:	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input checked="" type="checkbox"/> Sample <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:60%;">Name</td> <td style="width:20%;">Top</td> <td style="width:20%;">Datum</td> </tr> <tr> <td>Topeka</td> <td>3313</td> <td>-976</td> </tr> <tr> <td>Heebner</td> <td>3521</td> <td>-1184</td> </tr> <tr> <td>Toronto</td> <td>3537</td> <td>-1200</td> </tr> <tr> <td>LKC</td> <td>3556</td> <td>-1219</td> </tr> </table>	Name	Top	Datum	Topeka	3313	-976	Heebner	3521	-1184	Toronto	3537	-1200	LKC	3556	-1219
Name	Top	Datum														
Topeka	3313	-976														
Heebner	3521	-1184														
Toronto	3537	-1200														
LKC	3556	-1219														

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface Pipe	12-1/4"	8-5/8"	23#	222	Common	150sx	3% cc 6% gel

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth
	D & A		

TUBING RECORD	Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr.		Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio Gravity
	N/A	N/A	N/A	

Disposition of Gas Vented Sold Used on Lease *(If vented, Submit ACO-18.)*

METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled Other (Specify) PLUGGED

Production Interval

RECEIVED

AUG 17 2006

KCC WICHITA

ALLIED CEMENTING CO., INC. 25572

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

2

DATE <u>5-28-06</u>	SEC. <u>35</u>	TWP. <u>9</u>	RANGE <u>22W</u>	CALLED OUT	ON LOCATION <u>3:00AM</u>	JOB START <u>5:00AM</u>	JOB FINISH <u>6:45AM</u>
LEASE <u>MCKENNA</u>	WELL # <u>8-35</u>	LOCATION <u>BOOSTER STATION</u>			COUNTY <u>GRAHAM</u>	STATE <u>KS</u>	
OLD OR NEW (Circle one)			<u>9W 15 1/2W N1/4</u>				

CONTRACTOR DISCOVERY #1

TYPE OF JOB PTA

HOLE SIZE 7 7/8 T.D. 3765

CASING SIZE _____ DEPTH _____

TUBING SIZE _____ DEPTH _____

DRILL PIPE 4 1/2 DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. _____

PERFS. _____

DISPLACEMENT _____

OWNER _____

CEMENT

AMOUNT ORDERED 200 60/40 6% GEL

1/4 LB FLO SEAL

EQUIPMENT

PUMP TRUCK CEMENTER MARK

409 HELPER JAY

BULK TRUCK

396 DRIVER BRIAN

BULK TRUCK

_____ DRIVER _____

COMMON	<u>120</u>	@	<u>1065</u>	<u>1278 00</u>
POZMIX	<u>80</u>	@	<u>580</u>	<u>464 00</u>
GEL	<u>10</u>	@	<u>1665</u>	<u>166 50</u>
CHLORIDE		@		
ASC		@		
FUSION	<u>50#</u>	@	<u>2 00</u>	<u>100 00</u>
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>210</u>	@	<u>190</u>	<u>399 00</u>
MILEAGE	<u>8 #/SK/MILE</u>			<u>1092 00</u>
				<u>TOTAL 3499 50</u>

REMARKS:

25 SK @ 1875

100 SK @ 1075

40 SK @ 275

10 SK @ 40

15 SK @ 2.11

10 SK @ M.H.

SERVICE

DEPTH OF JOB _____

PUMP TRUCK CHARGE _____ 815 00

EXTRA FOOTAGE @ _____

MILEAGE 65 @ 5 00 325 00

MANIFOLD @ _____

@ _____

@ _____

CHARGE TO: AMERICAN WARRIOR

STREET _____

CITY _____ STATE _____ ZIP _____

RECEIVED

AUG 17 2006

TOTAL 1140 00

KCC WICHITA

PLUG & FLOAT EQUIPMENT

8 5/8 DEPTH @ 35 00

@ _____

@ _____

@ _____

@ _____

TOTAL 35 00

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE Cliff Mayfield

PRINTED NAME _____

ALLIED CEMENTING CO., INC. 25565

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: R

DATE <u>5-23-06</u>	SEC. <u>35</u>	TWP. <u>9</u>	RANGE <u>22 W</u>	CALLED OUT	ON LOCATION <u>4:30pm</u>	JOB START <u>4:45pm</u>	JOB FINISH <u>5:00pm</u>
LEASE <u>MCKENNA</u>		WELL # <u>8-35</u>		LOCATION <u>DALCO BOOSTER STATION</u>		COUNTY <u>GRAHAM</u>	STATE <u>KS</u>
OLD OR <u>NEW</u> (Circle one)				<u>9W 15 1/2W N1/4</u>			

CONTRACTOR DISCOVERY #1

TYPE OF JOB SURFACE

HOLE SIZE 12 1/4 T.D. 222

CASING SIZE 8 5/8 DEPTH 222

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. 15'

PERFS. _____

DISPLACEMENT 13 BBL

OWNER _____

CEMENT

AMOUNT ORDERED 160 Com 38CC
280 GEL

COMMON	<u>160</u>	@	<u>10.65</u>	<u>1704.00</u>
POZMIX		@		
GEL	<u>3</u>	@	<u>16.65</u>	<u>49.95</u>
CHLORIDE	<u>5</u>	@	<u>46.60</u>	<u>233.00</u>
ASC		@		
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>168</u>	@	<u>1.90</u>	<u>319.20</u>
MILEAGE	<u>8 1/2 SK mile</u>			<u>873.00</u>
TOTAL				<u>3179.75</u>

EQUIPMENT

PUMP TRUCK CEMENTER MARK

398 HELPER GARY

BULK TRUCK

362 DRIVER BRIAN

BULK TRUCK

_____ DRIVER _____

REMARKS:

CEMENT ATRC

THANKS

CHARGE TO: AMERICAN WARRIOR

STREET _____

CITY _____ STATE _____ ZIP _____

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE [Signature]

SERVICE

DEPTH OF JOB			
PUMP TRUCK CHARGE			<u>815.00</u>
EXTRA FOOTAGE		@	
MILEAGE	<u>65</u>	@	<u>5.00</u> <u>325.00</u>
MANIFOLD		@	
		@	
		@	

RECEIVED

AUG 17 2006

KCC WICHITA

TOTAL 1140.00

PLUG & FLOAT EQUIPMENT

_____	@	
_____	@	
_____	@	
_____	@	
_____	@	

TOTAL _____

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

PRINTED NAME _____