

Handwritten initials and date: 10/21/08

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 33657
Name: Ohio Kentucky Oil Corporation
Address: 110 E. Lowry Lane
City/State/Zip: Lexington, Kentucky 40503
Purchaser: None
Operator Contact Person: Deanna McDowell
Phone: (859) 276-3500
Contractor: Name: WW Drilling, LLC
License: 33575
Wellsite Geologist: Jim Hall

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

<u>9/14/07</u>	<u>9/20/07</u>	<u>9/21/07</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 195-22465-00-00
County: Trego
SE - SE - NE Sec. 11 Twp. 11 S. R. 24 East West
2200 feet from S / N (circle one) Line of Section
400 feet from E / W (circle one) Line of Section
Footages Calculated from Nearest Outside Section Corner:
 NE SE NW SW
Lease Name: Galen Geyer Well #: 6
Field Name: Wildcat
Producing Formation: none
Elevation: Ground: 2269 Kelly Bushing: 2274
Total Depth: 3930 Plug Back Total Depth: _____
Amount of Surface Pipe Set and Cemented at 217 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from _____
feet depth to _____ w/ _____ sx cmt.

Drilling Fluid Management Plan *P+A AIT I MR*
(Data must be collected from the Reserve Pit) *11-5-08*
Chloride content 33,000 ppm Fluid volume 600 bbls
Dewatering method used _____
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]
Title: Vice President Date: 8-30-08
Subscribed and sworn to before me this 30th day of August
20 08
Notary Public: [Signature] - Annette Simpson
Date Commission Expires: 10-13-2009

KCC Office Use ONLY

Letter of Confidentiality Received
 If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

RECEIVED
KANSAS CORPORATION COMMISSION
SEP 29 2008
CONSERVATION DIVISION

Operator Name: Ohio Kentucky Oil Corporation Lease Name: Galen Geyer Well #: 6
 Sec. 11 Twp. 11 S. R. 24 East West County: Trego

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
 (Attach Additional Sheets)
 Samples Sent to Geological Survey Yes No
 Cores Taken Yes No
 Electric Log Run Yes No
 (Submit Copy)
 List All E. Logs Run:

Log Formation (Top), Depth and Datum Sample
 Name Top Datum

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4	8 5/8	20 #	217	Common	160	3% cc, 2% gel

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth

TUBING RECORD		Size	Set At	Packer At	Liner Run
Date of First, Resumerd Production, SWD or Enhr.		Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

Disposition of Gas Vented Sold Used on Lease (If vented, Submit ACO-18.)
 METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled Other (Specify) _____
 Production Interval _____

RECEIVED
 KANSAS CORPORATION COMMISSION

SEP 29 2008

CONSERVATION DIVISION
 WICHITA, KS

WELL SITE OPERATIONS / JIM HALL SUPERVISOR

OPERATOR: Ohio Kentucky Oil Corp.
 WELL REFERENCE SHEET SUBJECT WELL: Galen Geyer #6
 SUBJECT WELL LOCATION: SE SE NE Sec. 11, Twp 11S, Rg 24W, Trego Co. Kan.
 SUBJECT WELL DATUM: 2,274

REF. WELL 'A' Vreeland #3 SW NW NW 12-11S-24W DATUM: 2,281

REF. WELL 'B' Cantrell A #1 SW SW NE DATUM: 2,328

SAMPLE TOPS SHEET #1

SUBJECT WELL: ZONE	WELL 'A'			WELL 'B'				
	DEPTH	DATUM	DEPTH	DATUM	REF.	DEPTH	DATUM	REF.
TOPEKA	3,374	-1,100	3,370	-1,089	-11	3,427	-1,099	-1
HEEB.	3,606	-1,332	3,602	-1,321	-11	3,660	-1,332	even
TORONTO	3,625	-1,351	3,622	-1,341	-10	3,682	-1,354	4
LAN. 'A'	3,642	-1,368	3,636	-1,355	-13	3,694	-1,366	-2
LAN. 'B'	3,674	-1,400	3,670	-1,389	-11	3,730	-1,402	2
LAN. 'C'	3,684	-1,410	3,679	-1,398	-12	3,739	-1,411	1
LAN. 'E'	3,712	-1,438	3,711	-1,430	-8	3,770	-1,442	4
LAN. 'F'	3,727	-1,453				3,779	-1,451	-2
LAN. 'G'	3,744	-1,470	3,735	-1,454	-16	3,795	-1,467	-3
LAN. 'H'	3,787	-1,513	3,778	-1,497	-16	3,837	-1,509	-4
LAN. 'I'	3,804	-1,530	3,800	-1,519	-11	3,860	-1,532	2
LAN. 'J'	3,824	-1,550	3,819	-1,538	-12	3,881	-1,553	3
LAN. 'K'	3,841	-1,567	3,840	-1,559	-8	3,897	-1,569	2
LAN. 'L'	3,862	-1,588	3,860	-1,579	-9	3,921	-1,593	5
B/KC	3,878	-1,604	3,876	-1,595	-9	3,937	-1,609	5
Marmaton								
B/Pen Sd								
Miss. Unc								
Viola								
Arbuckle								

RECEIVED
 KANSAS CORPORATION COMMISSION

SEP 29 2008

CONSERVATION DIVISION
 WICHITA, KS

ALLIED CEMENTING CO., INC.

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: 28005
Russell

DATE <u>9-2-08</u>	SEC. <u>11</u>	TWP. <u>11</u>	RANGE <u>24W</u>	CALLED OUT	ON LOCATION	JOB START	JOB FINISH <u>1:00 PM</u>
LEASEE <u>GALEN SEYER</u>		WELL# <u>6</u>	LOCATION <u>Wadensay GN SW</u>	COUNTY <u>Trego</u>	STATE <u>Ks</u>		
OLD OR NEW (Circle one)			<u>1/2 5 with 1</u>				

CONTRACTOR Wm. A. R. Rig

TYPE OF JOB Rigging

HOLE SIZE 7 7/8 T.D. 3930

CASING SIZE _____ DEPTH _____

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH 1925'

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. _____

PERFS. _____

DISPLACEMENT _____

OWNER _____

CEMENT AMOUNT ORDERED 190 9/20 49.61 1/2"

COMMON _____ @ _____

POZMIX _____ @ _____

GEL _____ @ _____

CHLORIDE _____ @ _____

ASC _____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

HANDLING _____ @ _____

MILEAGE _____

TOTAL _____

EQUIPMENT

PUMP TRUCK CEMENTER Steve

366 HELPER John Roberts

BULK TRUCK DRIVER Robert

_____ DRIVER _____

REMARKS:

1925' 2 1/2" 13.5' 13.5' 13.5'

9 1/2" 10 1/2" 10 1/2" 10 1/2"

12 1/2" 12 1/2" 12 1/2" 12 1/2"

5' 10 1/2" 10 1/2" 10 1/2" 10 1/2"

10 1/2" 10 1/2" 10 1/2" 10 1/2"

CHARGE TO: Oil No truck 01

STREET _____

CITY _____ STATE _____ ZIP _____

SERVICE

DEPTH OF JOB _____

PUMP TRUCK CHARGE _____

EXTRA FOOTAGE _____ @ _____

MILEAGE _____ @ _____

MANIFOLD _____ @ _____

_____ @ _____

RECEIVED _____ @ _____

KANSAS CORPORATION COMMISSION

SEP 29 2008

TOTAL _____

CONSERVATION DIVISION
WICHITA, KS
PLUG & FLOAT EQUIPMENT

_____ @ _____

_____ @ _____

10 1/2" 10 1/2" 10 1/2" 10 1/2" @ _____

_____ @ _____

_____ @ _____

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment
and furnish cementer and helper to assist owner or

ALLIED CEMENTING CO., INC.

25428

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Russell

DATE 9-14-07	SEC. 11	TWP. 11	RANGE 24	CALLED OUT	ON LOCATION	JOB START 8:30AM	JOB FINISH 9:00AM
LEASE Galen Geyer	WELL# 6	LOCATION Wakeeney 7N TO RD 422			COUNTY Trego	STATE KANSAS	
OLD OR <u>NEW</u> (Circle one)				5 W 1/2'S 1/4 W. INTO			

CONTRACTOR **W-W DRG Rig# 6**

TYPE OF JOB **SURFACE**

HOLE SIZE **12 1/4** T.D. **218'**

CASING SIZE **8 5/8** DEPTH **217'**

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG. **15'**

PERFS.

DISPLACEMENT **13 FBBL**

EQUIPMENT

PUMP TRUCK CEMENTER **GALLEN**

398 HELPER **GARY**

BULK TRUCK

140 DRIVER **MATT**

BULK TRUCK

DRIVER

REMARKS:

Cement Circulated

THANK'S

CHARGE TO: **OHIO-KENTUCKY OIL CORP.**

STREET

CITY STATE ZIP

To Allied Cementing Co., Inc.

You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE *Sid Deutscher*

OWNER

CEMENT

AMOUNT ORDERED **160 sk Com.**

2% GEL

320 CC

COMMON @

POZMIX @

GEL @

CHLORIDE @

ASC @

HANDLING **168** TOTAL SK @ **1.90**

MILEAGE **72** Ton Mile @ **.094**

TOTAL

SERVICE

DEPTH OF JOB

PUMP TRUCK CHARGE

EXTRA FOOTAGE @

MILEAGE **72** @

MANIFOLD @

TOTAL

PLUG & FLOAT EQUIPMENT

@

@

@

@

@

TOTAL

TAX

TOTAL CHARGE

DISCOUNT IF PAID IN 30 DAYS

Sid Deutscher

PRINTED NAME