



Operator Name: IA Operating, Inc. Lease Name: Roger Well #: 10-2  
 Sec. 10 Twp. 11 S. R. 16  East  West County: Ellis

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken  Yes  No  
 (Attach Additional Sheets)  
 Samples Sent to Geological Survey  Yes  No  
 Cores Taken  Yes  No  
 Electric Log Run  Yes  No  
 (Submit Copy)  
 List All E. Logs Run:

Geologist's Well Report, Micro Log, Dual Induction Log, Compensated Density/Neutron Log

<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
Name	Top	Datum
Anhydrite	1137'	+824
Topeka	2885'	-924
Toronto	3148'	-1187
Lansing	3174'	-1213
Arbuckle	3638'	-1677
Total Depth	3669'	-1708

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4"	8 5/8"	23#	220'	Common	150	3%CC, 2% Gel

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input checked="" type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone		60/40 Poz	180	4 % gel, 1/4# Flo-seal

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type		Acid, Fracture, Shot, Cement Squeeze Record	
	Specify Footage of Each Interval Perforated		(Amount and Kind of Material Used)	
				Depth

TUBING RECORD		Size	Set At	Packer At	Liner Run
					<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr.			Producing Method		
			<input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

Disposition of Gas  Vented  Sold  Used on Lease (If vented, Submit ACO-18.)

METHOD OF COMPLETION  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify) \_\_\_\_\_

Production Interval \_\_\_\_\_

RECEIVED  
 KANSAS CORPORATION COMMISSION

SEP 02 2008

CONSERVATION DIVISION  
 WICHITA, KS

# ALLIED CEMENTING CO., LLC. 32300

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
Russell KS

DATE <u>7-11-08</u>	SEC. <u>10</u>	TWP. <u>11</u>	RANGE <u>16</u>	CALLED OUT	ON LOCATION	JOB START <u>12:30AM</u>	JOB FINISH <u>1:15 AM</u>
LEASEE <u>Roger</u>	WELL # <u>10-2</u>		LOCATION <u>Fairport KS 4 North 2 West</u>			COUNTY <u>Ellis</u>	STATE <u>KS</u>
OLD OR NEW (Circle one)			<u>1 1/2 North 1/2 West South into</u>				

CONTRACTOR Murfin Drilling Rig #16  
 TYPE OF JOB Rotary Plug  
 HOLE SIZE 7 7/8 T.D. 3669'  
 CASING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 DRILL PIPE 4 1/2 XH DEPTH 3634'  
 TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_  
 PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_  
 CEMENT LEFT IN CSG. \_\_\_\_\_  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT \_\_\_\_\_

OWNER \_\_\_\_\_  
 CEMENT  
 AMOUNT ORDERED 185 @ 40 4% Gel 1/4 # F10

EQUIPMENT

PUMP TRUCK CEMENTER John Roberts  
 # 409 HELPER Travis Adrian  
 BULK TRUCK  
 # 473 DRIVER Robert  
 BULK TRUCK  
 # \_\_\_\_\_ DRIVER \_\_\_\_\_

COMMON <u>111</u>	@ <u>13.50</u>	<u>1498.50</u>
POZMIX <u>74</u>	@ <u>7.50</u>	<u>558.00</u>
GEL <u>6</u>	@ <u>20.25</u>	<u>121.50</u>
CHLORIDE _____	@ _____	_____
ASC _____	@ _____	_____
<u>F10 Seal 46</u>	@ <u>2.45</u>	<u>112.70</u>
_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
HANDLING <u>191</u>	@ <u>2.25</u>	<u>429.75</u>
MILEAGE <u>SK/mil .10</u>		<u>477.50</u>
TOTAL		<u>3198.65</u>

REMARKS:

25sk @ 3634'  
25sk @ 1150'  
60sk @ 650'  
40sk @ 275'  
10sk @ 40'  
15sk Reithole  
10sk Mouse

SERVICE

DEPTH OF JOB _____		
PUMP TRUCK CHARGE _____		<u>1159.00</u>
EXTRA FOOTAGE _____	@ _____	_____
MILEAGE <u>25</u>	@ <u>7.50</u>	<u>187.50</u>
MANIFOLD _____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
TOTAL		<u>1346.50</u>

CHARGE TO: IA Operating Inc  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

PLUG & FLOAT EQUIPMENT

_____	@ _____	_____
_____	@ _____	_____
<u>DRY HOLE Plug</u>	@ _____	<u>39.00</u>
_____	@ _____	_____
_____	@ _____	_____
TOTAL		<u>39.00</u>

To Allied Cementing Co., LLC.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME AFD

SIGNATURE Aey [Signature]

SALES TAX (If Any) \_\_\_\_\_  
 TOTAL CHARGES \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

RECEIVED  
KANSAS CORPORATION COMMISSION

SEP 02 2008

CONSERVATION DIVISION  
WICHITA, KS

# ALLIED CEMENTING CO., INC.

28099

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:

Russell

DATE <u>7-6-08</u>	SEC. <u>10</u>	TWP. <u>11</u>	RANGE <u>16</u>	CALLED OUT	ON LOCATION	JOB START <u>6:45 PM</u>	JOB FINISH <u>1:15 PM</u>
LEASE <u>ROGER</u>		WELL # <u>10-2</u>		LOCATION <u>Good Fairport 4 N 2 W 2 N 2 W Sinto</u>		COUNTY <u>Ellis</u>	STATE <u>KS</u>
OLD OR <input checked="" type="radio"/> NEW (Circle one)							

CONTRACTOR MURFIN #16

TYPE OF JOB SURFACE

HOLE SIZE 12 1/4 T.D. 219

CASING SIZE 8 5/8 DEPTH 218

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. 15'

PERFS. \_\_\_\_\_

DISPLACEMENT 13 bbls

OWNER \_\_\_\_\_

CEMENT AMOUNT ORDERED 150 bbls Com 3-2

COMMON	<u>150</u>	@	<u>13.50</u>	<u>2,025.00</u>
POZMIX		@		
GEL	<u>3</u>	@	<u>20.25</u>	<u>60.75</u>
CHLORIDE	<u>5</u>	@	<u>51.50</u>	<u>257.50</u>
ASC		@		
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>158</u>	@	<u>2.25</u>	<u>355.50</u>
MILEAGE	<u>110/54/mile</u>			<u>395.00</u>
TOTAL				<u>3,093.75</u>

**EQUIPMENT**

PUMP TRUCK CEMENTER Bill

# 398 HELPER GARY

BULK TRUCK

# 410 DRIVER Neil

BULK TRUCK

# \_\_\_\_\_ DRIVER \_\_\_\_\_

**REMARKS:**

RAN 5 Jts of 8 5/8 rat c

Cent w/ 150 bbls 3-2

pump plug w/ 13 bbls of water

Cent did CIRC.

**SERVICE**

DEPTH OF JOB \_\_\_\_\_

PUMP TRUCK CHARGE \_\_\_\_\_ 991.00

EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_

MILEAGE 25 @ 7.50 187.50

MANIFOLD \_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL 1,178.50

CHARGE TO: I.A. OP.

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**PLUG & FLOAT EQUIPMENT**

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

8 5/8 wood Plug @ 66.00

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL 66.00

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE Acy [Signature]

AFD

PRINTED NAME

RECEIVED  
KANSAS CORPORATION COMMISSION

SEP 02 2008

CONSERVATION DIVISION  
WICHITA, KS