

RECEIVED

JAN 20 2006

KCC WICHITA

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

Form ACO-1  
September 1999  
Form Must Be Typed

WELL COMPLETION FORM

WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Operator: License # 6471  
Name: R. C. Banks  
Address: P. O. Box 242  
City/State/Zip: Midland, TX. 79702  
Purchaser: Duke Energy  
Operator Contact Person: R. C. Banks  
Phone: (432) 682 8296  
Contractor Name: Cheyenne Drilling Company  
License: 5382  
Wellsite Geologist: N/A

Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SIOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_

Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening  Re-perf.  Conv. to Enhr./SWD  
 Plug Back  Plug Back Total Depth  
 Commingled  Docket No. \_\_\_\_\_  
 Dual Completion  Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?)  Docket No. \_\_\_\_\_

9/03/05 9/04/05 10/13/05  
Spud Date or Date Reached TD Completion Date or Recompletion Date

API No. 15 - 071-20833-0000  
County: Greeley  
W/2 S/W. Sec. 19 Twp. 17 S. R. 40  East  West  
1320 feet from  S / N (circle one) Line of Section  
1320 feet from E /  W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:  
(circle one) NE SE NW  SW

Lease Name: Chester Well #: 3  
Field Name: Byerly

Producing Formation: Winfidle, Ft. Riley

Elevation: Ground: 3643 Kelly Bushing: 6' AGL

Total Depth: 3010 Plug Back Total Depth: \_\_\_\_\_

Amount of Surface Pipe Set and Cemented at 266 Feet

Multiple Stage Cementing Collar Used?  Yes  No

If yes, show depth set \_\_\_\_\_ Feet

If Alternate II completion, cement circulated from surface

feet depth to 3012 650 sx cmt.

Alt- Dig - 10/14/08

Drilling Fluid Management Plan  
(Data must be collected from the Reserve Pit)

Chloride content 59000 ppm Fluid volume 200 bbls

Dewatering method used evaporation

Location of fluid disposal if hauled offsite: \_\_\_\_\_

Operator Name: \_\_\_\_\_

Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_

Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West

County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: R. C. Banks


Title: Operator Date: 1/18/06

Subscribed and sworn to before me this 18th day of January

20 06

Notary Public: [Signature]

Date Commission Expires \_\_\_\_\_



**KCC Office Use ONLY**  
NO Letter of Confidentiality Received  
If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution

Operator Name: R. C. Banks Lease Name: Chester Well #: 3  
 Sec. 19 Twp. 17 S. R. 40  East  West County: Greeley

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i>  List All E. Logs Run: Compensated Density Cement Bond Log	<input checked="" type="checkbox"/> Log    Formation (Top), Depth and Datum <input type="checkbox"/> Sample  <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:60%;">Name</td> <td style="width:20%;">Top</td> <td style="width:20%;">Datum</td> </tr> <tr> <td>Base Stone Coral</td> <td>2606</td> <td></td> </tr> <tr> <td>Winfield</td> <td>2886</td> <td></td> </tr> <tr> <td>Lower Winfield</td> <td>2910</td> <td></td> </tr> <tr> <td>Ft. Riley</td> <td>2963</td> <td></td> </tr> <tr> <td>Lower Ft. Riley</td> <td>2992</td> <td></td> </tr> </table>	Name	Top	Datum	Base Stone Coral	2606		Winfield	2886		Lower Winfield	2910		Ft. Riley	2963		Lower Ft. Riley	2992	
Name	Top	Datum																	
Base Stone Coral	2606																		
Winfield	2886																		
Lower Winfield	2910																		
Ft. Riley	2963																		
Lower Ft. Riley	2992																		

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4	8 5/8	24	266	Common	175	Common & 3% cc
Production	7 7/8	4 1/2	10.5	3012	Lite & C1	650	Lite & 1/2#flow seal

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated		Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)		Depth
	2	2913-2979	200 gal 15% HCL	2979	
		1000 gal 5% HCL 18 bbls KCL wtr			
		Sand Frac			

TUBING RECORD		Size 2 3/8	Set At 2931	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr.			Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
		32	2		

Disposition of Gas    **METHOD OF COMPLETION**    Production Interval

Vented     Sold     Used on Lease     Open Hole     Perf.     Dually Comp.     Commingled  
*(If vented, Submit ACO-18.)*     Other (Specify) \_\_\_\_\_

# ALLIED CEMENTING CO., INC.

21080

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: OAKLEY

DATE <u>9-3-05</u>	SEC. <u>10</u>	TWP. <u>17S</u>	RANGE <u>40W</u>	CALLED OUT	ON LOCATION <u>2:45 PM</u>	JOB START <u>4:30 PM</u>	JOB FINISH <u>5:00 PM</u>
LEASE <u>CHESTER</u>	WELL # <u>3</u>	LOCATION <u>TRIBUNE 8N-2W-1/2S-E IN</u>		COUNTY <u>GREELEY</u>	STATE <u>KS</u>		

OLD OR NEW (Circle one)

CONTRACTOR CHEYENNE OAK #8

TYPE OF JOB SURFACE

HOLE SIZE 12 1/4' T.D. 266'

CASING SIZE 8 5/8" DEPTH 266'

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG. 15'

PERFS.

DISPLACEMENT 16 BBL.

EQUIPMENT

PUMP TRUCK CEMENTER TERRY

# 191 HELPER WAYNE

BULK TRUCK

# 218 DRIVER ALAN

BULK TRUCK

# DRIVER

REMARKS:

CEMENT did CTC.

THANK YOU

CHARGE TO: R.C. BANKS

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Joe Bringham

OWNER SAME

CEMENT AMOUNT ORDERED 175 SKS COM 390 CC 2966 L

COMMON	<u>175 SKS</u>	@	<u>10 00</u>	<u>1750 00</u>
POZMIX		@		
GEL	<u>3 SKS</u>	@	<u>14 00</u>	<u>42 00</u>
CHLORIDE	<u>6 SKS</u>	@	<u>38 00</u>	<u>228 00</u>
ASC		@		
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>184 SKS</u>	@	<u>1 60</u>	<u>294 40</u>
MILEAGE	<u>64 PER SK / MILE</u>			<u>828 00</u>
TOTAL				<u>3142 40</u>

SERVICE

DEPTH OF JOB	<u>266'</u>		
PUMP TRUCK CHARGE	<u>670 00</u>		
EXTRA FOOTAGE	@		
MILEAGE	<u>75 MI</u>	@	<u>5 00</u> <u>375 00</u>
MANIFOLD	@		
	@		
	@		

RECEIVED

JAN 20 2006

KCC WICHITA

PLUG & FLOAT EQUIPMENT

	@		
	@		
	@		
	@		
	@		

TOTAL \_\_\_\_\_

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

PRINTED NAME

# ALLIED CEMENTING CO., INC.

21640

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
DARLEY

DATE <u>9-4-05</u>	SEC. <u>19</u>	TWP. <u>17S</u>	RANGE <u>40W</u>	CALLED OUT	ON LOCATION <u>11:15 PM</u>	JOB START <u>4:00 AM</u>	JOB FINISH. <u>5:15 AM</u>
LEASE <u>CHESTER</u>	WELL # <u>3</u>	LOCATION <u>TRIBUNE 85-2W-125-E</u>			COUNTY <u>GREELEY</u>	STATE <u>KS</u>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)							

CONTRACTOR CHEYENNE DRILL RIG # 8 OWNER SAME

TYPE OF JOB PRODUCTION STRING  
 HOLE SIZE 7 7/8" T.D. 3010'  
 CASING SIZE 4 1/2" DEPTH 3012'  
 TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_  
 PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_  
 CEMENT LEFT IN CSG. \_\_\_\_\_  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT 48 BBL.

CEMENT  
 AMOUNT ORDERED 100 SKS CLASS "C"  
550 SKS LITE 1/2" FLO-SEAL

<u>CLASS "C"</u>	<u>100 SKS</u>	@	<u>12.05</u>	<u>1205.00</u>
POZMIX		@		
GEL		@		
CHLORIDE		@		
ASC		@		
<u>LITE 550 SKS</u>		@	<u>8.80</u>	<u>4840.00</u>
<u>FLO-SEAL 275#</u>		@	<u>1.70</u>	<u>467.50</u>
		@		
		@		
		@		
		@		
HANDLING <u>688 SKS</u>		@	<u>1.60</u>	<u>1100.80</u>
MILEAGE <u>64 PER SK / MILE</u>				<u>3096.00</u>
TOTAL				<u>10709.30</u>

**EQUIPMENT**

PUMP TRUCK CEMENTER TERRY  
 # 191 HELPER WAYNE  
 BULK TRUCK  
 # 394 DRIVER JARROD  
 BULK TRUCK  
 # 377 DRIVER LONNIE

**REMARKS:**

ME X 550 SKS LITE 1/2" FLO-SEAL  
100 SKS CLASS "C", WASH TRUCK  
& LINES, DISPLACE.  
Plug Landed AT 1900 PSI.  
FLOAT HELD.  
CEMENT did CIRC.  
THANK YOU

**SERVICE**

DEPTH OF JOB 3012'  
 PUMP TRUCK CHARGE 1320.00  
 EXTRA FOOTAGE @ \_\_\_\_\_  
 MILEAGE 75 MI @ 5.00 375.00  
 MANIFOLD @ \_\_\_\_\_

**RECEIVED**

JAN 20 2006

TOTAL 1695.00

**KCC WICHITA**

**PLUG & FLOAT EQUIPMENT**

<u>4 1/2"</u>				
<u>1-AFU FLOAT SHOE</u>	@		<u>200.00</u>	
<u>1-LATCH DOWN PLUG ASX</u>	@		<u>300.00</u>	
<u>8-CENTRALIZERS</u>	@	<u>45.00</u>	<u>360.00</u>	
<u>2-BASKET</u>	@	<u>116.00</u>	<u>232.00</u>	
TOTAL				<u>1092.00</u>

CHARGE TO: R.C. BANKS  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Jay Brangher

TAX \_\_\_\_\_  
 TOTAL CHARGE \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

PRINTED NAME