

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

*Handwritten:* ORIGINAL  
Form ACO-1  
September 1999  
Form Must Be Typed

**WELL COMPLETION FORM**  
**WELL HISTORY - DESCRIPTION OF WELL & LEASE**

Operator: License # 3728  
Name: Roger Kent dba R.J. Enterprises  
Address: 22082 NE Neosho Road  
City/State/Zip: Garnett, KS 66032  
Purchaser: Plains Marketing, L.P.  
Operator Contact Person: Roger Kent  
Phone: (785) 448-6995 or 448-7725  
Contractor: Name: Roger Kent dba R.J. Enterprises  
License: 3728

Wellsite Geologist: n/a  
Designate Type of Completion:  
 New Well     Re-Entry     Workover  
 Oil     SWD     SLOW     Temp. Abd.  
 Gas     ENHR     SIGW  
 Dry     Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening     Re-perf.     Conv. to Enhr./SWD  
 Plug Back     Plug Back Total Depth  
 Commingled    Docket No. \_\_\_\_\_  
 Dual Completion    Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?)    Docket No. \_\_\_\_\_

<u>May 20, 2008</u>	<u>May 22, 2008</u>	<u>May 22, 2008</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

*Handwritten:* 24529  
API No. 15 - 003-24529-00-00  
County: Anderson  
NW    NE    SE    SW    Sec. 7 Twp. 21 S. R. 20  East  West  
1,010 feet from (S) N (circle one) Line of Section  
360 feet from (E) W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:  
(circle one) NE SE NW SW -  
Lease Name: Charles Melcher Well #: 2-A  
Field Name: Bush City Shoestring  
Producing Formation: Squirrel  
Elevation: Ground: 1,104 ft. Kelly Bushing: \_\_\_\_\_  
Total Depth: 848 ft. Plug Back Total Depth: \_\_\_\_\_  
Amount of Surface Pipe Set and Cemented at 20.7 Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from 0  
feet depth to 848 ft. w/ 90 sx cmt.

**Drilling Fluid Management Plan** *Handwritten:* AH II NCR  
(Data must be collected from the Reserve Pit) *Handwritten:* 10-13-08  
Chloride content none ppm Fluid volume 140 bbls  
Dewatering method used Drilled with fresh water - air dry  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: *R. J. Kent*  
Title: Agent for R.J. Enterprises Date: September 9, 2008  
Subscribed and sworn to before me this 9th day of September,  
2008.  
Notary Public: *Donna Manda*  
Date Commission Expires: March 10, 2011



**KCC Office Use ONLY**

*Handwritten:* N

Letter of Confidentiality Received  
If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution

**RECEIVED**  
KANSAS CORPORATION COMMISSION  
**SEP 09 2008**

Operator Name: Roger Kent dba R.J. Enterprises Lease Name: Charles Melcher Well #: 2-A  
 Sec. 7 Twp. 21 S. R. 20  East  West County: Anderson

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i>  List All E. Logs Run:  <b>Gamma Ray/Neutron/CCL</b>	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample  Name Top Datum  See attached
--	--

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
surface	10-1/4"	7"	n/a	20'-7"	Portland	6	
tubing	5-5/8"	2-7/8"	n/a	841 ft.	Portland Pozmix	90	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
___ Perforate				
___ Protect Casing				
___ Plug Back TD				
___ Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD	Size <b>2-7/8"</b>	Set At <b>841 ft.</b>	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr.		Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio Gravity

Disposition of Gas	METHOD OF COMPLETION	Production Interval
<input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	<input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify) _____	_____

**R.J. Enterprises**  
**Charles Melcher 2-A**

3	soil	3	start 5-20-08
38	lime	41	finish 5-22-08
37	shale	78	
9	lime	87	
103	shale	190	
46	lime	236	
64	shale	300	
116	lime	416	
179	shale	585	
20	lime	605	
60	shale	665	
17	lime	682	
6	shale	688	
13	lime	701	
13	shale	714	
14	lime	728	
15	shale	743	
6	lime	749	set 20' 7"
8	shale	757	ran 841' of 2 7/8
4	lime	761	cement to surface
4	shale	765	with 90 sxs.
4	lime	769	
14	shale	783	
7	sandy shale	790	odor
6	bk sand	796	odor
11	oil sand	807	show
5	sandy shale	812	odor
13	bk sand	825	show
4	bk sand	829	odor
19	shale	848	T.D.

RECEIVED  
 KANSAS CORPORATION COMMISSION

SEP 09 2008

CONSERVATION DIVISION  
 WICHITA, KS

**Garnett Siding & Lumber Co.**  
 410 N Maple  
 Garnett, KS 66032  
 (785) 448-7106 FAX (785) 448-7135

Merchant Copy  
**INVOICE**  
 THIS COPY MUST REMAIN AT  
 MERCHANT AT ALL TIMES!

Page: 1 Invoice: **10131001**

Special : Time: 13:38:09  
 Instructions : Ship Date: 05/22/08  
 Sale rep #: JENNIFER JENNIFER BRUSKY Acct rep code: Due Date: 06/08/08

Sold To: **ROGER KENT** Ship To: **ROGER KENT**  
 22082 NE NEOSHO RD (785) 448-6995 **NOT FOR HOUSE USE**  
 GARNETT, KS 66032 (785) 448-6995

Customer #: 0000357 Customer PO: Order By:

ORDER	SHIP	L	U/M	ITEM#	DESCRIPTION	Alt Price/Uom	PRICE	EXTENSION
30.00	30.00	P	BAG	CPFA	FLY ASH MIX 80 LBS PER BAG	5.4500 BAG	5.4500	163.50
30.00	30.00	P	BAG	CPPC	PORTLAND CEMENT-94#	8.6900 BAG	8.6900	260.70

FILLED BY	CHECKED BY	DATE SHIPPED	DRIVER	Sales total	\$424.20
SHIP VIA Customer Pick up				Taxable	424.20
RECEIVED COMPLETE AND IN GOOD CONDITION				Non-taxable	0.00
<i>[Signature]</i>				Sales tax	30.97
				<b>TOTAL</b>	<b>\$455.17</b>

1 - Merchant Copy



**Garnett Siding & Lumber Co.**  
 410 N Maple  
 Garnett, KS 66032  
 (785) 448-7106 FAX (785) 448-7135

Merchant Copy  
**INVOICE**  
 THIS COPY MUST REMAIN AT  
 MERCHANT AT ALL TIMES!

Page: 1 Invoice: **10131181**

Special : Time: 12:28:32  
 Instructions : Ship Date: 05/28/08  
 Sale rep #: JENNIFER JENNIFER BRUSKY Acct rep code: Due Date: 06/08/08

Sold To: **ROGER KENT** Ship To: **ROGER KENT**  
 22082 NE NEOSHO RD (785) 448-6995 **NOT FOR HOUSE USE**  
 GARNETT, KS 66032 (785) 448-6995

Customer #: 0000357 Customer PO: Order By:

ORDER	SHIP	L	U/M	ITEM#	DESCRIPTION	Alt Price/Uom	PRICE	EXTENSION
60.00	60.00	P	BAG	CPFA	FLY ASH MIX 80 LBS PER BAG	5.4500 BAG	5.4500	327.00
60.00	60.00	P	BAG	CPPC	PORTLAND CEMENT-94#	8.6900 BAG	8.6900	521.40

FILLED BY	CHECKED BY	DATE SHIPPED	DRIVER	Sales total	\$848.40
SHIP VIA Customer Pick up				Taxable	848.40
RECEIVED COMPLETE AND IN GOOD CONDITION				Non-taxable	0.00
<i>[Signature]</i>				Sales tax	61.94
				<b>TOTAL</b>	<b>\$910.34</b>

1 - Merchant Copy

RECEIVED  
 KANSAS CORPORATION COMMISSION

SEP 09 2008

CONSERVATION DIVISION  
 WICHITA, KS

**Garnett Siding & Lumber Co.**  
 410 N Maple  
 Garnett, KS 66032  
 (785) 448-7106 FAX (785) 448-7135

Merchant Copy  
**INVOICE**  
 THIS COPY MUST REMAIN AT  
 MERCHANT AT ALL TIMES!

Page: 1 Invoice: **10130752**

Special: Time: 11:32:38  
 Instructions: Ship Date: 05/16/08  
 Invoice Date: 05/16/08  
 Due Date: 06/08/08

Sale rep #: JIM Acct rep code: Order By:

Sold To: **ROGER KENT** Ship To: **ROGER KENT**  
 22082 NE NEOSHO RD (785) 448-6995 **NOT FOR HOUSE USE**  
 GARNETT, KS 66032 (785) 448-6995

Customer #: 0000357 Customer PO: Order By:

ORDER	SHIP	L	U/M	ITEM#	DESCRIPTION	Alt Price/Uom	PRICE	EXTENSION
20.00	20.00	P	PC	SPF24122	SPRUCE-#2 X 4 X 12'	3.5900 pc	3.5900	71.80

FILLED BY: CHECKED BY: DATE SHIPPED: DRIVER:

SHIP VIA: Customer Pick up  
 RECEIVED COMPLETE AND IN GOOD CONDITION

Taxable 71.80  
 Non-taxable 0.00  
 Tax #

Sales total \$71.80  
 Sales tax 5.25  
**TOTAL \$77.05**

TBF: 160  
 Weight: 272 lbs.

**1 - Merchant Copy**



**1 - Merchant Copy**

ORDER	SHIP	L	U/M	ITEM#	DESCRIPTION	Alt Price/Uom	PRICE	EXTENSION
60.00	60.00	P	BAG	CPFA	FLY ASH MIX 80 LBS PER BAG	5.4500 bag	5.4500	327.00
60.00	60.00	P	BAG	CPFC	PORTLAND CEMENT-94#	8.6900 bag	8.6900	521.40

Customer #: 0000357 Order By:

Sold To: **ROGER KENT** Ship To: **ROGER KENT**  
 22082 NE NEOSHO RD (785) 448-6995 **NOT FOR HOUSE USE**  
 GARNETT, KS 66032 (785) 448-6995

Sale rep #: JENNIFER JENNIFER BRUSKY Acct rep code: Order By:

Special: Time: 12:07:21  
 Instructions: Ship Date: 05/20/08  
 Invoice Date: 05/20/08  
 Due Date: 06/08/08

Page: 1 Invoice: **10130877**

**Garnett Siding & Lumber Co.**  
 410 N Maple  
 Garnett, KS 66032  
 (785) 448-7106 FAX (785) 448-7135

Merchant Copy  
**INVOICE**  
 THIS COPY MUST REMAIN AT  
 MERCHANT AT ALL TIMES!

RECEIVED  
 KANSAS CORPORATION COMMISSION

SEP 0 9 2008

CONSERVATION DIVISION  
 WICHITA, KS