

**KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE**

Form ACO-1
September 1999
Form Must Be Typed

ORIGINAL

Operator: License # 7076
Name: BLACK DIAMOND OIL, INC.
Address: P.O. BOX 641
City/State/Zip: HAYS, KS 67601
Purchaser: _____
Operator Contact Person: KENNETH VEHIGE
Phone: (785) 625-5891
Contractor: Name: W. W. DRILLING
License: 33575
Wellsite Geologist: KENNETH VEHIGE/TONY RICHARDSON

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

<u>10-26-2005</u>	<u>10-31-2005</u>	<u>10-31-2005</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 065-23102-00-00
County: GRAHAM
SE NE NW SW Sec. 5 Twp. 8 S. R. 24 East West
990' feet from S (circle one) Line of Section
2310' feet from E (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: TEEL Well #: 3
Field Name: DRIPPING SPRINGS

Producing Formation: None
Elevation: Ground: 2336 Kelly Bushing: 2341
Total Depth: 3850 Plug Back Total Depth: _____
Amount of Surface Pipe Set and Cemented at 218' Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from _____
feet depth to _____ w/ _____ sx cmt.

Drilling Fluid Management Plan *P+A A14 I NR*
(Data must be collected from the Reserve Pit) *9-12-08*
Chloride content 8000 ppm Fluid volume 300 bbls
Dewatering method used Evaporation

Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: JAN 12 2006

KCC WICHITA

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]
Title: OWNER Date: 12/1/2005
Subscribed and sworn to before me this 1st day of December,
20 05

Notary Public: Verda M. Brin

Date Commission Expires 7-18-07

KCC Office Use ONLY

KID Letter of Confidentiality Received
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

DAILY DRILLING REPORT

43

CONTRACTOR

W-W Dily LLC

DATE

10-31-05

COMPANY

Black Diamond

LEASE

Ten

WELL NO.

RIG NO.

4

DISTRICT

COUNTY

Graham

STATE

KS

D. P. STRING NO.

SIZE

7 7/8

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PRES.	NAME
						DM R. L. ...
						EM David ...
						H Doug ...
						H
SLOPE TEST		ACCIDENT: - (GIVE NAME)				
@	FT.	2" 1340 ...				
DEG. OFF						

DRLR Richard ...

BIT AND COREHEAD RECORD			MUD RECORD			TIME RECORD			DRILL STEM RECORD		
RUN NO.			WEIGHT			DRILLING			SIZE D. P.		
SIZE			VISC.			CORING			SIZE COLL.		
MAKE			WTR. LOSS-C.C.			OTHER			JTS. D. P.		
SERIAL NO.			FILTER CAKE			REPAIRS			KELLY DOWN		
DEPTH IN			PH.			TRIP			COLLARS		
HOURS RUN			MTL. ADDED (REMARKS)						TOTAL		

REMARKS: 11:00 - 11:4 Logging 11:45 - 12:45 M. ... 12:45 - 2:1 ... 2:15 - 3:15 ... 3:15 - 4:45 ... 4:45 - 5:15 BREAK DOWN ... 5:15 - 6:15 RUN IN DP-DC, 6:15 - 7:00 LDDP CO. TIME 8 hrs

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PRES.	NAME
						DM Dan ...
						EM Keith ...
						H Mark ...
						H
SLOPE TEST		ACCIDENT: - (GIVE NAME)				
@	FT.					
DEG. OFF						

RECEIVED
 JAN 12 2006
 KCC WICHITA

DRLR Phil ...

BIT AND COREHEAD RECORD			MUD RECORD			TIME RECORD			DRILL STEM RECORD		
RUN NO.			WEIGHT			DRILLING			SIZE D. P.		
SIZE			VISC.			CORING			SIZE COLL.		
MAKE			WTR. LOSS-C.C.			OTHER			JTS. D. P.		
SERIAL NO.			FILTER CAKE			REPAIRS			KELLY DOWN		
DEPTH IN			PH.			TRIP			COLLARS		
HOURS RUN			MTL. ADDED (REMARKS)						TOTAL		

REMARKS: 7:00 - 9:00 Layd ... D.P. & D.C. 9:00 - 9:30 TRIP IN ... 9:30 - 10:00 ... 10:00 - 12:30 ... 12:30 - 5:00 ... Release Rig @ 4:30pm CO. TIME 9 1/2 hrs

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PRES.	NAME
						DM
						EM
						H
						H
SLOPE TEST		ACCIDENT: - (GIVE NAME)				
@	FT.					
DEG. OFF						

BIT AND COREHEAD RECORD			MUD RECORD			TIME RECORD			DRILL STEM RECORD		
RUN NO.			WEIGHT			DRILLING			SIZE D. P.		
SIZE			VISC.			CORING			SIZE COLL.		
MAKE			WTR. LOSS-C.C.			OTHER			JTS. D. P.		
SERIAL NO.			FILTER CAKE			REPAIRS			KELLY DOWN		
DEPTH IN			PH.			TRIP			COLLARS		
HOURS RUN			MTL. ADDED (REMARKS)						TOTAL		

REMARKS:

DAILY DRILLING REPORT
 43

CONTRACTOR <i>W-W Drilling LLC</i>		DATE <i>10-30-05</i>
COMPANY <i>Black Diamond</i>	LEASE <i>Trcl</i>	WELL NO. <i>3</i>
DISTRICT	COUNTY <i>Croton</i>	STATE <i>KS</i>
		RIG NO. <i>4</i>
		D. P. STRING NO.
		SIZE <i>4 1/2</i>

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PRES.	NAME
3695	3792	Shale Limestone	95	350	800	DM Robert L. Larson
						EM Tim H. Hager
						H Doug Ward
SLOPE TEST		ACCIDENT: <i>28" 1631gal</i>				H
@	FT.					
DEG. OFF						DRLR <i>Richard H. Myers</i>

BIT AND COREHEAD RECORD		MUD RECORD		TIME RECORD		DRILL STEM RECORD	
RUN NO.	<i>RR#2</i>	WEIGHT	<i>9.5</i>	DRILLING	<i>5 3/4</i>	SIZE D. P.	
SIZE	<i>7 7/8</i>	VISC.	<i>51</i>	CORING		SIZE COLL.	
MAKE	<i>HTC</i>	WTR. LOSS-C.C.		OTHER	<i>4 1/4</i>	JTS. D. P.	
SERIAL NO.	<i>573577</i>	FILTER CAKE		REPAIRS		KELLY DOWN	
DEPTH IN	<i>220</i>	PH.		TRIP		COLLARS	
HOURS RUN	<i>66</i>	MTL. ADDED (REMARKS)			<i>3</i>	TOTAL	

REMARKS: *11:00 - 12:00 Dring. 12:00 - 13:40 CFS @ 3712 12:40 - 4:00 C.F.*
4:00 - 5:15 CFS @ 3758 5:15 - 7:00 Dring. 7:00 - 7:10 Dring. 7:10 - 7:15 Time change.
3 1/4 C.F.M.E

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PRES.	NAME
3792	3850	Lime				DM Larry Shoren
						EM Chad Dunkel
						H Mark Robb
SLOPE TEST		ACCIDENT: <i>mixed 30 gal 1emstic 15ASH</i>				H <i>ETRIE Fink</i>
@	FT.	<i>1 1/4 D. Pac</i>				
DEG. OFF		<i>1 1/4 D. Pac</i>				DRLR <i>Phil Wedekind</i>

BIT AND COREHEAD RECORD		MUD RECORD		TIME RECORD		DRILL STEM RECORD	
RUN NO.	<i>RR#2</i>	WEIGHT	<i>7.4</i>	DRILLING	<i>3</i>	SIZE D. P.	<i>1 1/2</i>
SIZE	<i>7 7/8</i>	VISC.	<i>61</i>	CORING		SIZE COLL.	<i>5 1/4 6 1/4</i>
MAKE	<i>HTC</i>	WTR. LOSS-C.C.	<i>8.8</i>	OTHER		JTS. D. P.	<i>3386.38</i>
SERIAL NO.	<i>573577</i>	FILTER CAKE	<i>1/32</i>	REPAIRS		KELLY DOWN	<i>37.78</i>
DEPTH IN	<i>220</i>	PH.	<i>10.0</i>	TRIP	<i>1 3/4</i>	COLLARS	<i>125.84</i>
HOURS RUN	<i>69</i>	MTL. ADDED (REMARKS)			<i>3 1/4</i>	TOTAL	<i>3850</i>

REMARKS: *7:00 - 7:30 W.O.O. 7:30 - 8:15 Dring. 8:15 - 10:00 C.F.S. @ 2798 W.*
10:00 - 12:15 Dring. 12:15 - 1:15 C.C.H F/short trip 1:15 - 2:00
short trip 24 stands 5 Hr. ceit time

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PRES.	NAME
3850	RTD					DM Chris Felder
3844	LTD					EM Rodney Doherty
						H David Owens
SLOPE TEST		ACCIDENT: -				H
@	FT.	<i>3850</i>				
DEG. OFF		<i>1°</i>				DRLR <i>Kirby Strutt</i>

BIT AND COREHEAD RECORD		MUD RECORD		TIME RECORD		DRILL STEM RECORD	
RUN NO.		WEIGHT		DRILLING		SIZE D. P.	
SIZE		VISC.		CORING	<i>2 1/2</i>	SIZE COLL.	
MAKE		WTR. LOSS-C.C.		OTHER	<i>2 3/4</i>	JTS. D. P.	
SERIAL NO.		FILTER CAKE		REPAIRS	<i>1</i>	KELLY DOWN	
DEPTH IN		PH.		TRIP	<i>1 3/4</i>	COLLARS	
HOURS RUN		MTL. ADDED (REMARKS)			<i>1</i>	TOTAL	

REMARKS: *3:00 - 4:00 C.F.L 4:00 - 5:45 Dring survey & trip out for log 5:45 - 8:30 W.O.H*
8:30 - 8:45 Reg up loggers 8:45 - 11:00 Logging w. ELI

DAILY DRILLING REPORT

43

CONTRACTOR

W-W Drilling L.L.C.

DATE

10-29-05

COMPANY

Black Diamond

LEASE

T-21

WELL NO.

3

RIG NO.

4

DISTRICT

COUNTY

Graham

STATE

KS

D. P. STRING NO.

SIZE

4 1/2

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PRES.	NAME
3110	5330	Shale	75	3500		DM Robert Tucker EM David Huffaker H Doug Wood H
SLOPE TEST		ACCIDENT:-- 34" 1981 21				
@	FT.	PRM x Y Tank fuel				
DEG. OFF		DRLR Richard H. Lantz				

BIT AND COREHEAD RECORD		MUD RECORD		TIME RECORD		DRILL STEM RECORD	
RUN NO.	RR #2	WEIGHT	9.0	DRILLING	7 1/4	SIZE D. P.	
SIZE	7 7/8	VISC.	52	CORING		SIZE COLL.	
MAKE	HTC	WTR. LOSS-C.C.		OTHER		JTS. D. P.	
SERIAL NO.	5023577	FILTER CAKE		REPAIRS		KELLY DOWN	
DEPTH IN	220	PH.		TRIP		COLLARS	
HOURS RUN	47	MTL. ADDED (REMARKS)				TOTAL	

REMARKS: 11:00 - 7:00 Drlg. Loss Kill Loss Rig

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PRES.	NAME
3330	3548	Lime + shale				DM Chris Felder EM Chad Hinkel H Mark Robb H
SLOPE TEST		ACCIDENT:--				
@	FT.					
DEG. OFF		DRLR Phil Haddock				

BIT AND COREHEAD RECORD		MUD RECORD		TIME RECORD		DRILL STEM RECORD	
RUN NO.	RR #2	WEIGHT	9.2	DRILLING	6 3/4	SIZE D. P.	4 1/2
SIZE	7 7/8	VISC.	61	CORING		SIZE COLL.	1 1/2
MAKE	HTC	WTR. LOSS-C.C.	1.8	OTHER	1/4	JTS. D. P.	3107.75
SERIAL NO.	5023577	FILTER CAKE	1/32	REPAIRS		KELLY DOWN	14.37
DEPTH IN	220	PH.	11:00	TRIP		COLLARS	125.94
HOURS RUN	53 3/4	MTL. ADDED (REMARKS)		C.F.S.	1	TOTAL	3548

REMARKS: 7:00 - 2:00 Drlg. w/ 1/4 Hr. Rig service 2:00 - 3:00 C.F.S. @ 30

1/2 Dr Pac

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PRES.	NAME
3548	3695	S+1	80	35000	725	DM Don Sheen EM Rodney Roberts H David Owens H
SLOPE TEST		ACCIDENT:--				
@	FT.					
DEG. OFF		DRLR Kirby Stuart				

BIT AND COREHEAD RECORD		MUD RECORD		TIME RECORD		DRILL STEM RECORD	
RUN NO.	2 RR	WEIGHT	9.2	DRILLING	6 1/2	SIZE D. P.	
SIZE	7 7/8	VISC.	52	CORING		SIZE COLL.	
MAKE	HTC	WTR. LOSS-C.C.		OTHER	1/4	JTS. D. P.	
SERIAL NO.	5023577	FILTER CAKE		REPAIRS		KELLY DOWN	
DEPTH IN	220	PH.		TRIP		COLLARS	
HOURS RUN	60 1/4	MTL. ADDED (REMARKS)		C.F.S.	1 1/4	TOTAL	

REMARKS: 3:00 - 7:30 DRUG w/ 1/4 hr. Rig 7:30 - 8:45 C.F.S. @ 3664 8:45 - 11:00 DRUG

DAILY DRILLING REPORT

43
 COMPANY: Black Diamond LEASE: W-W Drilg LLC DATE: 10-28-05
 DISTRICT: Black Diamond COUNTY: Tulsa STATE: Ks WELL NO.: 3 RIG NO.: 4 1/2 X
 D. P. STRING NO.: 3 SIZE: 4 1/2 X

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PRES.	NAME
2030	2490	Shale - Lime	80	2000	650	DM Robert T. Dickerson EM Dan H. Hager H Doug Ward H
SLOPE TEST		ACCIDENT:- (GIVE NAME)		ANY ? 20-245?		
@	FT.	41" 2389				
DEG. OFF		DRLR Richard H. Hagers				

BIT AND COREHEAD RECORD		MUD RECORD		TIME RECORD		DRILL STEM RECORD	
RUN NO.	RR #2	WEIGHT	9.1	DRILLING	7 1/2	SIZE D. P.	
SIZE	7 7/8	VISC.	28	CORING		SIZE COLL.	
MAKE	HTC	WTR. LOSS-C.C.		OTHER	1/4 Rig	JTS. D. P.	
SERIAL NO.	5023577	FILTER CAKE		REPAIRS		KELLY DOWN	
DEPTH IN	200	PH.		TRIP		COLLARS	
HOURS RUN	24 3/4	MTL. ADDED (REMARKS)				TOTAL	

REMARKS: 11:00 - 7:00 Drilg. Loss 1/4 hr Rig ✓ 1/4 hr 3 7" pit.

55 Gel 4 side Ash 2 conc 2 lig 4 conc D-pec

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PRES.	NAME
2490	2830	Shale	80	38	650	DM Dan Sheen EM Keith Hertel H Mark Robb H
SLOPE TEST		ACCIDENT:- (GIVE NAME)				
@	FT.					
DEG. OFF		DRLR Phil Niedewski				

BIT AND COREHEAD RECORD		MUD RECORD		TIME RECORD		DRILL STEM RECORD	
RUN NO.	RR #2	WEIGHT	9.6	DRILLING	7 1/4	SIZE D. P.	4 1/2
SIZE	7 7/8	VISC.	28	CORING		SIZE COLL.	5 1/8 - 6 1/8
MAKE	HTC	WTR. LOSS-C.C.		OTHER	1/4 Rig	JTS. D. P.	
SERIAL NO.	5023577	FILTER CAKE		REPAIRS		KELLY DOWN	
DEPTH IN	200	PH.		TRIP		14 COLLARS	425.84
HOURS RUN	32	MTL. ADDED (REMARKS)				TOTAL	

REMARKS: 7:00 - 3:00 Drilg w/ 1/4 Hr Rig service & 1/2 Hr. Jet pits

55 Gel 6 side Ash 2 conc 2 lig 4 conc D-pec

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PRES.	NAME
2830	3110	Shale	80	3500	700	DM Chris Felder EM Rodney Doherty H David Owens H
SLOPE TEST		ACCIDENT:- (GIVE NAME)				
@	FT.					
DEG. OFF		DRLR Kirby Sturt				

BIT AND COREHEAD RECORD		MUD RECORD		TIME RECORD		DRILL STEM RECORD	
RUN NO.	2 RP	WEIGHT	8.9	DRILLING	7 1/4	SIZE D. P.	
SIZE	7 7/8	VISC.	55	CORING		SIZE COLL.	
MAKE	HTC	WTR. LOSS-C.C.		OTHER	1/4 Rig	JTS. D. P.	
SERIAL NO.	5023577	FILTER CAKE		REPAIRS		KELLY DOWN	
DEPTH IN	220	PH.		TRIP		COLLARS	
HOURS RUN	39 1/4	MTL. ADDED (REMARKS)				TOTAL	

REMARKS: 3:00 - 11:00 Drilg - Khr Jet + Khr Rig ✓

2001 USA 2-lig 2-conc Best 5 pc 2-Hulls

DAILY DRILLING REPORT
 43

CONTRACTOR W.W. Drilling LLC		DATE 10-27-05	
COMPANY Black Diamond	LEASE Teal	WELL NO. 3	RIG NO. 4
DISTRICT	COUNTY Graham	STATE KS	D. P. STRING NO. 4/21

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PRES.	NAME
220	530	sand-shale	70			DM R. Left Dickinson EM David H. Sliger H Doug Ward H
SLOPE TEST		ACCIDENT: 4/6" 2680 gal				
@	FT.					
DEG. OFF		DRLR Richard H. Lewis				

BIT AND COREHEAD RECORD		MUD RECORD		TIME RECORD		DRILL STEM RECORD	
RUN NO.	RR #2	WEIGHT		DRILLING		SIZE D. P.	
SIZE	7/8	VISC.		CORING		SIZE COLL.	
MAKE	HTC	WTR. LOSS-C.C.		OTHER		JTS. D. P.	
SERIAL NO.	5023577	FILTER CAKE		REPAIRS		KELLY DOWN	
DEPTH IN	220	PH.		TRIP		COLLARS	
HOURS RUN	2 1/2	MTL. ADDED (REMARKS)				TOTAL	

REMARKS: 11:00 - 4:30 WUC 4:30 - 7:00 WUC

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PRES.	NAME
530	370	shale	80	5/34	600	DM Lee Sliger EM Keith Hentel H Mark Robb H
SLOPE TEST		ACCIDENT: -				
@	FT.					
DEG. OFF		DRLR Phil Anderson				

BIT AND COREHEAD RECORD		MUD RECORD		TIME RECORD		DRILL STEM RECORD	
RUN NO.	#2 RR	WEIGHT		DRILLING	7/4	SIZE D. P.	
SIZE	7/8	VISC.		CORING		SIZE COLL.	5/8 - 6/8
MAKE	HTC	WTR. LOSS-C.C.		OTHER	Y4	JTS. D. P.	
SERIAL NO.	5023577	FILTER CAKE		REPAIRS		KELLY DOWN	
DEPTH IN	220	PH.		TRIP		COLLARS	4350
HOURS RUN	9 3/4	MTL. ADDED (REMARKS)		Jet	1/2	TOTAL	

REMARKS: Dug 1 1/4 Hr. Rig Service & 1/2 Hr Jet bits

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PRES.	NAME
1370	2030	sand + shale	80	3000	150	DM Chris Felder EM Richard DeWitt H David Owens H
SLOPE TEST		ACCIDENT: -				
@	FT.					
DEG. OFF		DRLR Kirby Strutt				

BIT AND COREHEAD RECORD		MUD RECORD		TIME RECORD		DRILL STEM RECORD	
RUN NO.	2 RR	WEIGHT	8.9	DRILLING	7/2	SIZE D. P.	
SIZE	7/8	VISC.	29	CORING		SIZE COLL.	
MAKE	HTC	WTR. LOSS-C.C.		OTHER	H	JTS. D. P.	
SERIAL NO.	5023577	FILTER CAKE		REPAIRS		KELLY DOWN	
DEPTH IN	220	PH.		TRIP		COLLARS	
HOURS RUN	17 1/4	MTL. ADDED (REMARKS)		Jet	1/4	TOTAL	

REMARKS: 3:00 - 11:00 Dug - 1/4 hr Rig + 1/4 hr Jet

45 Gal 3 cans. 3 Lig W SA 600's of Pac.

DAILY DRILLING REPORT
 43

CONTRACTOR <i>Low Drilling LLC</i>		DATE <i>0/26/05</i>
COMPANY <i>Black Diamond Oil, Inc</i>	LEASE <i>Teel #</i>	WELL NO. <i>3</i>
DISTRICT	COUNTY <i>Seaton</i>	RIG NO. <i>4</i>
	STATE <i>Kansas</i>	O. P. STRING NO.
		SIZE <i>4 1/2 inch</i>

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PRES.	NAME
						DM <i>Robert Dickerson</i>
						EM <i>David Hartger</i>
						H <i>Doug Ward</i>
SLOPE TEST		ACCIDENT:-- (GIVE NAME)				
@	FT.					
DEG. OFF						

DRLR *Richard Hilgers*

BIT AND COREHEAD RECORD		MUD RECORD		TIME RECORD		DRILL STEM RECORD	
RUN NO.		WEIGHT		DRILLING		SIZE D. P.	
SIZE		VISC.		CORING		SIZE COLL.	
MAKE		WTR. LOSS-C.C.		OTHER		JTS. D. P.	
SERIAL NO.		FILTER CAKE		REPAIRS		KELLY DOWN	
DEPTH IN		PH.		TRIP		COLLARS	
HOURS RUN		MTL. ADDED (REMARKS)				TOTAL	

REMARKS: *7:00-9:00 Help load out Rig Road Keith #2-19*
9:00-3:00 Rig up + mix mud on Teel #3

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PRES.	NAME
						DM <i>DAN SHEEN</i>
						EM <i>Keith Hittel</i>
						H <i>Mark Robb</i>
SLOPE TEST		ACCIDENT:-- (GIVE NAME)				
@	FT.					
DEG. OFF						

DRLR *Phil Wadkowski*

BIT AND COREHEAD RECORD		MUD RECORD		TIME RECORD		DRILL STEM RECORD	
RUN NO.		WEIGHT		DRILLING		SIZE D. P.	
SIZE		VISC.		CORING		SIZE COLL.	
MAKE		WTR. LOSS-C.C.		OTHER		JTS. D. P.	
SERIAL NO.		FILTER CAKE		REPAIRS		KELLY DOWN	
DEPTH IN		PH.		TRIP		COLLARS	
HOURS RUN		MTL. ADDED (REMARKS)				TOTAL	

REMARKS: *7:00-9:00 load out Rig + Move Rig 8 miles, 9:00-2:00 Rig up on Teel #3, 2:00-2:00 Dig Rethole (Rock) 30ft.*

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PRES.	NAME
<i>0</i>	<i>220</i>	<i>Soil Rock + Shale</i>	<i>4/90</i>	<i>all</i>	<i>400</i>	DM <i>Chris Feltner</i>
						EM <i>Rocky Dehanty</i>
						H <i>DAVID OWENS</i>
SLOPE TEST		ACCIDENT:-- (GIVE NAME)				
@	FT.					
DEG. OFF						

DRLR *Kirkby Strutt*

BIT AND COREHEAD RECORD		MUD RECORD		TIME RECORD		DRILL STEM RECORD	
RUN NO.	<i>101</i>	WEIGHT	<i>7.3</i>	DRILLING	<i>2 3/4</i>	SIZE D. P.	
SIZE	<i>4 1/2</i>	VISC.	<i>38</i>	CORING		SIZE COLL.	
MAKE	<i>Smith</i>	WTR. LOSS-C.C.		OTHER	<i>3 1/4</i>	JTS. D. P.	
SERIAL NO.		FILTER CAKE		REPAIRS		KELLY DOWN	
DEPTH IN	<i>0/220</i>	PH.		TRIP		COLLARS	
HOURS RUN	<i>2 3/4</i>	MTL. ADDED (REMARKS)				TOTAL	

REMARKS: *3:00-4:00 Dig Rethole 4:00-6:45 Inj 10.45-11:15 set collar + hole, 7:15-8:30pm T.O.H w/12 1/4 change line K... Teel #3 @ 219 w/ 160 sk common 30% ce 25mg/dl drilling fluid 8:50-11:00 w.o.c.*

RECEIVED
 JAN 12 2006
 KCC WICHITA