KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

OIL & GAS CONSERVATION DIVISION WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 33539	API No. 15 - 205-27062-00-00
Name: Cherokee Wells LLC	County: Wilson
Address: 4916 Camp Bowie Blvd. Suite 204	E2 -SE - NW - Sec. 22 Twp. 28 S. R. 15 V East West
City/State/Zip: Fort Worth, TX 76107	1980 feet from S (N)(circle one) Line of Section
Purchaser: Southeastern Kansas Pipeline	2310 feet from E (W)(circle one) Line of Section
Operator Contact Person: Rhonda Wilson	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 378-3650	(circle one) NE SE (NW) SW
Contractor: Name: Well Refined Drilling	Lease Name: Row Well #: A-10
License: 33072	Field Name: Cherokee Basin Coal Gas
Wellsite Geologist: n/a	Producing Formation: Mississippian
Designate Type of Completion:	Elevation: Ground: 897.4 Kelly Bushing: n/a
New Well Re-Entry Workover	Total Depth: 1330' Plug Back Total Depth: 1316'
Oil SWD SIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 42'3" Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ✓ No
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from bettom casing [32.
Operator:	feet depth to surface w/ 36 145 sx cmt.
Well Name:	Altin - Dig - 9/30/08
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content ppm Fluid volume bbis
Plug BackPlug Back Total Depth	Dewatering method used
Commingled Docket No	
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
2/28/07 3/1/07 4/23/07	Lease Name: License No.:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, workove information of side two of this form will be held confidential for a period of the specific confidential for a period of the spe	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, er or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. It months if requested in writing and submitted with the form (see rule 82-3-and geologist well report shall be attached with this form. ALL CEMENTING . Submit CP-111 form with all temporarily abandoned wells.
herein are complete and correct to the best of my knowledge.	ate the oil and gas industry have been fully complied with and the statements
Signature: HMOndo Million	KCC Office Use ONLY
Title: Office Manager Date: 5/3/07	Letter of Confidentiality Receive ECEIVED
Subscribed and sworn to before me this 3 day of	If Denied, Yes DAANSAS CORPORATION COMMISSION
20 D7 . A TRACY MILL	Windling Low Resolved
Notary Public: May Appt. Expires 12/1/2	Kansas UIC Distribution CONSERVATION DIVISION
Date Commission Expires:	WICHITA, KS

Side Two

Operator Name: Cherc	okee Wells LLC			Lease Name:	Row		Well #:A-10)
ec. 22 Twp. 28		✓ East 🗌	West	County: Wilson	1			
ISTRUCTIONS: Sho sted, time tool open imperature, fluid reco lectric Wireline Logs	and closed, flowing overy, and flow rate	g and shut-in pr s if gas to surfa	ressures, wi ice test, alo	hether shut-in prong with final cha	essure reached s	static level, hydros	static pressure	es, bottom hole
Drill Stem Tests Taken		√ No	Log Forma		mation (Top), Depth and Datum		Sample	
		☐ Yes	✓ No	Name			Datum	
Cores Taken Electric Log Run (Submit Copy)			✓ No No					
ist All E. Logs Run:								
Electric Log Er	nclosed							
		Report all s	CASING RE	ECORD V N		on, etc.		
Purpose of String	Size Hole Drilled	Size Cas Set (In O		Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4'	8 5/8'	2	26#	42'3"	Portland	30	
Long String	6 3/4"	4 1/2"	1	13.4#	1321'	Thick Set Cement	145	
		ADI	DITIONAL C	EMENTING / SQI	JEEZE RECORD			
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Type of Ce	ment	#Sacks Used		Type and Pe	ercent Additives	
Shots Per Foot		PERFORATION RECORD - Bridge Plugs S Specify Footage of Each Interval Perforal			Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)		d Depth	
TUBING RECORD	Size	Set At Packer At			Liner Run]Yes		
Date of First, Resumerd F	Production, SWD or E	nhr. Prod	lucing Method	d Flowing	g Pumping	g 🔲 Gas Lift	Othe	r (Explain)
Estimated Production Per 24 Hours	Oil	Bbls. 0	Gas Mo			ls. Ga	s-Oil Ratio	Gravity
Disposition of Gas	METHOD OF C	OMPLETION			Production Interv	al	KANSAS C	RECEIVED ORPORATION COMMI
Vented Sold (If vented, Subm	Used on Lease		pen Hole ther <i>(Specify)</i>		Oually Comp. [Commingled		IAY 0 9 2007

P.O. BOX 884, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

ACCOUNT

SKET NUMBER	16943
LOCATION EVACEA	
FOREMAN LICK / COS	ine)

TREATMENT REPORT & FIELD TICKET CEMENT

CUSTOMER Catellay TIAN MAILING ADDRESS MAILING ADDRESS P. B. Box 960 CITY STATE STATE CASING DEPTH 1321 DRILL PIPE SLURRY WEIGHT 13.44 SLURRY VOL WATER gal/sk 2.0 TRUCK # DRIVER TRUCK # DRIVER TRUCK # PRIVER T	COUNTY
TRUCK # DRIVER TRUCK # MAILING ADDRESS P. 6. Box 960 CITY STATE ZIP CODE OK 74855 JOB TYPE LOGSTON HOLE SIZE 6 44 HOLE DEPTH /350' CASING SIZE & WEIGHT 44.* CASING DEPTH 1321' DRILL PIPE TUBING OTHER	Wilson
MAILING ADDRESS	
P.6. Box 960 939 Serie STATE ZIP CODE 939 Serie STATE ZIP CODE	DRIVER
CITY STATE ZIP CODE OL 74855 JOB TYPE Long structure HOLE SIZE 6 44 HOLE DEPTH /350 CASING SIZE & WEIGHT 475 CASING DEPTH 1321 DRILL PIPE TUBING OTHER	
MCCCC OK 74855 JOB TYPE Long string HOLE SIZE 6 34 HOLE DEPTH /350' CASING SIZE & WEIGHT 475* CASING DEPTH /321' DRILL PIPE TUBING OTHER	
JOB TYPE Long strate HOLE SIZE 6 44 HOLE DEPTH /350 CASING SIZE & WEIGHT 475 CASING DEPTH /321 DRILL PIPE TUBING OTHER	
JOB TYPE LONG HOLE SIZE 6 W HOLE DEPTH /350 CASING SIZE & WEIGHT 4%* CASING DEPTH /321 DRILL PIPE TUBING OTHER	
	10.54
SUIDDY WEIGHT 13 4 SUIDDY NO.	
SLURKT VUL WATER GAUSK A. CEMENT LEFT IN CASING &	
DISPLACEMENT 21 661 DISPLACEMENT PSI 700 PSI 1200 RATE	
REMARKS: Salety meeting- Rig up to 4% casing. Brook circulation u/2	- A.
fresh water. Pump 4 sis gel-flush, 20 Bb1 water spacer, 12 Ab) de	- lee
Mixed 145 sus thicket coment w/ 5th Kolson) 100/y @ 18.4 th 164.	
pump + lines, shit down, release pluy. Displace u/ 21 Ab) fresh water. Fin	
pump pressure 200 M2. Gamp plus to 1200 M2. welt 2 mins rela	ik.
pressure, floot hold. Good coment returns to surface = 8 Abl shory	6 sit.
Job samplete. Re down.	
"Thank You"	· · · · · · · · · · · · · · · · · · ·

CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	1	PUMP CHARGE	840.00	340.00
5406	40	MILEAGE		132.00
		=CEIVED COMMISS	MON	
IIZGA	145 ses	thickset amont REPORATION OF	15.40	2233.00
1116A	725*	Thickset cement RECEIVED MINISS Kol-ser/ 5 = M/K KANSAS GORPORATION GOMMISS	,38	\$75.50
		MAR	M	
11184	200*	gel-flush Conservation division Wichita Ks	. 15	36.00
		Oo. Michie		
	2 22		* 	

7.98 ten-milegge bulk trx 5407 m/c 285.00 4½" top rubber plug 4½" controllers 4½" flapper value floot shoe 4404 40.00 40.00 4/29 36.00 16.00 4156 208.00

244 40

4079.50 Subtata) 6.3%

212184

SALES TAX 177.82 ESTIMATED 425732 TOTAL

AUTHORIZATION

TITLE_

DATE