## KANSAS CORPORATION COMMISSION ORIGINAL Form ACC-1 September 1999 Form Must Be Typed

## **WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE**

Operator: License #33539	API No. 15 - 205-26856-00-00
Name: Cherokee Wells, LLC	County: Wilson
Address: 4916 Camp Bowie Blvd., Suite 204	CE2SWSec17Twp28SR15
City/State/Zip: Fort Worth, TX 76107	1320 feet from S N (circle one) Line of Section
Purchaser: Southeastern Kansas Pipeline	1980 feet from E /(W) (circle one) Line of Section
Operator Contact Person: Rhonda Wilson	Footages Calculated from Nearest Outside Section Corner:
Phone: (_620) _378-3650	(circle one) NE SE NW (SW)
Contractor: Name: Well Refined Drilling	Lease Name: R Timmons Well #: A-1
License: 33072	Field Name: Cherokee Basin Coal
Wellsite Geologist: n/a	Producing Formation: Mississippian
Designate Type of Completion:	Elevation: Ground: unknown Kelly Bushing: n/a
New Well Re-Entry Workover	Total Depth: 1280 Plug Back Total Depth: 1265
Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at 45'4 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from bottom casing (2.73
Operator:	feet depth to surface w/ 40 130 sx cmt.
Well Name:	UG - 9130/08
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan  (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content ppm Fluid volume bbls
Plug Back Plug Back Total Depth	Dewatering method used
Commingled Docket No	
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
	Lease Name: License No.:
11/16/06         11/20/06         2/23/07           Spud Date or         Date Reached TD         Completion Date or	Quarter Sec TwpS. R   East   West
Recompletion Date Recompletion Date	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, workon information of side two of this form will be held confidential for a period of 107 for confidentiality in excess of 12 months). One copy of all wireline log TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged well	th the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, wer or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 12 months if requested in writing and submitted with the form (see rule 82-3-s and geologist well report shall be attached with this form. ALL CEMENTING s. Submit CP-111 form with all temporarily abandoned wells.
nerein are complete and correct to the best of my knowledge.	
Signature: Mondo Wilson	KCC Office Use ONLY
Fitle: Office Manager Date: 5/1/07	Letter of Confidentiality Received
Subscribed and sworn to before me thisday of	If Denied, Yes Date:
20 07	Wireline Log Received
MAA, WALLAND TRACY	MILLER Geologist Report Received RECEIVED KANSAS CORPORATION COMMISSION
Notary Public: Notary Public -	State of Kansas UIC Distribution KANSAS CORPORATION COMMISSION
Date Commission Expires: My Appt. Expires 12/	/1/2010 MAY 0 3 2007
My Appli. Expired 7	

## Side Two

Operator Name: Cherokee Wells, LLC				Lease Name: R Timmons				Well #: A-1		
Sec TwpS. R				County: Wilson						
ISTRUCTIONS: Sho ested, time tool open emperature, fluid reco lectric Wireline Logs	and closed, flowing very, and flow rate	g and shut s if gas to	-in pressures, surface test, a	whether sh long with f	nut-in pre	ssure reach	ed static level, hydro	static pressure	s, bottom hole	
Drill Stem Tests Taken			es <b></b> ✓ No	Log Forma			nation (Top), Depth a	Sample		
amples Sent to Geole		□ Ye	es 🗹 No		Nam	•		Тор	Datum	
ores Taken			es 🕢 No	<b>✓</b> No						
ectric Log Run (Submit Copy)		<b>√</b> Ye	es 🗌 No							
st All E. Logs Run:										
Electric Log En	closed									
		Repo	CASING rt all strings set-c	RECORD	✓ Ne		duction, etc.			
Purpose of String	Size Hole Drilled	Siz	e Casing t (In O.D.)	Weight Lbs. / Ft.		Setting Type of Depth Cement		# Sacks Used	Type and Percent Additives	
Surface	12 1/4"	8 5/8"		26#		45'4"	Portland	40		
Long String	6 3/4"	4 1/2"		13.4#		1273'	Thick Set Cement	130		
			ADDITIONAL	CEMENITI	NG / SOL	EEZE DECC	)PD			
Purpose:  Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Type of Cement		#Sacks				ercent Additives		
Shots Per Foot PERFORATION RECORD - Bridge Specify Footage of Each Interval					Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)			d Depth		
TUBING RECORD	Size	Set At	•	Packer A	\t	Liner Run	Yes No			
Date of First, Resumerd i	Production, SWD or E	Enhr.	Producing Met	hod	Flowing	Pu	mping Gas Lif	t [ Othe	r (Explain)	
Estimated Production Per 24 Hours	Oil	Bbis.	Gas	Mcf	Wate			ias-Oil Ratio	Gravity	
Disposition of Gas	METHOD OF (	COMPLETIC	ON			Production I	nterval		ECEIVED PORATION COMMISS	
Vented Sold (If vented, Sub	Used on Lease		Open Hole Other (Speci	Perf.	. 🗆 🗅	ually Comp.	Commingled _	MAY	7 0 3 2007	

CONSOLIDATED OIL WELL SERVICES, INC. P.O. BOX 884, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

16593 TICKET NUMBER\_\_\_\_ LOCATION EUREKA FOREMAN KOW MCCOY

## TREATMENT REPORT & FIELD TICKET **CEMENT**

DATE	CUSTOMER#	WELL NAME & NUMBER		IBER	SECTION	TOWNSHIP	RANGE	COUNTY
11-21-06	3070	R. Timmons A-1						Wilson
CUSTOMER	_			Ž				********** <b>*</b>
GATEWAY TITAN			South	TRUCK #	DRIVER	TRUCK #	DRIVER	
MAILING ADDRESS  P.O. BOX 960				RIVER Resources	445	Justin		
					479	Steve		
CITY		STATE	ZIP CODE					
meekee		OK	74855					
			HOLE DEPTH	HOLE DEPTH 1280' CASING SIZE & WEIGHT 4/4			10.54 New	
CASING DEPTH	/273	DRILL PIPE		TUBING		OTHER		
SLURRY WEIGH	HT /3.4 # SLURRY VOL. 39 &L		WATER gal/sk	<i>8</i> ,°	CEMENT LEFT in CASING O			
DISPLACEMENT	20.2 BK	DISPLACEME	NT PSI <u>800</u>	MER PSI /3'60	Bung Aug	RATE		<b>-</b>
REMARKS: 57	vely meet	mg: Rig	ap to 41/2	CASNY.	BREAK C	RCULAtion	w/ 25 B	W fresh
water.	Pumo 45	ts Gel	Flush 12	BLL Dye	water.	nixed 130.	SKS THIS	t Set
Coment	w/ 54	166-5006	PerISK @	13.4 PO	JOAL VIE	1d 1.69. W	ash out	Pump &
Lines. 3	short down	. Retens	e Plug.	DISPLACE !	al 20.2	36L fæesh u	wher fir	VAL
Pumping	Apessyn	800 AS/	. Bump t	No to 13	60 ASI. 4	wast 2 min	rutes. A	lesse
PRESSUR	. FIOAT	Held. Si	but Casung	MOO	AS1. 600	d Cement	Returns .	To SURFACE
= 5 86	L STURRY	J.6 C	omplote.	Rio down	<u> </u>			
	7			<del></del>	<i>E-</i>		· · · · · · · · · · · · · · · · · · ·	

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	1	PUMP CHARGE	800.00	800-00
5406	40	MILEAGE		126.00
		DECEIVED COMMIS	SICH	
1126 A	130 SKS	THICK Set Cement WEAS CORPURNIT	14.65	1904.50
1110 A	650 **	THICK Set Cement KANGAS CORPORATION COMMIS  KIL-SEAL 5 POLISH MAR 19 2008	.36*	234.00
1118 A	200 *	GEL FIUSH CONSERVATION DIVISE WICHITA, KS	. 14 **	28.00
5407	7.15 TONS	Ton Milegge BULK TRUCK	M/c	275.00
4404		4/2 Top Rubbee Plug	40.00	40.00
4129		41/2 Top Rubber Plug 41/2 Central wer	36-00	36.00
4156		41/2 FIAPPER Value FRONT Shoe	208.00	208.00
			Sub Total	3651.50
		THANK 6.3%	SALES TAX	154.31

ESTIMATED TOTAL

AUTHORIZATION CALLED By Mike Cokenan TITLE Co. Rep

DATE\_