

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

### Form ACO-1 October 2008 ORIGINAI

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 4952	API No. 15 - 051-25874-00-00
Name: Starr F. Schlobohm <del>Oil Operations 1</del>	Spot Description:
Address 1: 10 Greenleaf Drive	E2 -E2 -NW -SW Sec. 13 Twp. 13 S. R. 17 ☐ East  Wes
Address 2:	1980 Feet from North / South Line of Section
City: Wolfeboro State: NH Zip: 03894 + 4 2 2 6	1000 Feet from East / 🙀 West Line of Section
Contact Person:John Driscoll	Footages Calculated from Nearest Outside Section Corner:
Phone: (785) 483-9580	□ NE □ NW □ SE □ SW
CONTRACTOR: License # 33905	County: Ellis
Name: Royal Drilling, Inc.	Lease Name: Scheck Well # 1
Wellsite Geologist: Francis Whisler KANSAS CORPORATION COMMISSION	Field Name: Wildcat
Purchaser:	N Producing Formation:
Designate Type of Completion: JUL 1 6 2009	Elevation: Ground: 2011' Kelly Bushing: 2018'
✓ New Well Re-Entry	Total Depth: 3600' Plug Back Total Depth:
New Well Re-Entry RECEIVED	Amount of Surface Pipe Set and Cemented at: 1178 Fee
GasENHRSIGW	Multiple Stage Cementing Collar Used? Yes No
CM (Coal Bed Methane) Temp. Abd.	If yes, show depth set: Feel
Dry Other	If Alternate II completion, cement circulated from:
(Core, WSW, Expl., Cathodic, etc.)	
If Workover/Re-entry: Old Well Info as follows:	feet depth to:w/
Operator:	Drilling Fluid Management Plan
Well Name:	(Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content: 42,000 ppm Fluid volume: 400 bbls
Deepening Re-perf Conv. to Enhr Conv. to SWD	Dewatering method used: Allow to dry and backfill
Plug Back:Plug Back Total Depth  Commingled Docket No	Location of fluid disposal if hauled offsite:
	Operator Name:
	Lease Name: License No.:
Other (SWD or Enhr.?) Docket No.:	Quarter Sec TwpS. R
Spud Date or Date Reached TD Completion Date or	County: Docket No.:
Recompletion Date Recompletion Date	Docket No.
INSTRUCTIONS: An original and two copies of this form shall be filed with a Kansas 67202, within 120 days of the spud date, recompletion, workover or coperate of side two of this form will be held confidential for a period of 12 months if requitiality in excess of 12 months). One copy of all wireline logs and geologist well BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form	Inversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information uested in writing and submitted with the form (see rule 82-3-107 for confiden- Il report shall be attached with this form. ALL CEMENTING TICKETS MUST m with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regulate the are complete and correct to the best of my knowledge.	ne oil and gas industry have been fully complied with and the statements herein
Signature: The signature of the signatur	KCC Office Use ONLY
Title: Agent / Date: 7/14/2009	
Subscribed and sworn to before me this 15th day of July	Letter of Confidentiality Received
20 09 .	, If Denied, Yes Date:  Wireline Log Received
	Geologist Report Received
Notary Public: Cheryl Nr. Payne	UIC Distribution
Date Commission Expires: August 30, 3011	
A NOTARY PUBLIC	- State of Kansas M. PAYNE ターシロー

#### Side Two

Operator Name: Starr F	. Schlobohm Oil	Operation	ons	Lease N	lame:	Scheck		Well #:1		
Sec. 13 Twp. 13 S. R. 17 East West				County:	Ellis					
NSTRUCTIONS: Show ime tool open and closed recovery, and flow rates is surveyed. Attach final ge	d, flowing and shut- f gas to surface test	in pressui i, along w	res, whether sh	nut-in press	ure reac	hed static level,	hydrostatic p	ressures, bottom l	hole temperature, fluid	
Orill Stem Tests Taken	-4-1	Ye	s 📝 No		Lo	g Formatio	n (Top), Deptl	and Datum	✓ Sample	
(Attach Additional She	•		s $\square$ No		Name			Top	Datum + 844	
Samples Sent to Geological Survey  Cores Taken  Electric Log Run  (Submit Copy)  Yes  No  Yes  No				Anhydrite Topeka Heebner			1174 3002	- 984		
							3248	-1230		
•					Toron	o		3270	-1252 -1279	
ist All E. Logs Run:					Lansi	ng-KC		3297		
						Kansas City		3522	-1504	
						glomerate al Depth		3549 3600	-1531 -1582	
			CASING I		✓ Ne	w Used				
				· · · · · · · · · · · · · · · · · · ·		rmediate, product		# C1	To a sed Decemb	
Purpose of String	Size Hole Drilled		e Casing (In O.D.)	Weig Lbs./		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
Surface	12 1/4"	8	3 5/8"	23		1178'	60/40 Poz	450	3% CC, 2% Gel.	
			ADDITIONAL	CEMENTIA	IG / SOL	EEZE RECORD				
Purpose:	Denth			#Sacks		EEZE RECORD		ind Percent Additives		
Perforate Protect Casing Plug Back TD Plug Off Zone	Perforate Top Bottom Type of Section Type of S		#SdCKS	Oseu		туре с	THE PERCENT AUGUST.			
Shots Per Foot	Shots Per Foot PERFORATION RECORD - Bridge Plugs Se Specify Footage of Each Interval Perforate				Set/Type Acid, Fracture, Shot, Cement Squeeze Record ted (Amount and Kind of Material Used)				rd Depth	
								-41-44		
TUBING RECORD:	Size:	Set At:		Packer Al	i:	Liner Run:	Yes	] No		
Date of First, Resumed Pro	oduction, SWD or Enh	г.	Producing Meth	nod:	Flowing	Pumpi			ner (Explain)	
Estimated Production Per 24 Hours	Oil E	bls.	Gas	Mcf	Wate	,	Bbls.	Gas-Oil Ratio	Gravity	
DISPOSITION	OF GAS:		٨	METHOD OF	COMPLE	TION:		PRODUCT	ION INTERVAL:	
Vented Sold	Used on Lease		Open Hole [	Perf. [	Dually	Comp. Co	mmingled ·			

# ALLIED CEMENTING CO., LLC. 038435

	SERVICE POINT:					
the distributed and contract of the same o		CALLED OUT		JOB START	JOBFINISH	
DATE 6 30-09 13 13	17w		Bookeys (8) 16. Jul	3 00 Am	13 30A	
LEASE SCUECK WELL	LOCATION UT	ONIN & 7 10.	3/	COUNTY ELLTS	STATE	
OLD OR NEW (Circle opeder to mean	ilens andmonales (2)	What Esnis	Mi 104 JUSTER		<del>i de la delectra de la colo</del> La compania de la colonia de	
Challeng and theorem in Little the tested of the	Thursday of the	The state of the Market	Property and the	-	a i natedido abi√y	
CONTRACTOR COVER		OWNER	<del></del>		<u> </u>	
HOLESIZE TO		CEMENT	elektrigeren Bantigeren.	Alle A. S. M. A. S. C.	i i kariji (kirgara). Tangan menangan	
CASINGISIZE SE SE DEF		AMOUNT ORDI	ERED 4/50	36/16 3	200	
TUBINGSIZE) (4) South DEF					CEC .	
DRIE DIPE metallication of the transit of DEF		un elemente espela estas per la compania de la compania del compania de la compania de la compania del compania de la compania del la compania de la compani	green ar armed		100 200 200 200 200 200 200 200 200 200	
DEF		<u>no</u> nel ar aktil <del>jans (rijk</del>		dospular (d.)		
APKES MAXILLE SHOWN SHOW	DE JOINT 42 40	<del>,</del>				
DEMENTILEPT IN CSC.						
PERFS: moderned and accomplete to the		CHEORIDE				
DISPLACEMENTON	382 Comment	ASC				
				_		
EQUIPMENT		A STATE OF THE KANSAS CORP	ORATION COMMISSION	@		
PUMPTRUCK CEMENTER		and the control of th	Sighted operation	<u>.</u> @		
(1) 10 10 10 10 10 10 10 10 10 10 10 10 10	bul	The Application of the state of	1 6 2009 Paris	<u>'</u> '@	<del></del>	
BULKTRUCK		REC	FIVEN	-	(Britana a Green Storen) Balance	
# Long US/ DRIVER IN JAS			Store to the state of the state		A STATE OF THE STA	
BULK TRÚCK				_ @	1, 1	
HALLES OF BOTH DRIVER BUT TO AND			(Notice ( )	· @		
Title Title stocker to the Harry to the Harr	Selection of the select	MILEAGE	យន្តសាស្ត្រាធិន្ត្រ	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	345 • 55 15 15.J.	
REMARKS:	Mary to the territory			TOTAL		
akirkatarang populasi residik tokasi sesa sa sa	inalversum tendert H	of the state of th	ginativa ya g <b>⊘sua</b> as <b>a</b> zena, ya		rij <del>a siriya iya da da ba</del> Sanara kara	
HARLES THE STATE OF THE SHEET	outer of the correct	4.17	SERVIC	C <b>B</b> a Mixte and	in in actual nelli bli Social <b>avadnim</b> a i sevin	
A CONTROL OF THE PROPERTY OF T	by earth asposettly a train gray.		. <del> </del>		ing i san karanga jayar. Mananan kanga jayar	
N. C. A. C.		DEPTH OF JOB				
Show Hall (1994) The state of t	rakidann tokunik			jugarowa ayo	maskistak (in	
Con actings) Quiesco mando de Actividado	randi Marie estrict se	EXTRA FOOTAG	<b>3E</b>	_@		
nwegoninosous a sebusinga da grand	nai tealaí les ens m	MIDEAGE	ne mersmin.	<u> </u>		
the manifest that the profit is a straightful to the street affects to	1770年高度日報 ( <b>2000</b> 年) 47月	计可能的复数形式数数 在實施 医自由合	o exhibitations		ing and the second of the seco	
manuladranica definiçãos vertiras estrataram	intrastrant at about to	Walifar Bananer & dr.	A. A. A. A. H. W. J. 14	_		
CHARGE TO STATER I SOL	TERNIM ATT	od transport party oan	la <b>mak</b> e da pera sare		7 (a. 4)	
Topics and the second s	2 Partie State Comment	zogastami restricts (f.)	ilk aggent	COTAL	and aid aid	
Aggreeapeach ain an		The second section is the second seco	The Mark State of the Control of the	and the second s	<u>ं वर्ष</u> ाहराहर	
CITY manter la manisaSTATE	ZIP	ا ها در در در داد و در این از در	erre de la secono d La secono de la secono dela secono de la secono dela secono de la secono dela secono dela secono de la secono dela secono de la secono dela secono dela secono de la secono de la secono dela secono de la secono de la secono de la secono de la sec	<b>ा</b> त्रमानुहरू		
	A CONTRACTOR OF THE CONTRACTOR	PL	UG & FLOAT	<b>EQUIPMEN</b>	T in the second	
	en de la companya de La companya de la co	8%	nausen antono in 1985 (ili.)	ermans i ingg	ju tro flestjiro. Najvija postava	
ners aclaus magnicial and configuration	tank od in Hagi san	and the second of the second of		@	Adam in	
de de la	merinanikadi, menjer	TO SO I have something to the	alkana a tal <b>ana</b>	,@ <u> </u>	<u>(in 2014) (in 2</u>	

## ALLIED CEMENTING CO., LLC. 037543

REMIT TO P.O. B	OX 31 ELLA KANSAS 676	<b>65.</b>	eya Atali	SERVICE POINTS					
<b>milio</b> lo linual, esc	iv two fift is a way and	halipak das (b.)	States and se	Martegrations and and a	ein tede videnti. Zev	Harring are to the contract			
DATE 7-4-09	SECULIA TWP	RANGEUL DE LES	CALLED OU	TELLO SE ON LOC	ATION JOB STA	RT JOB FINISH			
LBASEL COLL	WELL#	LOCATION VICTOR	a Ks	35211	COUNT	STATE			
OLD OR NEW Ci	rcle one)	v des en	:W-1231 C	AND IN	14:0 211	3 10000			
X percont per annum		Down 5			<u></u>	y (Ao) (B) (A) (B) (B) (B) (B) (B) (B) (B) (B) (B) (B			
	RoyaL LALC	i Kight of	OWNE	R	a sala agrada arras	sin and the second			
TYPE OF JOB K			i on en	ia pribatina vija i	erenga kuuh sagga				
HOLE SIZE	Se I.D	. <u> </u>	CEME	ាស្រាល់ នៃស្រាស់ នេះ នេះ នេះ នេះ នេះ ស្រាស់ និង សាសា	100 69	12 21 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
TUBING SIZE	Panesson DE		<u> </u>	NI URDEKED	1000	O Tolel			
DRILL PIPE		TH Akov		14 TO	- Sicarin ( Mi	<u>*                                    </u>			
The contract of the contract o		YTH o	<u> </u>	<u> Marie Marie de la companie de la c</u>	<u>a Sera Allias Viener Aviet</u> a composito de la Carlo	<u> 1948 (S. J. Star Carlotter)</u> Language (S. Star Star Star Star Star Star Star Star			
* 121 August 12 Co.	l'ancora de la Mil		_ COMM	i <b>ON</b> agairthac areil ag	e e e e e e e e e e e e e e e e e e e	and the state of t			
MEAS. LINE		DE JOINT	POZMI	7 7	CUM @ 200	T BATHE TOWARD AND THE			
CEMENT LEFT IN	CSGA 3	that ka Humai.	GEL	CONTINU COMMI	500 CQ F1				
PERFS! 10 500 50	will make the below to me	Associate Hestolar	CHLO	SCOPPONIA.	- 2 10K, MA @ 12 16 20	Daniel Bergerater gates			
DISPLACEMENT	disputation to the second	industrial line	_ ASC	2 6 5 Jan	3 24.1 AD4@ 31.4	anti-transportation			
	EQUIPMENT			JUL	@	1 Martin Sec			
nicustalenere neverste 2		MAN COMPANIES OF STREET	tir, ildisawar	HECEIN	<u> </u>	TYDAMACH I I I I			
PUMP TRUCK (	CEMENTER (7)		Baltin Literation	a versija seja er stotot	(A) (SEE 181 (O) 18 A	Machine Build			
	HELPER Rand	, <i>(2</i>	<del>ଟ୍</del> ଟିଆ (ଜନ୍ମ ଓଡ଼ିଶାର ଅନ୍ତର୍ ଆଧାର ଅ <mark>ବସ୍ଥାନ ଅ</mark> ଧାର	i din din di Santa ani dare. Taliana	<u> </u>	inn - m cro - m - m as an			
BULKTRUCK		telika a Chisaan Kushakad		arus de republicado. Arus combinarios de la como de la combinación de la combinación de la combinación de la combinación de la comb	<u> </u>	138 Example Season			
		Name OL	er recurrencia. La la Green discor	MERUHA MAKUTA PARAMENTAN	<u> </u>	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
BULK TRUCK			<u> </u>	THE STATE OF THE S	@`				
#LIFTIA discount	DRIVER	Same of this England.	- HANDI	Arkines "Diebs debs	<b>@</b>	in the second			
in the second	partial serves of the	Service Day - American	MIĽEA			A FEE PLOTE WATER			
	REMARKS:		MITLE	M THEATEN	JARSHUH MEME	A MANAGER			
Original Constitution	nes <b>tio</b> palities to the	is the server of the aim	in ago a <b>gan</b> .			TAL			
teal year terminality	Z ( 12.35	og distance i som	Deal College	A Sopolinde Claim	We have jet Cal	and the barrely and the			
700 C	E GOOD	to a series	在是對時間	professional transf	SERVICEO orbi	क्षेत्रक्षा हुन्यक्षित्रक्षात् क्षेत्रक्ष			
	K @ 800			AND LOS		<del>ार्के हे हे है हम्मुबंदिशका कर्ने क</del>			
MINEYE'S TIS				OF JOB	T	<del></del>			
153 3		Ide	PUMP FYTD A	FOOTAGE	East with some				
en ring from a sec	Partie no some sur	race drawn or entire.		GE Combines a	O SEA	on the Maria Helicania. On the Maria Maria Maria			
ika esperinteratura	ก็สนมและกระที่ย พุธเคลม	/ HANK'S			Mosters along the co				
	iiidan ka ka ka s		dediling with	AR DOWNER of the	tarest eroasum.	A PARK TO A STATE OF THE STATE			
serif when perfining	inusc aldiometh est	The algorithm and the	Page to allege	e. Melat polos perkidente (K. E.).	3.17.10	en e			
CHARGE TO-57		PPARAUL ()	•, 10 May 1884	om tycar oill so	्रकारीक जिल्लामा अस्ति ।	1 ( ) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
data dan kana	her die een Stan	TEO COMMON OF	established to	Decide at Kill of the	latinka sedan <u>asi</u>	<u> </u>			
STREET -	ral salunio nauga amb per	TRAIDAL RAGA COST O	al erwan er	. १५६ - बोह्मक १४५ भरू	om Gal $_{ m col} M_{ m col}^{10}$	TAL			
CITY	STATE	71D			12.0	west indusor.			
	<del>nation of the things of the second of the s</del>	ZIP	a shangan	PLUG &	FLOAT EQUIP	MENT			
			85%	Day Hoke Para	वातास्था के एकाञ्च	er operet for known file of			
	onaliani izanskih sicis	spod by at the resource	denti de la familia	- Ayrore 109					
nugikk (*131:644)	distribution or construction	respondent and respond	The statement of	nggan kabupat atau atau					
TriAtlied Cementi	no Co VII	showatter bus spike	er en <del>en en e</del>	ornation commission for sh		Television for the American			
A TOTAL OF THE STATE OF THE STA		er en et al de la companya de la co En en esta de la companya de la comp	1 The state of	ori in the second of the secon					