

## KANSAS CORPORATION COMMISSION JUL 2 8 2009 OIL & GAS CONSERVATION DIVISION

## **RECEIVED**

Form ACO-1 October 2008
Form Must Be Typed

### **WELL COMPLETION FORM**

|      |           |               | <del>-</del>    |
|------|-----------|---------------|-----------------|
| WELL | . HISTORY | - DESCRIPTION | OF WELL & LEASE |

| OPERATOR: License # 34038  | API No. 15 - 101-22174 ~0600  |
|--|---|
| Name: Flatirons Resources LLC  | Spot Description:   |
| Address 1: 303 E. 17th Ave Suite 940   |   |
| Address 2:   | 1250 Feet from A North / South Line of Section  |
| City: State: Zip:80203+  |   |
| Contact Person: Jeffery Jones  | Footages Calculated from Nearest Outside Section Corner:  |
| Phone: (303) 292-3902 ext 224  | □NE ☑NW □SE □SW   |
| CONTRACTOR: License # _33575   | County: Lane  |
| Name: WW Drilling LLC  | Lease Name: Schadel Well #: 21-16   |
| Wellsite Geologist: Tim Preist   | Field Name: Wildcat   |
| Purchaser: None  | Producing Formation: None   |
| Designate Type of Completion:  | Elevation: Ground: 2768 Kelly Bushing: 2773   |
| New Well Re-Entry Workover   | Total Depth: 4570 Plug Back Total Depth:  |
| Oil SIOW   | Amount of Surface Pipe Set and Cemented at: 253 Feet  |
| Gas ENHR SIGW  | Multiple Stage Cementing Collar Used? Yes No  |
| CM (Coal Bed Methane) Temp. Abd.   | If yes, show depth set:Feet   |
| Dry Other  |   |
| (Core, WSW, Expl., Cathodic, etc.)   | If Alternate II completion, cement circulated from:   |
| If Workover/Re-entry: Old Well Info as follows:  | feet depth to:w/sx cmt.   |
| Operator:  | Drilling Fluid Management Plan  |
| Well Name:   | (Data must be collected from the Reserve Pit)   |
| Original Comp. Date: Original Total Depth:   | Chloride content: 6900 ppm Fluid volume: 850 bbls   |
| Deepening Re-perf Conv. to Enhr Conv. to SWD   | Dewatering method used: Air dry-back  |
| Plug Back: Plug Back Total Depth   | Location of fluid disposal if hauled offsite:   |
| Commingled Docket No.:   | Oncombo Novo  |
| Dual Completion Docket No.:  | Operator Name:  |
| Other (SWD or Enhr.?) Docket No.:  | Lease Name: License No.:  |
| 6/25/09 7/2/09 7/2/09  | QuarterSecTwpS. R East West   |
| Spud Date or Date Reached TD Completion Date or Recompletion Date  | County: Docket No.:   |
| INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover or copy of side two of this form will be held confidential for a period of 12 months if requirality in excess of 12 months). One copy of all wireline logs and geologist we BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 for All requirements of the statutes, rules and regulations promulgated to regulate the | onversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information nuested in writing and submitted with the form (see rule 82-3-107 for confidential report shall be attached with this form. ALL CEMENTING TICKETS MUST m with all temporarily abandoned wells. |
| are complete and correct to the best of my knowledge.  |   |
| Signature: Date: 7/24/09   | KCC Office Use ONLY  Letter of Confidentiality Received   |
| Subscribed and sworn to before me this 24 today of   | If Denied, Yes Date:  |
| 20 09.   | NOTARY Wireline Log Received  |
| Notary Public: 13 Kailly   | Geologist Report Received   |
| Date Commission Expires: 3-28-10/  | PUBLIC OF   |
| <b>V</b>   | CO C  |

#### Side Two

| Operator Name: Flatirons Resources LLC  |                          |  | Lease Name: Schadel Well #: 21-16 |   |                               |              |                     | 16                      |
|---|--------------------------|--|-----------------------------------|---|-------------------------------|--------------|---------------------|-------------------------|
| Sec. 16 Twp. 10   | 6 S. R. 30               | ☐ East   | County                            | Lane                                    |                               |              |                     |                         |
| time tool open and clo<br>recovery, and flow rate   | sed, flowing and shut-   | base of formations pen<br>in pressures, whether s<br>t, along with final chart(<br>port. | hut-in press                      | sure rea                                | ched static level,            | hydrostatic  | pressures, bottom i | hole temperature, fluid |
| Drill Stem Tests Taken  | ☑ Yes ☐ No               |  |                                   | og Formatio                             | n (Top), Dep                  | th and Datum | ✓ Sample            |                         |
|   |                          | ☐ Yes ☑ No   |                                   | Nam<br>Anhy                             | e<br>drite- top               |              | Top<br>2194         | Datum<br>583            |
| Cores Taken<br>Electric Log Run   |                          | ☐ Yes  |                                   | Hebn<br>Lansi                           | er                            |              | 3828<br>3867        | -1051<br>-1090          |
| (Submit Copy)   |                          |  |                                   | Marm                                    |                               |              | 4230                | -1453                   |
| List All E. Logs Run:  Microresistivity, Dual Compensat  Dual Induction, Borehole Compe                         |                          |  |                                   | John<br>Missi                           | son<br>ssippian               |              | 4431<br>4470        | -1654<br>-1693          |
|   |                          | CASING   | RECORD                            | ✓ Ne                                    | <del></del>                   |              |                     |                         |
| Purpose of String   | Size Hole                | Report all strings set-o   | Weig                              | jht                                     | ermediate, product<br>Setting | Type of      |                     | Type and Percent        |
| Surface   | 12 1/4"                  | Set (In O.D.)<br>8 5/8"  | Lbs./                             | *************************************** | Depth<br>253                  | Cemen        | 170                 | Additives  3% cc, 2%gel |
| Junace  | 12 1/4                   | 0 3/0  | 25#                               |   | 255                           | Common       | 170                 | 078 CC, 270ger          |
|   |                          |  |                                   |   |                               |              |                     |                         |
|   | I                        | ADDITIONAL   | CEMENTIN                          | IG / SQL                                | L<br>JEEZE RECORD             | <b>1</b>     |                     |                         |
| Purpose: Perforate  | Depth<br>Top Bottom      | Type of Cement   |                                   | Used                                    | Type and Percent Additives    |              |                     |                         |
| Protect Casing Plug Back TD Plug Off Zone   |                          |  |                                   |   | 1,1                           |              |                     |                         |
| Flug Oil 201le  |                          |  |                                   |   |                               |              |                     |                         |
| Shots Per Foot  |                          | N RECORD - Bridge Plug<br>ootage of Each Interval Perf                                   |                                   |   |                               |              | ment Squeeze Recor  | rd Depth                |
|   |                          |  |                                   |   |                               |              | KANSAS COR          | PORATION COMMISSION     |
|   |                          |  |                                   |   |                               |              |                     | L. 2 8 2009             |
|   |                          |  |                                   |   |                               |              |                     |                         |
|   |                          |  |                                   |   |                               |              | RE                  | CEIVED                  |
|   |                          |  |                                   |   |                               |              |                     |                         |
| TUBING RECORD:  | Size:                    | Set At:  | Packer At                         | :                                       | Liner Run:                    | Yes [        | ] No                |                         |
| Date of First, Resumed  | Production, SWD or Enhr. | . Producing Meth   | iod:                              | ] Flowing                               | g 🔲 Pumpir                    | ng 🔲 G       | as Lift             | er (Explain)            |
| Estimated Production<br>Per 24 Hours  | Oil Bi                   | ols. Gas   | Mcf                               | Wate                                    | er B                          | bls.         | Gas-Oil Ratio       | Gravity                 |
| DISPOSITIO  | ON OF GAS:               | h.   | IETHOD OF                         | COMPI S                                 | TION                          |              | PPODITOTA           | ON INTERVAL:            |
| DISPOSITION OF GAS:  METHOD OF COMPLETION:  PRODUCTION INTERVAL:  PRODUCTION INTERVAL:  Dually Comp. Commingled |                          |  |                                   |   | OIV HVI ERVAL.                |              |                     |                         |
| (If vented, Submit ACO-18.)   |                          |  |                                   |   |                               |              |                     |                         |

# QUALITY OLWELL CEMENTING, INC.

|  | The second section of the section  |
|--|--|
|  | ox 32 Russell, KS 67665 No.  |
| Cell 785-324-1041  | County State On Location Finish  |
| Date 6/85/04 16 16 30  | County State on Collation 7:30 PM  |
| 24.0   | ion of the first o |
| The second of th | Owner  |
| Type Job   | To Quality Oilwell Cementing, Inc.   |
| Hole Size T.D.   | You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.   |
| Csg. Depth   | Charge Charling Resolutes - LLS  |
| Tbg. Size Depth  | Street   |
| Drill Pipe Depth   | City State   |
| Tool Depth   | The above was done to satisfaction and supervision of owner agent or contractor.   |
| Cement Left in Csg. Shoe Joint   | CEMENT   |
| Press Max. Minimum   | Amount Ordered 1700 Com 21456 24 44  |
| Meas Line Displace 54  | Common 1700 10,00 1700,00  |
| Perf.  | Poz. Mix   |
| EQUIPMENT No Cementer  | Gel. 3(0) 17, 00 5/- 00  |
| Pumptrk Helper Total   | Calcium 6 6, 42. 00 252, 00  |
| Bulktrk No. Driver Driver  | Mills KANSAS CORPORATION COMMISSION  |
| Bulktrk Driver ( FECT M)   | Sale   |
| JOB SERVICES & REMARKS   | Flowseal <b>JUL 2 8 2009</b>   |
| Pumptrk Charge SFC 400.00  | RECEIVED   |
| Mileage 42(0)6.00 252.00   |  |
| Footage  | 170 0176 718 26  |
| Total 652. 00  | Handling //9 6 //9 3/3-25  |
| Remarks:   | Mileage 300 - 00   |
| Control of the second  | Pump Truck Charge 692-00   |
|  | FLOAT EQUIPMENT Guide Shoe   |
| Citchair.  | Centralizer  |
| and the statement with the first contract and the statement of the stateme | Baskets to a local base of approvidence and existing a secretarial   |
| THE RESIDENCE TH | AFU Inserts 1997 1997 1997 1997 1997 1997 1997 199   |
| The same of the sa |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
| 100  | Rotating Head  |
| 100  | Rotating Head Squeez Mainfold  |

DEFINITIONS: In these terms and conditions, "Quality" shall mean Quality Oilwell Cementing, Inc., and "Customer" shall refer to the party identified by that term on the front of this contract. As applicable, "Job" relates to the services described on the front side of this contract, "merchandise" refers to the material described on the front of this contract and to any other materials, products, or supplies used, sold, or furnished under the requirements of this contract.

ENERAL TERMS AND CONDITIONS

- TERMS: Unless satisfactory credit has been established, "CUSTOMER" must tender full cash payment to "QUALITY" before the job is undertaken or merchandise is delivered. If satisfactory credit has been established, the terms of payment for the job and/or merchandise, including bulk cement, are net cash, payable in 30 days from the completion of the job and/or delivery of the merchandise. For all past due invoices, "CUSTOMER" agrees to pay interest on computer in piced at a rate of 18 percent per annum until paid. Notwithstanding the foregoing in no event shall this Contract provide for interest exceeding the maximum rate of interest that "CUSTOMER" may agree to pay under applicable law. If any such interest should be provided for, it shall be and hereby is deemed to be a mistake, and this contract shall be automatically reformed to lower the rate of interest to the maximum legal contract rate, any amounts previously paid as excess interest shall be deducted from the amounts owing from the "CUSTOMER" or at the option of "QUALITY," refunded directly to "CUSTOMER." For purposes of this paragraph, QUALITY and CUSTOMER agree that KANSAS law shall apply. Any discounts granted with this contract are null and void if the charges are not paid when due.
- ATTORNEY FEES: In any legal action or proceeding between the parties to enforce any of the terms of this Service Contract, or in any way pertaining to the term of this Contract, the prevailing party shall be entitled to recover all expenses, including, but not limit to, a reasonable sum as and attorney's fees.
- PRICES AND TAXES: All merchandise listed in "QUALITY'S" current price shall schedule are F.O.B. QUALITY'S local station and are subject to change without notice. All prices are exclusive of any federal, state, local, or special taxes for the sale or use of the merchandise or services listed. The amount of taxes required to be paid by QUALITY shall be added to the quoted prices charged to CUSTOMER.
- TOWING CHARGES: QUALITY will make a reasonable attempt to get to and from each job site using its own equipment. Should QUALITY be unable to do so because of poor or inadequate road conditions, and should it become necessary to employ a tractor or other pulling equipment to get to or from the job site, the tractor or pulling equipment will be supplied by CUSTOMER or, if furnished by QUALITY, will be charged to and paid by CUSTOMER.
- PREPARATION CHARGES: If a job and/or merchandise is ordered and CUSTOMER cancels the order after preparation of a chemical solution or other material, CUSTOMER will pay QUALITY for the expenses incurred by QUALITY as a result of the cancellation.
- DEADHAUL, CHARGES: Unless otherwise specified on the front of this Contract, a deadhaul charges as set forth in QUALITY'S
  current price book will be charged each way for each service unit which is ordered by CUSTOMER but not used.
- SERVICE CONDITIONS AND LIABILITIES: 1. QUALITY carries public liability and property damage insurance, but since there are so many uncertain and unknown conditions beyond QUALITY'S control, QUALITY shall not be liable for injuries to property or persons or for loss or damage arising from the performance of the job or delivery of the merchandise. Customer shall be responsible for and indemnify, defend, and hold harmless QUALITY, its officers, agents and employees, from and against any and all claims or suits for:
- (A) Damage to property or for bodily injury, sickness, disease, or death, brought by any person, including CUSTOMER and/or the well owner; and:
- (B) Oil spills, pollution, surface or sub-surface damage, injury to the well, reservoir loss, or damage arising from a well blowout arising out of or in connection with QUALITY'S performance of the job or furnishing of merchandise in accordance with this contract, unless such loss or damage is caused by the willful misconduct or gross negligence of QUALITY or its employees.
- 2. With respect to any of QUALITY'S tools, equipment, or instruments which are lost in the well or damaged when performing or attempting to perform the job or, in the case of marine operations, are lost or damaged at any time after delivery to the landing for CUSTOMER and before return to QUALITY at the landing, CUSTOMER shall either recover the lost item without cost to QUALITY or reimburse QUALITY the current replacement cost of the item unless the loss or damage results from the sole negligence of QUALITY or its employees.
- 3. QUALITY does not assume any liability or responsibility for damages or conditions resulting from chemical action in cements caused by contamination of water or other fluids.
- WARRANTIES: 1. QUALITY warrants all merchandise manufactured or furnished by it to be free from defects in material and workmanship under normal use and service when installed, and used, and/or serviced in the manner provided and intended. QUALITY'S obligation under this warranty is expressly limited to repair replacement, or allowance for credit, at its option, for any merchandise which is determined by QUALITY to be defective. THIS IS THE SOLE WARRANTY OF QUALITY AND NO OTHER WARRANTY IS APPLICABLE, EITHER EXPRESS OR OTHERWISE IMPLIED, IN FACT OR IN LAW, INCLUDING ANY WARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE, CUSTOMER'S sole and only remedy with regard to any defective merchandise shall be the repair or replacement thereof or allowance for credit as herein provided, and QUALITY shall not be liable for any consequential, special, incidental, or punitive damages resulting from or caused by defective materials, products or supplies.
  - 2. More specifically:
- (A) Nothing in this contract shall be constructed as a warranty by QUALITY of the success or the effectiveness of the result of any work done or merchandise used, sold, or furnished under this contract.
- (B) Nothing in this contract shall be construed as a warranty of the accuracy or correctness of any facts, information, or data furnished by QUALITY or any interpretation of test, meter readings, chart information, analysis or research, or recommendations made by QUALITY, unless the inaccuracy or incorrectness is caused by the willful misconduct or gross negligence of QUALITY or its employees in the preparation or furnishing of such facts, information or data.
- (C) Work done by QUALITY shall be under the direct supervision and control of the CUSTOMER or his agent and QUALITY will accomplish the job as an independent contractor and not as an employee or agent of the CUSTOMER.

# QUALITY OILWELL CEMENTING, INC.

| Phone 785-483-2025<br>Cell 785-324-1041  | Home Office P.O. E   | Box 32 Russell, KS 67665 No. 240   |
|--|--|--|
| Cell 765-324-1041  | Twp. Range   | County State On Location Finish  |
| Date 7/5/35 115  | 304  | 11:00 FM   |
| Lease  | Vell No. Loca  | tion Anna - Was Plant  |
| Contractor W W C.  | A 10   | Owner  |
| Type Job   |  | To Quality Oilwell Cementing, Inc. You are hereby requested to rent cementing equipment and furnish  |
| Hole Size  | T.D. 4570  | cementer and helper to assist owner or contractor to do work as listed.  |
| Csg.   | Depth  | Charge To  |
| Tbg. Size  | Depth  | Street   |
| Drill Pipe   | Depth  | City   |
| Tool   | Depth  | The above was done to satisfaction and supervision of owner agent or contractor.   |
| Cement Left in Csg.  | Shoe Joint   | CEMENT   |
| Press Max.   | Minimum  | Amount Ordered 2 10- (-) /10 1.0%  |
| Meas Line  | Displace   | Common   |
| Perf.  |  | Poz. Mix   |
| EQUIPI   | /ENT   | Gel.   |
| Pumptrk / No. Cémenter / Helper  |  | Calcium KANSAS CORPORATION COMMISSION  |
| Bulktrk No. Driver Driver  | X - 2 G X  | Mills  |
| Bulktrk No. Driver C.  | > ,>.4   | Salt. JUL 2 8 2009   |
| JOB SERVICES   | & ŘEMARKS  | Flowseal RECEIVED  |
| Pumptrk Charge   |  |  |
| Mileage  |  |  |
| Footage  |  |  |
| Same and the same of the same  | Total  | Handling   |
| Remarks:   | 3 Jan 1942 30 - 1  | Mileage  |
|  | 4  | Pump Truck Charge  |
|  | Company of the Property of the | FLOAT EQUIPMENT  |
| and Harmabal year  | 4 - cro' + 50-   | Guide Shoe   |
| Sta in a   | 1. 1.01 - 20.  | Centralizer  |
| AND A SHARE OF THE OWNER OF THE OWNER.   | ans period a home in our till be   | Baskets success Edu Acadomic dende as area con partitional method partitions   |
| 5-50 - ANGEL SERVICE S |  | 'AFÚ Inserts' Desta de la collègica valus que la necesión de la collègica de l |
|  |  |  |
|  |  |  |
|  |  |  |
| 1000   |  |  |
| · · · · · · · · · · · · · · · · · · ·  |  | Rotating Head  |
| The second second  |  | Squeez Mainfold  |
| 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1  | A CONTRACTOR OF THE STATE OF TH | Tax  |
| 711  | and the state of t | The first of the second of the property of the Discount of the |
| X<br>Signature   | The state of the s | Total Charge   |

### ENERAL TERMS AND CONDITIONS

DEFINITIONS: In these terms and conditions, "Quality" shall mean Quality Oilwell Cementing, Inc., and "Customer" shall refer to the party identified by that term on the front of this contract. As applicable, "Job" relates to the services described on the front side of this contract, "merchandise" refers to the material described on the front of this contract and to any other materials, products, or supplies used, sold, or furnished under the requirements of this contract.

- TERMS: Unless satisfactory credit has been established, "CUSTOMER" must tender full cash payment to "QUALITY" before the job is undertaken or merchandise is delivered. If satisfactory credit has been established, the terms of payment for the job and/or merchandise, including bulk cement, are net cash, payable in 30 days from the completion of the job and/or delivery of the merchandise. For all past due invoices, "CUSTOMER" agrees to pay interest on amounts in pice at a rate of 18 percent per annum until paid. Notwith-standing the foregoing in no event shall this Contract provide for interest exceeding the maximum rate of interest that "CUSTOMER" may agree to pay under applicable law. If any such interest should be provided for, it shall be and hereby is deemed to be a mistake, and this contract shall be automatically reformed to lower the rate of interest to the maximum legal contract rate, any amounts previously paid as excess interest shall be deducted from the amounts owing from the "CUSTOMER" or at the option of "QUALITY," refunded directly to "CUSTOMER." For purposes of this paragraph, QUALITY and CUSTOMER agree that KANSAS law shall apply. Any discounts granted with this contract are null and void if the charges are not paid when due.
- ATTORNEY FEES: In any legal action or proceeding between the parties to enforce any of the terms of this Service Contract, or in any way pertaining to the term of this Contract, the prevailing party shall be entitled to recover all expenses, including, but not limit to, a reasonable sum as and attorney's fees.
- PRICES AND TAXES: All merchandise listed in "QUALITY'S" current price shall schedule are F.O.B. QUALITY'S local station and are subject to change without notice. All prices are exclusive of any federal, state, local, or special taxes for the sale or use of the merchandise or services listed. The amount of taxes required to be paid by QUALITY shall be added to the quoted prices charged to CUSTOMER.
- TOWING CHARGES: QUALITY will make a reasonable attempt to get to and from each job site using its own equipment. Should QUALITY be unable to do so because of poor or inadequate road conditions, and should it become necessary to employ a tractor or other pulling equipment to get to or from the job site, the tractor or pulling equipment will be supplied by CUSTOMER or, if furnished by QUALITY, will be charged to and paid by CUSTOMER.
- PREPARATION CHARGES: If a job and/or merchandise is ordered and CUSTOMER cancels the order after preparation of a chemical solution or other material, CUSTOMER will pay QUALITY for the expenses incurred by QUALITY as a result of the cancellation.
- DEADHAUL, CHARGES: Unless otherwise specified on the front of this Contract, a deadhaul charges as set forth in QUALITY'S current price book will be charged each way for each service unit which is ordered by CUSTOMER but not used.
- SERVICE CONDITIONS AND LIABILITIES: 1. QUALITY carries public liability and property damage insurance, but since there are so many uncertain and unknown conditions beyond QUALITY'S control, QUALITY shall not be liable for injuries to property or persons or. for loss or damage arising from the performance of the job or delivery of the merchandise. Customer shall be responsible for and indemnify, defend, and hold harmless QUALITY, its officers, agents and employees, from and against any and all claims or suits for:
- (A) Damage to property or for bodily injury, sickness, disease, or death, brought by any person, including CUSTOMER and/or the well owner; and:
- (B) Oil spills, pollution, surface or sub-surface damage, injury to the well, reservoir loss, or damage arising from a well blowout arising out of or in connection with QUALITY'S performance of the job or furnishing of merchandise in accordance with this contract, unless such loss or damage is caused by the willful misconduct or gross negligence of QUALITY or its employees.
- 2. With respect to any of QUALITY'S tools, equipment, or instruments which are lost in the well or damaged when performing or attempting to perform the job or, in the case of marine operations, are lost or damaged at any time after delivery to the landing for CUSTOMER and before return to QUALITY at the landing, CUSTOMER shall either recover the lost item without cost to QUALITY or reimburse QUALITY the current replacement cost of the item unless the loss or damage results from the sole negligence of QUALITY or its employees.
- 3. QUALITY does not assume any liability or responsibility for damages or conditions resulting from chemical action in cements caused by contamination of water or other fluids.
- WARRANTIES: 1. QUALITY warrants all merchandise manufactured or furnished by it to be free from defects in material and workmanship under normal use and service when installed, and used, and/or serviced in the manner provided and intended. QUALITY'S obligation under this warranty is expressly limited to repair replacement, or allowance for credit, at its option, for any merchandise which is determined by QUALITY to be defective. THIS IS THE SOLE WARRANTY OF QUALITY AND NO OTHER WARRANTY IS APPLICABLE, EITHER EXPRESS OR OTHERWISE IMPLIED, IN FACT OR IN LAW, INCLUDING ANY WARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE, CUSTOMER'S sole and only remedy with regard to any defective merchandise shall be the repair or replacement thereof or allowance for credit as herein provided, and QUALITY shall not be liable for any consequential, special, incidental, or punitive damages resulting from or caused by defective materials, products or supplies.
  - 2. More specifically:
- (A) Nothing in this contract shall be constructed as a warranty by QUALITY of the success or the effectiveness of the result of any work done or merchandise used, sold, or furnished under this contract.
- (B) Nothing in this contract shall be construed as a warranty of the accuracy or correctness of any facts, information, or data furnished by QUALITY or any interpretation of test, meter readings, chart information, analysis or research, or recommendations made by QUALITY, unless the inaccuracy or incorrectness is caused by the willful misconduct or gross negligence of QUALITY or its employees in the preparation or furnishing of such facts, information or data.
- (C) Work done by QUALITY shall be under the direct supervision and control of the CUSTOMER or his agent and QUALITY will accomplish the job as an independent contractor and not as an employee or agent of the CUSTOMER.