


STATE OF KANSAS  
STATE CORPORATION COMMISSION

Give All Information Completely,  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission,  
800 Bittling Building,  
Wichita, Kansas

WELL PLUGGING RECORD  
OR  
FORMATION PLUGGING RECORD

Strike out upper line  
when reporting plugging  
off formations.

NORTH



Locate well correctly on above  
Section Plat

Rooks County. Sec. 8. Twp. 10 Rgd. 18 W. (E) (W)  
Location as "NE 1/4 NW 1/4 SW 1/4" or footage from lines N.W. corner NW 1/4  
Lease Owner Jones Brothers Drilling CO et al.  
Lease Name Wise Well No. 1  
Office Address Cleveland, Okla.  
Character of Well (Completed as Oil, Gas or Dry Hole) Dry.  
Date, well completed 6.7.1937 19.37  
Application for plugging filed June 10 1937  
Application for plugging approved June 10 1937  
Plugging Commenced June 10 1937  
Plugging Completed June 15 1937  
Reason for abandonment of well or producing formation Dry.

If a producing well is abandoned, date of last production 1937  
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Alexander,  
Producing formation Depth to top Bottom Total Depth of Well 3817 Feet  
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
Sand	F. Water	70	100	20"	100'	all
Lime	F. Water	190	255	15 1/2"	879'	680
Sand	H. Salt Water	710	722	12"	1355'	all
Sandy L.	10 B. W.	770	783	10"	1620'	all
Sand	H.F.W.	905	1036	8 1/2"	2927'	all
Sand	H.F.W. Salty	1404	1415	6"	3478'	all
Lime	4 B.W.	2425	2435	5"	3750'	all
water record continued on back:						

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

filled hole with mud from 3817 up to 3750, pulled 2" filled hole with mud up to 3478; started 6" pulled 100', mudded, pulled 6" mudded up to 3000'; started pulled 200', mudded to 2700. pulled 10", mudded hole to 100', mudded 10", filled hole with mud; left in 200' of 15". Put in plug, cement, from 285 to 300. filled hole with mud to base of cellar, put in reinforced concrete plug. mud jetted with steam jet, real thick mud.

PLUGGING  
FILE NO. 8-10-184  
LOG CASE 94-17

(If additional description is necessary use BACK of this sheet)

Correspondence regarding this well should be addressed to Jones Brothers Drilling Co.  
Address Cleveland, Oklahoma

STATE OF KANSAS, COUNTY OF Rooks, ss.  
C. B. Jones (Vice President) (employee of owner) (owner or operator) of the above-described well,  
being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) C. B. Jones

(Address)

SUBSCRIBED AND SWORN to before me this 3rd day of July 1937

George F. Moore  
Notary Public.

My commission expires March 13-1940

Water record Continued:

Formation	Content	From	To
Lime	4 B.W.	2600	2610
Lime	H.F.W.	2653	2663
Sand	3 B.W.	2965	2970
Lime	H.F.W.	3135	3145
Lime	5 $\frac{1}{2}$ B.W.	3225	
Lime	3 B.W.	3275	3284
Lime	1 B.W. per Hr.	3544	
Lime	H. F. W.	3811	3817

15-163-03767-0000

JONES BROTHERS DRILLING CO.  
 N.W. c Sec. 8-10S-18W Rooks Co., Kansas  
 Figures Indicate Bottom of Formations.

Well Log Wise #1

Well Log		Casing Log				
Soil	10	Red Rock	1600	Sand	2980	20" 100'
Yellow Sand	70	Red Shale	1620	3 B.W.	2965-2970	15 1/2" 879'
Soft water Sand	65	Lime, Anhydrite	1640	Black Slate	2997	12" 1355'
Quick Sand & Water	100	Lime	1660	Lime	3020	10" 1620'
Shale	150	Red Rock	1735	Blue Shale	3035	8" 3000'
Blue Shale	185	Blue Slate	1745	Lime	3075	6" 3478'
Blue Slate	190	Red Rock	1875	Blue Shale	3095	5" 3750'
White Lime,	255	Blue Slate	1891	Dark Slate, shells	3135	
Blue Slate, shelly	285	Lime	1893	Lime	3159	
Dark Slate	355	Blue Slate	1915	H.F.W.	3135-3145	
Little Water	275	Red Rock	1920	Blue Slate	3153	
Dark Shale	375	Blue Shale	1965	Black Slate	3176	
Dark Slate	390	Salt	2055	Lime	3179	
Blue Slate	405	Blue Slate & Shells	2075	Shale, Blk & shls	3195	
Blue Shale	465	Lime Shells	2100	Lime	3236	
Dark Shale	500	Lime	2155	5 1/2 B.W.	3225	
Slate Shells	520	Blue Shale	2162	Black Slate	3239	
Brown Shale	530	Red Rock	2175	Lime	3296	
Blue Shale	565	Lime	2180	3 B.W.	3275-3284	
Sandy Shale	575	Gray Lime	2208	Brown Shale	3301	
Light Slate	615	Red Rock	2225	Lime	3410	
Dark Shale	655	White Lime	2265	Shale	3415	
Blue Shale	695	Red Rock	2305	lime	3438	
Dark Sand, 2 B.W..	710	Sandy Shale	2325	Break Red	3444	
Dark Slate	722	White Lime	2410	Lime	3466	
Sand, H.F.W.	735	Red Rock, 4 B.W.	2425	Red Shale	3474	
Sand	744	Lime b	2485	Lime	3490	
Red Rock	755	Blue Shale	2510	Brown Shale	3495	
Brown Shale	770	Lime	2525	Lime	3500	
Sandy Lime, 10 B.W.	783	Red Rock	2539	1 B.W. p Hr.	3544	
Red Shale	805	Lime	2550	Dark Slate	3585	
Red Rock	817	Shells & Red Rock	2580	Lime	3598	
Blue Shale	822	Broken Lime	2610	Dark Shale	3602	
Red Shale	830	4 B.W.	1600-2610	Lime	3630	
Blue Shale	860	Red Rock	2633	Shale	3600	
Sand	890	Lime 26	2650	Lime	3656	
Light Shale	895	H.F.W.	2653-2663	Shale	3663	
Sand, H.F.W.	965	Lime, gray	2663	Lime	3672	
Blue Slate	980	Lime	2685	Red Rock	3692	
Sand	1005	Slate, Blue	2688	Lime	3710	
Blue Slate	1023	Blue Shale	2685	Conglomerit	3715	
Sandy Shale	1035	Lime	2715	Lime, Mississippi	3780	
Sand, Hard	1036	Blue Shale	2721	Red Rock Lime	3787	
Blue Slate	1045	Lime	2727	Green Shale sand	3792	
Blue Shale	1065	Red Rock	2730	Red Shale	3711	
Lime & Brown Sand	1072	Blue Shale	2740	Lime	3817	
Pyrites Shale	1075	Hard Lime	2750	H.F.W.	3811-3817	
Blue Slate	1080	Blue Slate & Shells	2770	Total Depth	3817	
Pyrites Shells	1081	Broken Lime	2805			
Light Shale	1091	Sandy Shale	2868			
Sand	1150	Lime, firm	2842			
White Sand	1195	Light Slate Shells	2868			
Sand	1270	Lime Shell	2872			
Red Sand	1340	Dark Shale	2900			
Red Shale	1404	Blue Slate & Shells	2910			
Red Sandy Shale	1530	Grey Shale	2935			
Water, Salty 1404-1415	1415	Dark Shale	2943			
Red Rock	1342	Blue Shale	2958			
Red Shale	1565	Sandy Shale	2265			

**PLUGGING**  
 FILE SEC. 8-T-10-R-18W  
 BOOK PAGE 94 LINE 17