

Operator Name: Flatirons Resources LLC Lease Name: Ehmke Trust Unit Well #: 13-35
 Sec. 35 Twp. 18 S. R. 30 East West County: Lane

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: Borehole Compensated Sonic, Dual Induction, Microresistivity, Dual Compensated Porosity	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input checked="" type="checkbox"/> Sample <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:70%;">Name</td> <td style="width:15%;">Top</td> <td style="width:15%;">Datum</td> </tr> <tr> <td>Anhydrite- top</td> <td>2212</td> <td>661</td> </tr> <tr> <td>Heebner</td> <td>3922</td> <td>-1049</td> </tr> <tr> <td>Lansing</td> <td>3966</td> <td>-1093</td> </tr> <tr> <td>Marmaton</td> <td>4377</td> <td>-1504</td> </tr> <tr> <td>Pawmee</td> <td>4455</td> <td>-1582</td> </tr> <tr> <td>Ft Scott</td> <td>4496</td> <td>-1623</td> </tr> <tr> <td>Mississippian</td> <td>4584</td> <td>-1711</td> </tr> </table>	Name	Top	Datum	Anhydrite- top	2212	661	Heebner	3922	-1049	Lansing	3966	-1093	Marmaton	4377	-1504	Pawmee	4455	-1582	Ft Scott	4496	-1623	Mississippian	4584	-1711
Name	Top	Datum																							
Anhydrite- top	2212	661																							
Heebner	3922	-1049																							
Lansing	3966	-1093																							
Marmaton	4377	-1504																							
Pawmee	4455	-1582																							
Ft Scott	4496	-1623																							
Mississippian	4584	-1711																							

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4"	8 5/8"	23#	257	Common	170	3% cc, 2%gel

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

KANSAS CORPORATION COMMISSION
 JUL 27 2009
 RECEIVED

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____		Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumed Production, SWD or Enhr. _____	Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) _____	
Estimated Production Per 24 Hours	Oil Bbls. _____ Gas Mcf _____ Water Bbls. _____	Gas-Oil Ratio _____ Gravity _____

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: _____ _____
---	--	--

QUALITY OILWELL CEMENTING, INC.

Phone 785-483-2025
Cell 785-324-1041

Home Office P.O. Box 32 Russell, KS 67665

No. 01405

Date	Sec.	Twp.	Range	County	State	On Location	Finish
Lease		Well No. 13-36		Location			
Contractor				Owner			
Type Job				To Quality Oilwell Cementing, Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.			
Hole Size		T.D.		Charge To			
Csg.		Depth		To			
Tbg. Size		Depth		Street			
Drill Pipe		Depth		City		State	
Tool		Depth		The above was done to satisfaction and supervision of owner agent or contractor.			
Cement Left in Csg.		Shoe Joint		CEMENT			
Press Max.		Minimum		Amount Ordered			
Meas Line		Displace		Common 170 @ 10 ⁵⁰		1700.00	
Perf.				Poz. Mix			
EQUIPMENT				Gel. 3 @ 17 ²⁵		51.00	
Pumptrk	No.	Cementer		Calcium 6 @ 42 ³⁵		210.00	
		Helper		Mills			
Bulktrk	No.	Driver		Salt			
		Driver		Flowseal			
Bulktrk	No.	Driver					
		Driver					
JOB SERVICES & REMARKS							
Pumptrk Charge		200					
Mileage 42 @ 6 ⁰⁰		252.00					
Footage							
		Total 652.00		Handling 179 @ 1 ⁷⁵		313.25	
Remarks:				Mileage 24 @ 16 ⁶⁷		400	
				Pump Truck Charge		652.00	
FLOAT EQUIPMENT							
				Guide Shoe			
				Centralizer			
				Baskets			
				AFU Inserts			
				SWAGE		KANSAS CORPORATION COMMISSION	
				JUL 27 2009		RECEIVED	
				Rotating Head			
				Squeez Mainfold			
						Tax 82.26	
						Discount (691.00)	
						Total Charge 2659.91	
X Signature							

GENERAL TERMS AND CONDITIONS

DEFINITIONS: In these terms and conditions, "Quality" shall mean Quality Oilwell Cementing, Inc., and "Customer" shall refer to the party identified by that term on the front of this contract. As applicable, "Job" relates to the services described on the front side of this contract, "merchandise" refers to the material described on the front of this contract and to any other materials, products, or supplies used, sold, or furnished under the requirements of this contract.

– **TERMS:** Unless satisfactory credit has been established, "CUSTOMER" must tender full cash payment to "QUALITY" before the job is undertaken or merchandise is delivered. If satisfactory credit has been established, the terms of payment for the job and/or merchandise, including bulk cement, are net cash, payable in 30 days from the completion of the job and/or delivery of the merchandise. For all past due invoices, "CUSTOMER" agrees to pay interest on amounts invoiced at a rate of 18 percent per annum until paid. Notwithstanding the foregoing in no event shall this Contract provide for interest exceeding the maximum rate of interest that "CUSTOMER" may agree to pay under applicable law. If any such interest should be provided for, it shall be and hereby is deemed to be a mistake, and this contract shall be automatically reformed to lower the rate of interest to the maximum legal contract rate, any amounts previously paid as excess interest shall be deducted from the amounts owing from the "CUSTOMER" or at the option of "QUALITY," refunded directly to "CUSTOMER." For purposes of this paragraph, QUALITY and CUSTOMER agree that KANSAS law shall apply. Any discounts granted with this contract are null and void if the charges are not paid when due.

– **ATTORNEY FEES:** In any legal action or proceeding between the parties to enforce any of the terms of this Service Contract, or in any way pertaining to the term of this Contract, the prevailing party shall be entitled to recover all expenses, including, but not limit to, a reasonable sum as and attorney's fees.

– **PRICES AND TAXES:** All merchandise listed in "QUALITY'S" current price shall schedule are F.O.B. QUALITY'S local station and are subject to change without notice. All prices are exclusive of any federal, state, local, or special taxes for the sale or use of the merchandise or services listed. The amount of taxes required to be paid by QUALITY shall be added to the quoted prices charged to CUSTOMER.

– **TOWING CHARGES:** QUALITY will make a reasonable attempt to get to and from each job site using its own equipment. Should QUALITY be unable to do so because of poor or inadequate road conditions, and should it become necessary to employ a tractor or other pulling equipment to get to or from the job site, the tractor or pulling equipment will be supplied by CUSTOMER or, if furnished by QUALITY, will be charged to and paid by CUSTOMER.

– **PREPARATION CHARGES:** If a job and/or merchandise is ordered and CUSTOMER cancels the order after preparation of a chemical solution or other material, CUSTOMER will pay QUALITY for the expenses incurred by QUALITY as a result of the cancellation.

– **DEADHAUL, CHARGES:** Unless otherwise specified on the front of this Contract, a deadhaul charges as set forth in QUALITY'S current price book will be charged each way for each service unit which is ordered by CUSTOMER but not used.

– **SERVICE CONDITIONS AND LIABILITIES:** 1. QUALITY carries public liability and property damage insurance, but since there are so many uncertain and unknown conditions beyond QUALITY'S control, QUALITY shall not be liable for injuries to property or persons or for loss or damage arising from the performance of the job or delivery of the merchandise. Customer shall be responsible for and indemnify, defend, and hold harmless QUALITY, its officers, agents and employees, from and against any and all claims or suits for:

(A) Damage to property or for bodily injury, sickness, disease, or death, brought by any person, including CUSTOMER and/or the well owner; and:

(B) Oil spills, pollution, surface or sub-surface damage, injury to the well, reservoir loss, or damage arising from a well blowout arising out of or in connection with QUALITY'S performance of the job or furnishing of merchandise in accordance with this contract, unless such loss or damage is caused by the willful misconduct or gross negligence of QUALITY or its employees.

2. With respect to any of QUALITY'S tools, equipment, or instruments which are lost in the well or damaged when performing or attempting to perform the job or, in the case of marine operations, are lost or damaged at any time after delivery to the landing for CUSTOMER and before return to QUALITY at the landing, CUSTOMER shall either recover the lost item without cost to QUALITY or reimburse QUALITY the current replacement cost of the item unless the loss or damage results from the sole negligence of QUALITY or its employees.

3. QUALITY does not assume any liability or responsibility for damages or conditions resulting from chemical action in cements caused by contamination of water or other fluids.

WARRANTIES: 1. QUALITY warrants all merchandise manufactured or furnished by it to be free from defects in material and workmanship under normal use and service when installed, and used, and/or serviced in the manner provided and intended. QUALITY'S obligation under this warranty is expressly limited to repair replacement, or allowance for credit, at its option, for any merchandise which is determined by QUALITY to be defective. THIS IS THE SOLE WARRANTY OF QUALITY AND NO OTHER WARRANTY IS APPLICABLE, EITHER EXPRESS OR OTHERWISE IMPLIED, IN FACT OR IN LAW, INCLUDING ANY WARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE, CUSTOMER'S sole and only remedy with regard to any defective merchandise shall be the repair or replacement thereof or allowance for credit as herein provided, and QUALITY shall not be liable for any consequential, special, incidental, or punitive damages resulting from or caused by defective materials, products or supplies.

2. More specifically:

(A) Nothing in this contract shall be construed as a warranty by QUALITY of the success or the effectiveness of the result of any work done or merchandise used, sold, or furnished under this contract.

(B) Nothing in this contract shall be construed as a warranty of the accuracy or correctness of any facts, information, or data furnished by QUALITY or any interpretation of test, meter readings, chart information, analysis or research, or recommendations made by QUALITY, unless the inaccuracy or incorrectness is caused by the willful misconduct or gross negligence of QUALITY or its employees in the preparation or furnishing of such facts, information or data.


(C) Work done by QUALITY shall be under the direct supervision and control of the CUSTOMER or his agent and QUALITY will accomplish the job as an independent contractor and not as an employee or agent of the CUSTOMER.

QUALITY OILWELL CEMENTING, INC.

Phone 785-483-2025
Cell 785-324-1041

Home Office P.O. Box 32 Russell, KS 67665

No. 3486

Date	6/15/09	Sec.	35	Twp.	18	Range	30 W	County	Leone	State	KS	On Location		Finish	5:15 PM	
Lease	Ehake Trust			Well No.	13-35			Location	Amy, 35, E into							
Contractor	W.W. Drilling Rig #10							Owner	To Quality Oilwell Cementing, Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.							
Type Job	Plug							Charge To	Flatiron Resources LLC.							
Hole Size	7 7/8"			T.D.	4711'			Street								
Csg.				Depth				City	State							
Tbg. Size	4 1/2"			Depth				The above was done to satisfaction and supervision of owner agent or contractor.								
Drill Pipe				Depth				Amount Ordered	300sx 60/40 4 1/2 gel							
Tool				Depth				Common								
Cement Left in Csg.				Shoe Joint				POZ. Mix								
Press Max.				Minimum				Gel.								
Meas Line				Displace				Calcium								
Perf.								Mills								
EQUIPMENT																
Pumptrk	1	No.	Cementer	Para				Salt								
Bulktrk	4	No.	Driver	Blake				Flowseal								
Bulktrk	PV	No.	Driver	Doug				Handling								
JOB SERVICES & REMARKS																
Pumptrk Charge																
Mileage																
Footage																
	Total															
Remarks:	1st Plug at 2230' - 50sx											Mileage				
	2nd Plug at 1480' - 80sx											Pump Truck Charge				
	3rd Plug at 740' - 50sx											FLOAT EQUIPMENT				
	4th Plug at 290' - 50sx											Guide Shoe				
	5th Plug at 60' - 20sx											Centralizer				
	Rat hole - 30sx											Baskets				
	Mouse hole - 20sx											AFU Inserts				
												8 5/8" Dry Hole Plug				
Quality Oilwell Cementing																
												KANSAS CORPORATION COMMISSION				
												JUL 27 2009				
												RECEIVED				
												Discount				
												Total Charge				
 Signature																

*WW Drilling, LLC
WaKeeney, KS
Well Plugging Orders*

Operator: Flatirons Resources, LLC License # 34038
Address: 303 E. 17th Ave. Ste 940 - Denver, Colorado 80202

API # 15-101-22170-00-00

Lease Name: Ehmke Trust Unit #13-35
Legals: 2440' FSL & 340' FWL, Sec 35-18s-30w
County: Lane
State: Ks

Plug #	Sx.	@	Feet
1st	<u>50</u>	@	<u>2230</u>
2nd	<u>80</u>	@	<u>1480</u>
3rd	<u>50</u>	@	<u>740</u>
4th	<u>50</u>	@	<u>290</u>
5th	<u>20</u>	@	<u>60</u>
Rathole	<u>30</u>		
Mousehole	<u>20</u>		

Total: 300

Type: 60/40 Poz - 4% Gel - 1/4 # per sx flo-seal

Spud Report: Michael Maier Date: 6/5/2009 Time: 10:00 AM

Orders From: Richard Lacey Date: 6/12/2009 Time: 1:30 PM

Reported to: Michael Maier Date: 6/16/2009 Time: 2:35 PM

Results: D & A

KANSAS CORPORATION COMMISSION

**JUL 27 2009
RECEIVED**