

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

KA
9/5/08

Form ACO-1
September 1999
Form Must Be Typed

ORIGINAL

Operator: License # 4058
Name: American Warrior, Inc.
Address: P. O. Box 399
City/State/Zip: Garden City, KS 67846
Purchaser: NCRA
Operator Contact Person: Kevin Wiles, Sr.
Phone: (620) 275-2963
Contractor: Name: Duke Drilling Co., Inc.
License: 5929
Wellsite Geologist: Jim Dilts

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

<u>7-15-08</u>	<u>7-21-08</u>	<u>PLUGGED 7-22-08</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 007-23,321-0000
County: Barber County, KS
SW SE NE SE Sec. 5 Twp. 33 S. R. 11 East West
1350 FSL feet from S / N (circle one) Line of Section
335 FEL feet from E / W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE **SE** NW SW
Lease Name: Bedwell, Conner, Dick Trusts Well #: 1-5
Field Name: Rhodes

Producing Formation: None
Elevation: Ground: 1454' Kelly Bushing: 1465'
Total Depth: 4532' Plug Back Total Depth: N/A
Amount of Surface Pipe Set and Cemented at 251 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from _____
feet depth to _____ w/ _____ sx cmt.

Drilling Fluid Management Plan *P+A AIT I NR*
(Data must be collected from the Reserve Pit) *9-22-08*
Chloride content 8,000 ppm Fluid volume 680 bbls
Dewatering method used Hauled Off Site

Location of fluid disposal if hauled offsite:
Operator Name: Benco, Inc.
Lease Name: Mack SWD License No.: 32613
Quarter _____ Sec. 07 Twp. 32 S. R. 11 East West
County: Barber Docket No.: C-D 78,217

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]
Title: Compliance Coordinator Date: 8-23-08
Subscribed and Sworn to before me this 23rd day of August,
20 08.
Notary Public: [Signature]
Date Commission Expires: 09-12-09

ERICA KUHLMEIER
Notary Public - State of Kansas
My Appt. Expires 09-12-09

KCC Office Use ONLY

Letter of Confidentiality Received
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

RECEIVED
KANSAS CORPORATION COMMISSION
AUG 27 2008

CONSERVATION DIVISION
WICHITA, KS

Operator Name: American Warrior, Inc. Lease Name: Bedwell, Conner, Dick Trust Well #: 1-5
 Sec. 5 Twp. 33 S. R. 11 East West County: Barber County, KS

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run:	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum Waiting on Jim Dilts
--	---

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface Pipe	12-1/4"	8-5/8"		253'	60/40	185	3% cc 6% gel

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
	D & A		

RECEIVED
 KANSAS CORPORATION COMMISSION
AUG 27 2008
 CONSERVATION DIVISION
 WICHITA, KS

TUBING RECORD	Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
---------------	------	--------	-----------	---

Date of First, Resumerd Production, SWD or Enhr.	Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)
--	---

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
	N/A	N/A	N/A		

Disposition of Gas <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input checked="" type="checkbox"/> Other (Specify) <u>PLUGGED</u>	Production Interval
---	---	---------------------

ALLIED CEMENTING CO., LLC.

31261

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
MEDICINE LODGE

Kevin
12/21/08
Bedwell, Conner, Dick Trusts

DATE <u>7-21-08</u>	SEC. <u>5</u>	TWP. <u>33S</u>	RANGE <u>11W</u>	CALLED OUT <u>9:30 pm</u>	ON LOCATION <u>11:00 pm</u>	JOB START <u>12:15 am</u>	JOB FINISH <u>1:00 am</u>
LEASE <u>DICK TRUST</u>			WELL # <u>1-5</u>	LOCATION <u>2812 160, EAST TO NORTH STAR</u>		COUNTY <u>SARBOX</u>	STATE <u>KS</u>
OLD OR NEW (Circle one) <u>OLD</u>			LOCATION <u>3 SOUTH, WEST INTO</u>				

CONTRACTOR DUKE S
 TYPE OF JOB LOTARY PLUG
 HOLE SIZE 7 7/8" T.D. 600'
 CASING SIZE 8 3/8" DEPTH 250
 TUBING SIZE _____ DEPTH _____
 DRILL PIPE 4 1/2" DEPTH 600'
 TOOL _____ DEPTH _____
 PRES. MAX 250 MINIMUM 100
 MEAS. LINE _____ SHOE JOINT _____
 CEMENT LEFT IN CSG. _____
 PERFS. _____
 DISPLACEMENT FRESH WATER

OWNER AMERICAN WARRIOR
 CEMENT
 AMOUNT ORDERED 135 SK 60:40:4

EQUIPMENT
 PUMP TRUCK CEMENTER BILL M.
 # 414 HELPER GREG G.
 BULK TRUCK
 # 368 DRIVER RICK M.
 BULK TRUCK
 # _____ DRIVER _____

COMMON 81 A @ 15.45 1251.45
 POZMIX 54 @ 8.00 432.00
 GEL 5 @ 20.80 104.00
 CHLORIDE _____ @ _____
 ASC _____ @ _____

RECEIVED
 KANSAS CORPORATION COMMISSION
 AUG 27 2008
 CONSERVATION DIVISION
 WICHITA, KS

HANDLING 140 @ 2.40 336.00
 MILEAGE 10 Min charge 312.00
 TOTAL 2435.45

REMARKS:

1st PLUG 600', LOAD HOLE, PUMP 50 SK 60:40:4, DISPLACE WITH FRESH WATER,
2nd PLUG 270', LOAD HOLE, PUMP 40 SK 60:40:4, DISPLACE WITH FRESH WATER,
3rd PLUG 60', LOAD HOLE, PUMP 20 SK 60:40:4, CIRCULATE CEMENT TO SURFACE, PLUG AFTER MOUSE HOLES WITH 25 SK 60:40:4

SERVICE

DEPTH OF JOB 600'
 PUMP TRUCK CHARGE _____ 1017.00
 EXTRA FOOTAGE _____ @ _____
 MILEAGE 10 @ 7.00 70.00
 MANIFOLD _____ @ _____
 _____ @ _____
 _____ @ _____

CHARGE TO: AMERICAN WARRIOR
 STREET _____
 CITY _____ STATE _____ ZIP _____

TOTAL 1087.00

PLUG & FLOAT EQUIPMENT

 @ _____
 @ _____
 @ _____
 @ _____
 @ _____

TOTAL _____

To Allied Cementing Co., LLC.
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME SONNY MARTIN
 SIGNATURE Sonny Martin

SALES TAX (If Any) _____
 TOTAL CHARGES _____
 DISCOUNT _____ IF PAID IN 30 DAYS

**ANY APPLICABLE TAX
 WILL BE CHARGED
 UPON INVOICING**

ALLIED CEMENTING CO., LLC. 32467

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

my 8/29/08
SERVICE POINT: Medicine Lodge, KS

Bedwell, Conner, Dick Trust

DATE <u>7-15-08</u>	SEC. <u>5</u>	TWP. <u>33S</u>	RANGE <u>11W</u>	CALLED OUT <u>5:00 pm</u>	ON LOCATION <u>5:30 pm</u>	JOB START <u>10:00 pm</u>	JOB FINISH <u>10:30 pm</u>
LEASE <u>Dick Trust</u>		WELL # <u>1-5</u>	LOCATION <u>28th + 16th, E to North Star Rd</u>		COUNTY <u>Butler</u>	STATE <u>KS</u>	
OLD OR <u>NEW</u> (Circle one)			<u>3 S, west into</u>				

CONTRACTOR Duke #5

TYPE OF JOB Surface

HOLE SIZE 12 1/4 T.D. 253

CASING SIZE 8 5/8 DEPTH 253

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. 15

PERFS. _____

DISPLACEMENT 15 1/4 bbls of freshwater

OWNER American Warrior

CEMENT

AMOUNT ORDERED 185yr 60:40 2% gel 3% cc

EQUIPMENT

PUMP TRUCK CEMENTER Darin F.

372 HELPER Hagen M.

BULK TRUCK

389 DRIVER Rick M.

BULK TRUCK

_____ DRIVER _____

COMMON <u>111 A</u>	@ <u>15.45</u>	<u>1714.95</u>
POZMIX <u>74</u>	@ <u>8.00</u>	<u>592.00</u>
GEL <u>3</u>	@ <u>20.80</u>	<u>62.40</u>
CHLORIDE <u>6</u>	@ <u>58.20</u>	<u>349.20</u>
ASC _____	@ _____	_____
KANSAS CORPORATION COMMISSION		
RECEIVED KANSAS CORPORATION COMMISSION		
@ <u>AUG 27 2008</u>		
CONSERVATION DIVISION WICHITA, KS		
@ _____		
CONSERVATION DIVISION WICHITA, KS		
@ _____		
HANDLING <u>194</u>	@ <u>2.40</u>	<u>465.60</u>
MILEAGE <u>10</u>	<u>Min charge</u>	<u>312.00</u>
		TOTAL <u>3496.15</u>

REMARKS:

Pipe on bottom & break circulation
Pump 3 bbls of fresh water, mix
185yr of cement, shut down & release plug
Pump 15 bbls and shut in, cemented
circulate

SERVICE

DEPTH OF JOB <u>253</u>		
PUMP TRUCK CHARGE _____		<u>1018.00</u>
EXTRA FOOTAGE _____	@ _____	_____
MILEAGE <u>10</u>	@ <u>7.00</u>	<u>70.00</u>
MANIFOLD _____	@ _____	_____
<u>Hoodrental</u>	@ <u>113.00</u>	<u>113.00</u>
		TOTAL <u>1201.00</u>

CHARGE TO: American Warrior

STREET _____

CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

8 5/8

<u>1-wooden plug</u>	@ <u>68.00</u>	<u>68.00</u>
_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
		TOTAL <u>68.00</u>

To Allied Cementing Co., LLC.
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

SALES TAX (If Any) _____

TOTAL CHARGES ~~3496.15~~

DISCOUNT ~~_____~~ IF PAID IN 30 DAYS

PRINTED NAME x Daniel Olson

SIGNATURE x Daniel Olson

**ANY APPLICABLE TAX
WILL BE CHARGED
UPON INVOICING**