

ORIGINAL

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 31019
Name: Diamond Star Oil, Inc.
Address: 219 Brookside Drive
City/State/Zip: Paola, KS 66071
Purchaser: MacKlaskey
Operator Contact Person: John Paulsen
Phone: (913) 557-5646
Contractor: Name: Town Oil Company, Inc.
License: 6142

Wellsite Geologist: None
Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
Operator: NA

Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

3-10-05	3-11-05	3-11-05
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 121-28,071-00-00
County: Miami
NW NE SE Sec. 30 Twp. 17 S. R. 22 East West
2366' feet from (S) N (circle one) Line of Section
1200' feet from (E) W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: Feebeck #2 Well #: DS-17
Field Name: Paola-Rantoul
Producing Formation: Peru
Elevation: Ground: NA Kelly Bushing: NA
Total Depth: 422' Plug Back Total Depth: 408.7'
Amount of Surface Pipe Set and Cemented at 30.0' Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set NA Feet
If Alternate II completion, cement circulated from NA 409
feet depth to NA @ w/ NA 63 sx cmt.
Alt 2-Dig - 10/21/08

Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit)
Chloride content NA ppm Fluid volume NA bbls
Dewatering method used NA
Location of fluid disposal if hauled offsite:
Operator Name: NA
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]
Title: President Date: March 8, 2006
Subscribed and sworn to before me this 8th day of March,
20 06.
Notary Public: Stacy J. Thyer
Date Commission Expires: 3-31-07

NOTARY PUBLIC
STATE OF KANSAS
STACY J. THYER
My Appt. Exp. 3-31-07

KCC Office Use ONLY
 Letter of Confidentiality Received
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution
RECEIVED
MAR 20 2006
KCC WICHITA

Operator Name: Diamond Star Oil, Inc. Lease Name: Feebeck #2 Well #: DS-17
 Sec. 30 Twp. 17 S. R. 22 East West County: Miami

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: Gamma Ray/Neurton/CCL	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum
--	---

CASING RECORD <input type="checkbox"/> New <input checked="" type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	6 1/2"	4 1/2"	NA	30.0'	Portland	5	Service Co.
Production	5 5/8"	2 7/8"	NA	408.7'	50/50 Poz	63	Service Co.

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
21	353.0'-363.0'	2" DML RTG	353.0'-363.0'
21	366.0'-376.0'	2" DML RTG	366.0'-376.0'

TUBING RECORD	Size 2 7/8"	Set At 408.7'	Packer At No	Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
---------------	----------------	------------------	-----------------	---

Date of First, Resumerd Production, SWD or Enhr. <u>April 2, 2005</u>	Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)
--	--

Estimated Production Per 24 Hours	Oil Bbls. 1	Gas Mcf NA	Water Bbls. NA	Gas-Oil Ratio	Gravity
-----------------------------------	----------------	---------------	-------------------	---------------	---------

Disposition of Gas	METHOD OF COMPLETION	Production Interval
<input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	<input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify) _____	_____

RECEIVED
 MAR 20 2006
 KCC WICHITA



CONSOLIDATED
OIL WELL
SERVICES, INC.
AN INFINITY COMPANY

REMIT TO
Consolidated Oil Well Services, Inc.
P.O. Box 493
Chanute, KS 66720

MAIN OFFICE
1530 S. Santa Fe • P.O. Box 884
Chanute, KS 66720
620/431-9210 • 1-800/467-8676
FAX 620/431-0012

INVOICE

Invoice # 196094

Invoice Date: 03/24/2005 Terms: 0/30,n/30 Page 1

DIAMOND STAR FARMS
JOHN PAULSON
219 BROOKSIDE
PAOLA KS 66071
(913)731-5646

FEEDBACK 2 - DS17
2046
03-11-05

Part Number	Description	Qty	Unit Price	Total
4402	2 1/2" RUBBER PLUG	1.00	15.0000	15.00
1110A	KOL SEAL (50# BAG)	7.00	15.7500	110.25
1111	GRANULATED SALT (50 #)	175.00	.2600	45.50
1118	PREMIUM GEL	2.00	12.4000	24.80
1124	50/50 POZ CEMENT MIX	63.00	6.9000	434.70
1238	SILT SUSPENDER SS-630, ES	.50	31.5000	15.75
1401	HE 100 POLYMER	.50	36.7500	18.38

Description	Hours	Unit Price	Total
164 CEMENT PUMP	1.00	710.00	710.00
164 EQUIPMENT MILEAGE (ONE WAY)	20.00	2.35	47.00
164 MISC. PUMP (CEMENT TRUCK) MIT WASH	1.00	.00	.00
195 MIN. BULK DELIVERY	1.00	225.00	225.00

RECEIVED
MAR 20 2006
KCC WICHITA

Parts:	664.38	Freight:	.00	Tax:	41.27	AR	1687.65
Labor:	.00	Misc:	.00	Total:	1687.65		
Sublt:	.00	Supplies:	.00	Change:	.00		

Signed _____ Date _____

BARTLESVILLE, OK
P.O. Box 1453 74005
918/338-0808

EUREKA, Ks
820 E. 7th 67045
620/583-7664

OTTAWA, Ks
2631 So. Eisenhower Ave. 66067
785/242-4044

GILLETTE, WY
300 Enterprise Avenue 82716
307/686-4914

THAYER, Ks
8655 Dorn Road 66776
620/839-5269