

Org.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION ORIGINAL

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE


Operator: License # 7231
 Name: Stephens Oil Co
 Address: 1818 S. Eddy
 City/State/Zip: Ft. Scott, Ks. 66701
 Purchaser: Plains Marketing
 Operator Contact Person: Ronald W. Stephens
 Phone: (620) 223-2718
 Contractor: Name: HAT Drilling LLC
 License: 33734
 Wellsite Geologist: None-Driller
 Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)
 If Workover/Re-entry: Old Well Info as follows:
 Operator: N/A
 Well Name: _____
 Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back _____ Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____
 April 22, 2006 April 24, 2006 6/8/06
 Spud Date or Date Reached TD Completion Date or
 Recompletion Date Recompletion Date

API No. 15 - 037-21753-00-00
 County: Crawford
 _____ SW _____ SE _____ NE _____ Sec. 33 Twp. 28 S. R. 22 East West
3285 feet from S N (circle one) Line of Section
907 feet from E W (circle one) Line of Section
 Footages Calculated from Nearest Outside Section Corner:
 (circle one) NE SE NW SW
 Lease Name: Meyer Well #: 12
 Field Name: Walnut SE
 Producing Formation: Bartlesville
 Elevation: Ground: 1023 Kelly Bushing: _____
 Total Depth: 415 Plug Back Total Depth: _____
 Amount of Surface Pipe Set and Cemented at 20ft 5inches _____ Feet
 Multiple Stage Cementing Collar Used? Yes No
 If yes, show depth set _____ Feet
 If Alternate II completion, cement circulated from Surface
 feet depth to 20ft 5inches _____ w/ 7 _____ sx cmt.
AK2-Dlg 11-6-08
 Drilling Fluid Management Plans
 (Data must be collected from the Reserve Pit)
 Chloride content None ppm Fluid volume _____ bbls
 Dewatering method used _____
 Location of fluid disposal if hauled offsite: _____
 Operator Name: _____
 Lease Name: _____ License No.: _____
 Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
 County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Ronald W. Stephens
 Title: Owner Date: 6-23/06
 Subscribed and sworn to before me this 23rd day of June of 2006.
 Notary Public: Joanne L...
 Date Commission Expires: 1-9-09



KCC Office Use ONLY

N Letter of Confidentiality Received
 If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

RECEIVED
JUN 27 2006
KCC WICHITA

Operator Name: Stephens Oil Co Lease Name: Meyer Well #: 12
 Sec. 33 Twp. 28 S. R. 22 East West County: Crawford

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run:	<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td><input type="checkbox"/> Log</td> <td>Formation (Top), Depth and Datum</td> <td><input checked="" type="checkbox"/> Sample</td> </tr> <tr> <td>Name</td> <td>Top</td> <td>Datum</td> </tr> <tr> <td>Pawnee Limestone</td> <td>87 -</td> <td>120</td> </tr> <tr> <td>Peru sand</td> <td>171 -</td> <td>173</td> </tr> <tr> <td>Oswego Limestone</td> <td>209 -</td> <td>215</td> </tr> <tr> <td>Shale</td> <td>221 -</td> <td>320</td> </tr> <tr> <td>Limestone</td> <td>321 -</td> <td>324</td> </tr> <tr> <td>Scammon Coal</td> <td>385 -</td> <td>386</td> </tr> <tr> <td>Sandy Shale</td> <td>386 -</td> <td>387</td> </tr> <tr> <td>Bartlesville Sand</td> <td>387 -</td> <td>396</td> </tr> </table>	<input type="checkbox"/> Log	Formation (Top), Depth and Datum	<input checked="" type="checkbox"/> Sample	Name	Top	Datum	Pawnee Limestone	87 -	120	Peru sand	171 -	173	Oswego Limestone	209 -	215	Shale	221 -	320	Limestone	321 -	324	Scammon Coal	385 -	386	Sandy Shale	386 -	387	Bartlesville Sand	387 -	396
<input type="checkbox"/> Log	Formation (Top), Depth and Datum	<input checked="" type="checkbox"/> Sample																													
Name	Top	Datum																													
Pawnee Limestone	87 -	120																													
Peru sand	171 -	173																													
Oswego Limestone	209 -	215																													
Shale	221 -	320																													
Limestone	321 -	324																													
Scammon Coal	385 -	386																													
Sandy Shale	386 -	387																													
Bartlesville Sand	387 -	396																													

CASING RECORD <input type="checkbox"/> New <input checked="" type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface casing	12 and 1/4inch	8 inch	16#ft.	20ft 5inchs'	Portland	7	None
Production	5 and 5/8 inch	2 7/8 inch	6.5#ft	410ft	Portland	40	None

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
	Have not perforated yet.	Have not Fraced yet.	
	Will perforate with 17 shots.	Will Frac with 15 sacks	

TUBING RECORD		Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr.			Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

Disposition of Gas Vented Sold Used on Lease *(If vented, Submit ACO-18.)*

METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled Other (Specify) _____

Production Interval _____

RECEIVED
 JUN 27 2006
 KCC WICHITA

Norris Welding Services, Inc.
 1111 S Margrave
 Fort Scott, KS 66701

INVOICE

INVOICE #057440
 DATE: APRIL 27, 2006

BILL TO:
 Ron Stephens, Stephens Oil Co.
 1818 S Eddy
 Fort Scott, KS 66701

REMIT TO:
 Norris Welding Services, Inc
 1111 S Margrave
 Fort Scott, KS 66701

COMMENTS OR SPECIAL INSTRUCTIONS:

We Circulated cement on the Meyer wells #11, 12, E/2 NE/4 Sec. 33
 T.28, R.22e. With 40 sx. each, Using there Company tools.

Ron Stephens

SALESPERSON	P.O. NUMBER	REQUISITIONER	SHIPPED VIA	F.O.B. POINT	TERMS
Tom Norris					Due on receipt

QUANTITY	DESCRIPTION	UNIT PRICE	TOTAL
	Cement 2 wells @\$800.00 each <i>with 40 sacks Portland # 1</i>		1600.00
	20' of surface casing @\$7.50 a foot <i>Per well</i>		150.00
<i>#0395</i>			
SUBTOTAL			1750.00
SALES TAX 6.3%			110.31
SHIPPING & HANDLING			
TOTAL DUE			\$1860.31

Thank you for your business!

RECEIVED
 JUN 27 2006
 KCC WICHITA