

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 32278
 Name: Tengasco, Inc.
 Address: PO Box 458
 City/State/Zip: Hays, KS 67601
 Purchaser: Coffeyville Resources
 Operator Contact Person: Gary Wagner
 Phone: (785) 625-6374
 Contractor: Name: Warren Drilling
 License: 33724
 Wellsite Geologist: Mike Bair
 Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)
 If Workover/Re-entry: Old Well Info as follows:
 Operator: _____
 Well Name: _____
 Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back _____ Plug Back Total Depth _____
 Commingled _____ Docket No. _____
 Dual Completion _____ Docket No. _____
 Other (SWD or Enhr.?) _____ Docket No. _____

4-14-06	4-22-06	5-24-06
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 167-23342-00-00
 County: Russell
NE SE SW Sec. 33 Twp. 15 S. R. 11 East West
1155 feet from S / N (circle one) Line of Section
2970 feet from E / W (circle one) Line of Section
 Footages Calculated from Nearest Outside Section Corner:
 (circle one) NE SE NW SW
 Lease Name: Foster A Well #: 10
 Field Name: Davidson
 Producing Formation: Arbuckle
 Elevation: Ground: 1787' Kelly Bushing: 1782'
 Total Depth: 3315' Plug Back Total Depth: 3287'
 Amount of Surface Pipe Set and Cemented at 305 Feet
 Multiple Stage Cementing Collar Used? Yes No
 If yes, show depth set 667' Feet
 If Alternate II completion, cement circulated from 667'
 feet depth to surface w/ 125 sx crmt.

Drilling Fluid Management Plan
 (Data must be collected from the Reserve Pit)
 Chloride content 900 ppm Fluid volume 200 bbls
 Dewatering method used Evaporation
 Location of fluid disposal if hauled offsite: _____
 Operator Name: _____
 Lease Name: _____ License No.: _____
 Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
 County: _____ Docket No.: _____


INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Gary Wagner
 Title: Production Manager Date: 7-14-06
 Subscribed and sworn to before me this 14th day of July,
 2006.
 Notary Public: Linda K Pfannenstiel
 Date Commission Expires: 2/5/08

KCC Office Use ONLY

Letter of Confidentiality Received
 If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution



Operator Name: Tengasco, Inc. Lease Name: Foster A Well #: 10
 Sec. 33 Twp. 15 S. R. 11 East West County: Russell

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: Dual Induction, Density Neutron, Micro	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:60%;">Name</td> <td style="width:20%;">Top</td> <td style="width:20%;">Datum</td> </tr> <tr> <td>Anhydrite</td> <td>636'</td> <td>+1151'</td> </tr> <tr> <td>Topeka</td> <td>2575'</td> <td>-788'</td> </tr> <tr> <td>Toronto</td> <td>2840'</td> <td>-1053'</td> </tr> <tr> <td>LKC</td> <td>2930'</td> <td>-1143'</td> </tr> <tr> <td>BLKC</td> <td>3196'</td> <td>-1409'</td> </tr> <tr> <td>Arbuckle</td> <td>3236'</td> <td>-1449'</td> </tr> </table>	Name	Top	Datum	Anhydrite	636'	+1151'	Topeka	2575'	-788'	Toronto	2840'	-1053'	LKC	2930'	-1143'	BLKC	3196'	-1409'	Arbuckle	3236'	-1449'
Name	Top	Datum																				
Anhydrite	636'	+1151'																				
Topeka	2575'	-788'																				
Toronto	2840'	-1053'																				
LKC	2930'	-1143'																				
BLKC	3196'	-1409'																				
Arbuckle	3236'	-1449'																				

RECEIVED
JUL 17 2006
KCC WICHITA

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface csg	12-1/4"	8-5/8"	23	305'	Com	200	3% CC, 2% gel
Production	7-7/8"	5-1/2"	14	3313'	ASC	190	2% gel

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input checked="" type="checkbox"/> Protect Casing	0-667'	60/40 Poz	125	6% gel
<input type="checkbox"/> Plug Back TD				
<input checked="" type="checkbox"/> Plug Off Zone	3238-64'	Com	25	

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth
6	3251-56'		

TUBING RECORD	Size 2-7/8"	Set At 3250'	Packer At	Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr. 5-24-06		Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls. 30	Gas Mcf	Water Bbls. 0	Gas-Oil Ratio Gravity

Disposition of Gas **METHOD OF COMPLETION** Production Interval

Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled _____
(If vented, Submit ACO-18.) Other (Specify) _____

ALLIED CEMENTING CO., INC.

24238

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Great Bend

DATE <i>5-3-06</i>	SEC. <i>33</i>	TWP. <i>15</i>	RANGE <i>11W</i>	CALLED OUT <i>None</i>	ON LOCATION <i>1:30 pm</i>	JOB START <i>2:00 pm</i>	JOB FINISH <i>4:30 pm</i>
LEASE <i>Foster</i>		WELL # <i>A-10</i>		LOCATION <i>Debuque - east to curves - southeast to east to farmyard Northwinds</i>		COUNTY <i>Russell</i>	STATE <i>KS</i>
<input checked="" type="radio"/> OLD OR NEW (Circle one)							

CONTRACTOR *Express Well Service*

TYPE OF JOB *Port Collar*

HOLE SIZE _____ T.D. _____

CASING SIZE *5 1/2* DEPTH *667'*

TUBING SIZE *2 7/8* DEPTH *667'*

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. *?*

PERFS. _____

DISPLACEMENT _____

OWNER *Tengasco*

CEMENT AMOUNT ORDERED _____

used 125 sx cement - 60/40 6% gel

COMMON	<i>75 Ag</i>	@	<i>9.60</i>	<i>720.00</i>
POZMIX	<i>50 Ag</i>	@	<i>5.20</i>	<i>260.00</i>
GEL	<i>7 Ag</i>	@	<i>15.00</i>	<i>105.00</i>
CHLORIDE		@		
ASC		@		

HANDLING	<i>132 Ag</i>	@	<i>1.70</i>	<i>224.40</i>
MILEAGE	<i>132 Ag</i>	@	<i>32</i>	<i>295.68</i>
				TOTAL <i>1605.08</i>

SERVICE

DEPTH OF JOB	<i>667</i>			
PUMP TRUCK CHARGE				<i>810.00</i>
EXTRA FOOTAGE		@		
MILEAGE	<i>32</i>	@	<i>5.00</i>	<i>160.00</i>
MANIFOLD		@		
		@		
		@		
				TOTAL <i>1020.00</i>

EQUIPMENT

PUMP TRUCK CEMENTER *Jack*

181 HELPER *Ricky*

BULK TRUCK DRIVER *Don*

32/4

BULK TRUCK DRIVER _____

REMARKS:

Hook to tubing pressure to 500 lbs. open tool & mix 125 sx cement to size to surface. Try to shut tool - no luck - release tubing - 3 BBLs water flow back - pull tubing - 1/2 of tubing & port collar tool missing - put swedge on 5 1/2 csg & displace back 4 3/4 BBLs water - (the 3 BBLs back + volume of tubing) - shut in - Cement Did O.K. - Done @ 4:30

Thanks

CHARGE TO: *Tengasco*

STREET _____

CITY _____ STATE _____ ZIP _____

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE *Ray Dague*

PLUG & FLOAT EQUIPMENT

	@		
	@		
	@		
	@		
	@		
TOTAL _____			

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

PRINTED NAME

ALLIED CEMENTING CO., INC. 25821

REMIT TO: P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Russell 4-23-06

DATE <u>4-23-06</u>	SEC <u>33</u>	TWP. <u>15 S</u>	RANGE <u>11 W</u>	CALLED OUT <u>9:00 PM</u>	ON LOCATION <u>10:15 PM</u>	JOB START <u>11:00 PM</u>	JOB FINISH <u>3:00 AM</u>
LEASE <u>Foster</u>	WELL # <u>A #10</u>	LOCATION <u>Debuque Church 2 3/4 E</u>			COUNTY <u>Russell</u>	STATE <u>KANSAS</u>	
OLD OR <u>NEW</u> (Circle one)		<u>Y4B 1/2 E 3/4 N, E, + W. INTO</u>					

CONTRACTOR WARREN DRG. Rig # 10

TYPE OF JOB PRODUCTION STRING

HOLE SIZE 7 7/8 T.D. 3314'

CASING SIZE 5 1/2 New DEPTH 3313'

TUBING SIZE 14 # DEPTH _____

DRILL PIPE DEPTH _____

TOOL AFU INSERT @ DEPTH 3297'

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT 15.8'

CEMENT LEFT IN CSG. 15.8'

PERFS. _____

DISPLACEMENT 80.45 / BBL

OWNER _____

CEMENT AMOUNT ORDERED 200 SK ASC 2% gel

500 GAL WFR-2 FLUSH

COMMON _____	@ _____	_____
POZMIX _____	@ _____	_____
GEL _____	@ <u>1500</u>	<u>6000</u>
CHLORIDE _____	@ _____	_____
ASC _____	@ <u>200</u>	<u>1180</u>
	@ _____	<u>2360</u>
WFR-2 _____	@ <u>500 gals</u>	<u>100</u>
	@ _____	<u>500</u>

RECEIVED
JUL 17 2006

KCC WICHITA

HANDLING <u>204</u>	@ <u>170</u>	<u>34680</u>
MILEAGE <u>74/sk/mile</u>	@ _____	<u>42840</u>
TOTAL		<u>369520</u>

EQUIPMENT

PUMP TRUCK CEMENTER Glen

398 HELPER GARY

BULK TRUCK

410 DRIVER BOB

BULK TRUCK

_____ DRIVER _____

REMARKS:

Port Collar on #65 collar (680)

Land Plug @ 1,000# (HELD)

Release of AFU HELD.

Shank

CHARGE TO: TEN Gasco Inc.

STREET _____

CITY _____ STATE _____ ZIP _____

SERVICE

DEPTH OF JOB _____	_____
PUMP TRUCK CHARGE _____	<u>14500</u>
EXTRA FOOTAGE _____	@ _____
MILEAGE <u>30</u>	@ <u>500</u> <u>15000</u>
MANIFOLD _____	@ _____
	@ _____
TOTAL <u>16000</u>	

5 1/2 csg.

PLUG & FLOAT EQUIPMENT

<u>Guide Shoe</u>	_____	<u>16000</u>
<u>AFU INSERT</u>	@ _____	<u>23500</u>
<u>5-CENTRALIZERS</u>	@ <u>5000</u>	<u>25000</u>
<u>1-BASKET</u>	@ _____	<u>14000</u>
<u>PORT COLLAR</u>	@ _____	<u>17500</u>
<u>5 1/2 RUBBER PLUG</u>	@ _____	<u>6000</u>
TOTAL		<u>259500</u>

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____

TOTAL CHARGE _____

ALLIED CEMENTING CO., INC.

24115

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

At Band

DATE <u>4-15-06</u>	SEC <u>33</u>	TWP. <u>15</u>	RANGE <u>11</u>	CALLED OUT <u>2:00 PM</u>	ON LOCATION <u>5:00 PM</u>	JOB START <u>8:45 PM</u>	JOB FINISH <u>9:15 PM</u>
LEASE <u>Foster A</u>	WELL # <u>10</u>	LOCATION <u>1 1/4 N of Chaplin 1 1/2 W thru</u>			COUNTY <u>Russell</u>	STATE <u>K</u>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)				<u>Cottage wood, N/into</u>			

CONTRACTOR Warren #10

OWNER Same

TYPE OF JOB Surface

HOLE SIZE 12 1/4" T.D. 305'

CASING SIZE 8 5/8" (New 23) DEPTH 305'

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. 15'

PERFS. _____

DISPLACEMENT 18 1/2 bbls

EQUIPMENT

PUMP TRUCK CEMENTER Tom D
181 HELPER Rich H

BULK TRUCK DRIVER Terry L
341

BULK TRUCK DRIVER _____

REMARKS:

Ran 305' of 8 5/8" csg - Break Circulation -
Mixed 200 lbs Common 390cc 290 del.
Released Plug. Deployed with fresh H₂O.

Cement did circulate

CHARGE TO: Tengasco, Inc.

STREET _____

CITY _____ STATE _____ ZIP _____

1 Hour
3

To Allied Cementing Co., Inc.

You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE

Gary Wagner

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

Gary Wagner

PRINTED NAME

CEMENT

AMOUNT ORDERED 200 lb Common
390cc 290 del

COMMON 200 del @ 9.60 1920.00

POZMIX _____ @ _____

GEL 4 del. @ 15.00 60.00

CHLORIDE 6 del. @ 42.00 252.00

ASC _____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

HANDLING 210 del @ 1.70 357.00

MILEAGE 210 del 07 @ 32 470.00

TOTAL 3059.00

SERVICE

DEPTH OF JOB 305'

PUMP TRUCK CHARGE _____ 735.00

EXTRA FOOTAGE 105 @ .60 63.00

MILEAGE 32 @ 5.00 160.00

MANIFOLD _____ @ _____

_____ @ _____

_____ @ _____

TOTAL 958.00

PLUG & FLOAT EQUIPMENT

1- 8 5/8" Wooden Plug @ 55.00 55.00

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

TOTAL 55.00

ALLIED CEMENTING CO., INC. 24345

TO P.O. BOX 31
RUSSELL, KANSAS 67665

FILE #0
Foster A

SERVICE POINT
Russell

5/12/06	SEC. 33	TWP. 15 S	RANGE 10 W	CALLED OUT	ON LOCATION 11:30 a.m.	JOB START	JOB FINISH 4:40 p.m.
Foster	WELL # A #10	LOCATION Daboye Church 3 1/2 E			COUNTY Russell	STATE KS	
DR NEW (Circle one)		1/4 5 1/4 E N into.					

TRACTOR Express Well Service
 OF JOB R-buckle squeeze
 SIZE _____ T.D. _____
 JOG SIZE 5 1/2 DEPTH _____
 JOG SIZE 2 7/8 DEPTH _____
 PIPE _____ DEPTH _____
Expert tools DEPTH 3078
 MAX 2000 psi MINIMUM _____
 LINE _____ SHOE JOINT _____
 NT LEFT IN CSG. _____
 ACEMENT _____

OWNER _____
 CEMENT Used 25 sks
 AMOUNT ORDERED 150 Com
1- FL-10

COMMON	<u>25</u>	@	<u>960</u>	<u>240.00</u>
POZMIX		@		
GEL		@		
CHLORIDE		@		
ASC		@		
RECEIVED				
JUL 17 2006				
KCC WICHITA				
HANDLING	<u>150</u>	@	<u>170</u>	<u>255.00</u>
MILEAGE	<u>7 1/2/sk/mile</u>			<u>315.00</u>
TOTAL				<u>810.00</u>

EQUIPMENT

TRUCK CEMENTER Shane
109 HELPER Craig Judy
 TRUCK
278 DRIVER Kyle
 TRUCK
 DRIVER _____

REMARKS:

1 1/2 @ 3238 = 4150' 3245 3247'
4 - 3262'
util 25 sks & displaced
+ fluid equalized out and
illed up to 3147 washed clean
increased to 1000 psi & washed
run again pressured up to
10 psi & shut in

SERVICE

DEPTH OF JOB				
PUMP TRUCK CHARGE				<u>860.00</u>
EXTRA FOOTAGE		@		
MILEAGE	<u>30</u>	@	<u>5.00</u>	<u>150.00</u>
MANIFOLD		@		
TOTAL				<u>1010.00</u>

TO: Tengasco Inc.
 STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

_____	@		
_____	@		
_____	@		
_____	@		
_____	@		
TOTAL _____			

Allied Cementing Co., Inc.
 I hereby requested to rent cementing equipment
 and cementer and helper to assist owner or
 contractor to do work as is listed. The above work was
 done to the satisfaction and supervision of owner agent or
 contractor. I have read & understand the "TERMS AND
 CONDITIONS" listed on the reverse side.

Thanks!

TAX _____
 TOTAL CHARGE _____