

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1
September 1999
Form Must Be Typed

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 33365	API No. 15 - 205-26281 - 00 - 00 Corrected					
Name: Layne Energy Operating, LLC	Caughy Wilson					
Address: 1900 Shawnee Mission Parkway	W2 SELW Sec. 8 Two. 30 S. R. 16 7 East West					
City/State/Zip: Mission Woods, KS 66205	2000 feet from S / (N) (circle one) Line of Section					
Purchaser:	2200 feet from E / (W) (circle one) Line of Section					
Operator Contact Person: M. B. Nattrass	Footages Calculated from Nearest Outside Section Corner:					
Phone: (913 ) 748-3987	(circle one) NE SE NW SW					
Contractor: Name: McPherson Drilling	Lease Name: Frankenberry B&B Well #: 6-8					
License: 5675	Field Name: Neodesha					
Wellsite Geologist:	Charalina Chala					
Designate Type of Completion:	Elevation: Ground: 800' Kelly Bushing:					
New Well Re-Entry Workover	Total Depth: 963' Plug Back Total Depth: 953'					
Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at 40' Feet					
Gas SIGW	Multiple Stage Cementing Collar Used? Yes VNo					
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet					
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 960					
Operator:	feet depth to Surface w/ 100 sx cmt.					
Well Name:	CO-DC-7/22/					
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)					
Deepening Re-perf Conv. to Enhr./SWD	Chloride content N/A ppm Fluid volume bbls					
Plug Back Total Depth	Dewatering method used N/A - Air Drilled					
Commingled Docket No						
Dual Completion Docket No	Location of fluid disposal if hauled offsite:					
Other (SWD or Enhr.?) Docket No	Operator Name:					
7/26/2006	Lease Name: License No.:					
1/11/2006         1/12/2006           Spud Date or         Date Reached TD           Completion Date or	Quarter Sec TwpS. R East West					
Recompletion Date Recompletion Date	County: Docket No.:					
Kansas 67202, within 120 days of the spud date, recompletion, workd information of side two of this form will be held confidential for a period of	with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, over or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. If 12 months if requested in writing and submitted with the form (see rule 82-3-gs and geologist well report shall be attached with this form. ALL CEMENTING IIIs. Submit CP-111 form with all temporarily abandoned wells.					
All requirements of the statutes, rules and regulations promulgated to regulation are complete and correct to the best of my knowledge.	ulate the oil and gas industry have been fully complied with and the statements					
Signature: MS Value	KCC Office Use ONLY					
Title: Agent Date: 10/3/06	Letter of Confidentiality Attached					
2nd (1012000	If Denied, Yes Date:					
Subscribed and sworn to before me thisday of	Wireline Log Received					
20 11	Geologist Report Received					
Notary Public: TOOL C. WWW.	UIC Distribution RECEIVED					
12/28/20	UIN 2 6 2000					

My Appl. Exp.

Operator Name: La	yne Energy Oper	ating, LL	.C	Lease	Name:	Frankenberry	B&B	Well #: <u>6-8</u>		
Sec8 Twp	30 S. R. 16	_ <b></b> ✓ Ea	st 🗌 West		y: Wilso				<del></del>	
INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.										
Drill Stem Tests Take			∕es ☑ No		<b>⊘</b> l	og Formati	on (Top), Depth a	and Datum	Sample	
Samples Sent to Geological Survey		☐ Yes ☑ No		N		me		Тор	Datum	
Cores Taken	,	_	res 🗹 No		Paw	nee Lime		531 GL	269	
Electric Log Run (Submit Copy)			∕es ∏No		Excelio Shale			662 GL	138	
List All E. Logs Run:					V SI	nale		731 GL	69	
Compensated Dual Induction	Pensity Neutron				Mine	eral Coal		769 GL	31	
CASING RECORD										
Purpose of String	Size Hote Drilled		ze Casing et (In O.D.)	Weig Lbs.		Setting Depth	Type of Cement	# Sacjs Used	Type and Percent Additives	
Surface	11"	8.625	·	24		40'	Class A	35	Type 1 cement	
Casing	6.75"	4.5 "		10.5		960'	Thick Set	100		
	. <u>.</u>									
		ı	ADDITIONAL	CEMENTI	NG / SQL	JEEZE RECORD	- <del></del>	. —		
Purpose:	Depth Top Bottom	Type of Cement		#Sacks Used		Type and Percent Additives				
Protect Casing Plug Back TD										
Plug Off Zone										
Shots Per Foot	PERFORATI	ON RECOR	RECORD - Bridge Plugs Set/Type			Acid, Fracture, Shot, Cement Squeeze Record				
Spacity Footage of Each Interval Perforated						(Amount and Kind of Material Used) Depth				
	See Attached		· · · · · · · · · · · · · · · · · · ·	·						
								R	ECEIVED	
CIBP 760'						JUN 2 6 2009				
CIBP /60.								J.	0 11 11 11 11 11 11 11	
TUBING RECORD	Size 3/8"	Set At 745'		Packer A	t	Liner Run	Yes 🗸 No	KC	<del>C WICHHA  </del>	
Date of First, Resumen	d Production, SWD or E	nhr.	Producing Meth	od [	Flowing	Pumpin	g Gas Lift	Othe	r (Explain)	
Estimated Production Per 24 Hours	011	Bbis.		Mcf	Wate	er Bb	ls. G	as-Oil Ratio	Gravity	
Disposition of Gas	0 9 42  METHOD OF COMPLETION Production Interval									
☐ Vented	Used on Lease		Open Hole	Perf.		ually Comp.	Commingled			
(If vented, Submit ACO-18.) Uther (Specify)										

**Operator Name:** Layne Energy Operating, LLC.

Lease Name: Frankenberry B&B 6-8

Sec. 8 Twp. 30S Rng. 16E, Montgomery County

**API:** 15-205-26281-00-00

Shots per Foot Perforation Record Acid, Fracture, Shot, Cement Squeeze Record Depth 895.5-897, 768.5-769.5 Bluejacket, Mineral-2700# 20/40 sand, 278 bbls wtr. 768.5-897 400 gal 15% HCl acid. 731-734, 710-711.5 4 Croweburg, Bevier-3800# 20/40 sand, 329 bbls wtr, 710-734 450 gal 15% HCl acid 4 661.5-666.5, 645-648 Mulky, Summit-5800# 20/40 sand, 433 bbls wtr, 800 645-666.5

gal 15% HCl acid

RECEIVED
JUN 2 6 2009
KCC WICHITA