RECEIVED KANSAS CORPORATION COMMISSION

AUG 2 8 2008

Date Commission Expires

CONSERVATION DIVISION WICHITA, KS

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

UIC Distribution

Form ACO-1 September 1999 Form must be Typed

CC Time

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 5952	API NO. 15- 187-20045-000/
Name: BP AMERICA PRODUCTION COMPANY	County STANTON
Address P. O. BOX 3092, WL1-RM 6.128, WL-1	NW - NW - NR - SR Sec. 24 Twp. 278 S.R. 39W [EX]W
City/State/Zip HOUSTON, TX 77253-3092	2565 ' FSI. Feet from S/N (circle one) Line of Section
Purchaser:	1250' 評試 Feet from E/W (circle one) Line of Section
Operator Contact Person: DEANN SMYERS	Footages Calculated from Nearest Outside Section Corner:
Phone (281) 366-4395	(circle one) NE SE NW SW
Contractor: Name:	Lease Name MATER CAS UNIT B Well # 2
License:	Field Name PANOMA
Wellsite Geologist:	Producing Formation CHASE/COUNCIL GROVE
Designate Type of Completion	Elevation: Ground 3140 Kelley Bushing 3148
New Well Re-Entryx Workover	Total Depth 2791 Plug Back Total Depth
Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at Feet
	Multiple Stage Cementing Collar Used? Yes No
Dry Other (Core, WSW, Expl., Cathodic, etc.)	If yes, show depth set Feet
If Workover/Reentry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator: BP AMERICA PRODUCTION COMPANY	feet depth tow/sx cmt.
Well Name: MATER CAS UNIT B WELL NO. 2	Drilling Fluid Management Plan WO - AIT I NOW
Original Comp. Date 07/18/72 Original Total Depth 2791	(Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content ppm Fluid volume bbls
	Dewatering method used
X Commingled Docket No	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	Operator Name
Other (SWD or Enhr?) Docket No.	Lease NameLicense No
02/18/08 03/12/08	Quarter Sec Twp S R E V
Spud Date or Date Reached TD Completion Date or Recompletion Date	County Docket No
Kansas 67202, within 120 days of the spud date, recompletion, wor Information on side two of this form will be held confidential for a per 82-3-107 for confidentiality in excess of 12 months). One copy of all CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with	ith the Kansas Corporation Commission, 130 S. MarkeT - Room 2078, Wichita, kover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. iod of 12 months if requested in writing and submitted with the form (see rule wireline logs and geologist well report shall be attached with this form. ALL hall plugged wells. Submit CP-111 form with all temporarily abandoned wells. ulate the oil and gas industry have been fully complied with and the statements
Title REGULATORY STAFF ASSISTANT Date 06	KCC Office Use ONLY
Notary Public / Mm / MIMIL Con Notar	Letter of Confidentiality Attached If Denied, Yes Date: Wireline Log Received Geologist Report Received

April 30, 2012

Side Two

Operator Name BP AM	ERICA PRODUC	TION COMPA	NX			e MATER GA	S UNIT B	vveii #	· <u></u>	
Sec. <u>24</u> Twp. <u>275</u>	S.R. <u>39₩</u>	East [x West	Co	unty <u>s</u>	STANTON				
INSTRUCTIONS: Shortested, time tool open a temperature, fluid reco Electric Wireline Logs s	and closed, flow very, and flow	ng and shut-in rates if gas t	pressure o surface	s, whether during to	shut-in	pressure reach	ned static level, h	ydrostatic p	pressures, bottom hole	
Drill Stem Tests Taken Yes X No (Attach Additional Sheets.)			x Log Formation (Top), Depth and Datums Sample							
Samples Sent to Geological Survey		Yes	X No	Name			Top Datum			
Cores Taken		☐ Yes	X No							
Electric Log Run (Submit Copy.)		X Yes	□ No	CHA		DOS TER	2313 2581	KE KE		
List All E.Logs Run:				المما	CIL G	AVE.	2301	K	•	
RADIOACTIVITY LOG	- 07/04/197	2								
Purpose of String	Repor Size Hole Drilled	CASING F t all strings set- Size Casin Set (In O.I	conducto		t		Type of Cement	# Sacks Used	Type and Percent Additives	
		Get (iii G.B.)		255.71 C.			Comon			
SURFACE	12-1/4"	8-5/8"		23#		714'	PLITE3%/'C'	385	2%CC:1/4#FLOC	
PRODUCTION	7-7/8"	5-1/2"		14#	C/COLIE	2783	PLITE3%/'C'	530	2%CC:1/4#FLOC	
Purpose Depth Type of Cement #Sacks Used					Type and Percent Additives					
Perforate Protect Casing	Top Bottom						**			
Plug Back TD Plug Off Zone										
· · · · · · · · · · · · · · · · · · ·						l				
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated				Acid, Fracture, Shot, Cement Sqeeze Record (Amount and Kind of Material Used) Depth					
4	2380-2390 / WINFIELD					ACID - 15% HCL ACID / 2000 GALS.				
2436-2456 / TOWANDA				FRAC W/ 157,100# 8/16 BRADY SAND						
2522-2552 / FORT RILEY					& 54,000 GALS 70Q N2 - 03/05/2008					
TUBING RECORD	Size	Set At		Packer	At	Liner Run	Yes	No		
Date of First, Resumed	Production, SV	VD or Enhr.	Produ	cing Metho		•				
03/12/08	<u> </u>		<u> </u>	X Flowin		· • ⊔	as Lift Othe	er (Explain)		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate	er Bbis.	Gas-Oil F	Ratio	Gravity	
Disposition of Gas:	METHOD (OF COMPLETION	ON		<u> </u>		Production Interv	al		
☐ Vented 🔀 Sold	Used on Lo	ease	Open H	lole 🗶 Pe	rforation	Dually C	omp. 🔀 Commin	gled		
(If vented, submit A	ACO-18.)		Other	(Specify)						