# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

#### ORIGINAL Form ACO-1 September 1999 Form Must Be Typed

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 33625	API No. 15 - 051-25492-0000
Name: Hertel Oil Company, LLC	County: Ellis
Address: 704 E. 12th Street 801	80W S/2 S/2 NE Sec. 36 Twp. 13 S. R. 17 East [] West
City/State/Zip: Hays, Kansas 67601	3050 feet from (\$\infty\) / N (circle one) Line of Section
Purchaser:	1400 feet from E)/ W (circle one) Line of Section
Operator Contact Person: Mike Hertel	Footages Calculated from Nearest Outside Section Corner:
Phone: (_785) _628-2445	(circle one) NE SE NW SW
Contractor: Name: Vonfeldt Drilling, Inc.	Lease Name: Jenna Well #: 2
License: 9431	Field Name: wildcat (per seismic)
Wellsite Geologist: Randy Kilian	Producing Formation: Lansing/KC
Designate Type of Completion:	Elevation: Ground: 1980' Kelly Bushing: 1985'
New Well Re-Entry WorkoverRECEIVED	1
✓ OilSWDSIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 213 Feet
Gas ENHR SIGW MAR 1 3 2006	Multiple Stage Cementing Collar Used? XYes No
Dry Other (Core, WSW, Expl., Cathodic Co) WICHIT	o If yes, show depth set Feet
If Workover/Re-entry: Old Well Info as follows:	Alternate II completion, cement circulated from 1155
Operator:	feet depth to surface w/160sks 60/40 6% 6121
Well Name:	·
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan  (Data must be collected from the Reserve Plt)  A IT II MR  (Data must be collected from the Reserve Plt)
Deepening Re-perf Conv. to Enhr/SWD	(Data must be collected from the Reserve Pit)   0-22-08   Chloride content 58000   ppm   Fluid volume 400   bbls
Plug Back Plug Back Total Depth	Dewatering method used Allow to dry and backfill
-	1
•	Location of fluid disposal if hauled offsite:
Dual Completion Docket No.	Operator Name:
Other (SWD or Enhr.?) Docket No	Lease Name: License No.:
1/30/2006 2/5/2006 2/5/2006	Quarter Sec Twp S. R East West
Spud Date or Date Reached TD Completion Date or Recompletion Date	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, workown information of side two of this form will be held confidential for a period of 107 for confidentiality in excess of 12 months). One copy of all wireline logs TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, er or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. I2 months if requested in writing and submitted with the form (see rule 82-3- and geologist well report shall be attached with this form. ALL CEMENTING Submit CP-111 form with all temporarily abandoned wells.
Signature: Signature: 20	KCC Office Use ONLY
Title: Ilanaging Member 3-6-20	Letter of Confidentiality Received
Subscribed and sworn to before me this Lath day of MARCh	If Denied, Yes Date:
2006. 00	Wireline Log Received
Notary Public: Allens M. Duengard	Geologist Report Received UIC Distribution
Date Commission Expires: 3-20-2009	
Same and the same	ARIENE M. BRUNGARDT: NOTARY PUBLIC STATE OF KANSAS My Appl Exp. 3-20-2009

Side Two

.´Well #: ..2 Jenna Operator Name: Hertel County: Ellis Sec...36 Twp. \_ 13 East West INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report. Formation (Top), Depth and Datum Sample Log **Drill Stem Tests Taken** X Yes No (Attach Additional Sheets) Top Datum Name XNo Yes Samples Sent to Geological Survey Yes XNo Cores Taken see enclosed sheet X Yes No Electric Log Run (Submit Copy) List All E. Logs Run: R.A.G./ Micro log X New CASING RECORD Used Report all strings set-conductor, surface, intermediate, production, etc. Size Casing Set (In O.D.) Type and Percent Setting # Sacks Size Hole Weight Lbs. / Ft. Type of Purpose of String Depth Additives Drilled 150 3%cc/2%ge1 213 common 8 5/8 23 121/2 surface ASC 10% 165 asc2%ge1/10%salt 14 3522 7 7/8 5⅓ casing ADDITIONAL CEMENTING / SQUEEZE RECORD Purpose: Depth Type and Percent Additives #Sacks Used Type of Cement Top Bottom Perforate ...X. Protect Casing 60/40 pox, 6% gel 160 60/40 6%ge Plug Back TD 0/1155 Plug Off Zone Acid, Fracture, Shot, Cement Squeeze Record PERFORATION RECORD - Bridge Plugs Set/Type Shots Per Foot (Amount and Kind of Material Used) Specify Footage of Each Interval Perforated Depth Acidized zones with 4500gallons 3438-41/ 3301/05 /3282-86 two 32555-595 Lansing KC Liner Run TUBING RECORD Set At Packer At Yes X No 2 3/8 3490' **Producing Method** Date of First, Resumerd Production, SWD or Enhr. Other (Explain) Flowing X Pumping Gas Lift 06' March 3, Water Bhls Gas-Oil Ratio Gravity Gas Mcf Estimated Production Oil Bbls. Per 24 Hours 30 80-100 5-10 METHOD OF COMPLETION Production Interval Disposition of Gas X Vented Sold Used on Lease Dually Comp. Commingled Open Hole X Perf. (If vented, Submit ACO-18.) Other (Specify)

#### ALLIED CEMENTING CO., INC. 25007

SERVICE POINT: REMIT TO P.O. BOX 31 **RUSSELL, KANSAS 67665** JOB START JOB FINISH RANGE 7:COM 64500 DATE FREELO STATE LOCATION T TO VOLUME OLD OR NEW (Circle one) CONTRACTOR / Cold Dilla **OWNER** TYPE OF JOB Sulec. **CEMENT** HOLE SIZE 124 CASING SIZE 🛠 AMOUNT ORDERED 150 DEPTH 213 **TUBING SIZE DEPTH DRILL PIPE DEPTH** TOOL **DEPTH** PRES. MAX COMMON\_ **MINIMUM** MEAS. LINE **POZMIX** CEMENT LEFT IN CSG. **GEL** PERFS. CHLORIDE DISPLACEMENT 123 Bay RECEIVED. **EQUIPMENT** MAR 1 3 20<del>08</del> **PUMP TRUCK** CEMENTER KCC WICHITA **HELPER BULK TRUCK DRIVER BULK TRUCK** @ **DRIVER** HANDLING\_ Marine Co MILEAGE \_ W 18: 16 **REMARKS:** TOTAL Charles and 我通道 SERVICE હકાં જાપ જો DEPTH OF JOB お 教育 を取る **PUMP TRUCK CHARGE** EXTRA FOOTAGE S. 1. 3. MILEAGE 197 14 MANIFOLD. 5 . 1 . 2 TOTAL **STREET** PLUG & FLOAT EQUIPMENT To Allied Cementing Co., Inc. 25 @ You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or and the second of contractor to do work as is listed. The above work was 2 HARRY TOTAL done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side. TOTAL CHARGE DISCOUNT -SIGNATURE Doug BO PRINTED NAME

# ALLIED CEMENTING CO., INC. 25698

REMIT TO P.O. BOX 31 SERVICE POINT: **RUSSELL, KANSAS 67665** SEC. ON LOCATION RANGE CALLED OUT DATE 2.5-06 LEASE JENNA WELL# LOCATION VICTORIA & I. 70 /21 QLD OR NEW (Circle one) **CONTRACTOR** VOULELAT **OWNER** TYPE OF JOB CEMENT **HOLE SIZE CASING SIZE** DEPTH AMOUNT ORDERED 165 **TUBING SIZE** 10% 52127 SOO GAL DRILL PIPE TOOL PRES. MAX COMMON @ **MINIMUM** MEAS. LINE **SHOE JOINT** POZMIX CEMENT LEFT IN CSG. GEL CHLORIDE PERFS. \_@ **DISPLACEMENT** ASC \_\_\_\_ @ **EQUIPMENT** @ @ PUMP TRUCK CEMENTER\_ @ # 409 BULK TRUCK HELPER @ 318 **DRIVER BULK TRUCK** @ **DRIVER** MILEAGE: **REMARKS:** C 1145 **SERVICE** DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE MANIFOLD PLUG & FLOAT EQUIPMENT To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side. TOTAL CHARGE .

PRINTED NAME

SIGNATURE Long Budy

### ALLIED CEMENTING CO., INC. 25056

SERVICE POINT: REMIT TO P.O. BOX 31 **RUSSELL, KANSAS 67665** Nucr/1 TWP. RANGE CALLED OUT ON LOCATION JOB START JOB FINISH 9:40 9,2 СОШИТУ STATE Victoria LOCATION OLD OR NEW (Circle one) CONTRACTOR EXPA Well **OWNER** TYPE OF JOB Port Colla Usal 160 **HOLE SIZE CEMENT** AMOUNT ORDERED 35 CASING SIZE 5-12 **DEPTH** TUBING SIZE **DEPTH DRILL PIPE DEPTH** TOOL MOST Collar **DEPTH** PRES. MAX **MINIMUM** COMMON MEAS. LINE SHOE JOINT POZMIX CEMENT LEFT IN CSG **GEL** @ PERFS. **CHLORIDE** @ **DISPLACEMENT** ASC @ Floser **EQUIPMENT** @ **PUMP TRUCK** CEMENTER. @ 409 **HELPER** @ **BULK TRUCK** @ 396 @ **BULK TRUCK DRIVER** @ HANDLING 365 MILEAGE. **REMARKS:** SERVICE DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE @ @ MANIFOLD. @ @ CHARGE TO: Here total <u>870°</u> STREET ZIP STATE\_ PLUG & FLOAT EQUIPMENT @ @ @ To Allied Cementing Co., Inc. @ You are hereby requested to rent cementing equipment @ and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was TOTAL \_ done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND TAX. CONDITIONS" listed on the reverse side. TOTAL CHARGE -DISCOUNT -- IF PAID IN 30 DAYS **SIGNATURE** PRINTED NAME