ORIGINAL

9/20/08

CONFIDENTIAL.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 33953	API	lo. 15 - 199-20330-0000	
	COMEIDENTIAL COM	ty: Wallace	
Address: 13220 N MacArthur		Sec. 31 Twp. 11 S. F	R. 41 ☐ East 🗸 West
City/State/Zip: Oklahoma City, OK 73142	357 / U (UU) 132	0 feet from S / (circ	cle one) Line of Section
Purchaser:	<u> </u>	0 feet from E /(W) (cir	rcle one) Line of Section
Operator Contact Person: David E. Rice	Foot	iges Calculated from Nearest Outside Sec	tion Corner:
Phone: (<u>620</u>) <u>624-0156</u>		(circle one) NE SE NW	SW
Contractor: Name: Advanced Drilling Technolog	gies, LLC Leas		_ Well #: 1-31
License: 33532		Name: Wildcat	
Wellsite Geologist:	Prod	ucing Formation: Niobrara	
Designate Type of Completion:	Elev	tion: Ground: 3769' Kelly Bus	hing: 3781'
New Well Re-Entry Workov	ver Tota	Depth: 1160' Plug Back Total Depth:_	1106.70'
OilSWDSIOWTe	emp. Abd. Amo	int of Surface Pipe Set and Cemented at $\underline{2}$	<u>'45'</u> Feet
✓ Gas ENHR SIGW	Mult	ole Stage Cementing Collar Used?	☐Yes ✓ No
Dry Other (Core, WSW, Expl., Catho	odic, etc) If ye	, show depth set	Feet
If Workover/Re-entry: Old Well Info as follows:	If All	ernate II completion, cement circulated from	n
Operator:	feet	depth tow/w/	sx cmt.
Well Name:	Deili	ng Fluid Management Plan	I 1147-20-00
Original Comp. Date: Original Total De	pth: (Date	must be collected from the Reserve Pit)	4 20 11 1 CD 08
Deepening Re-perf Conv	v. to Enhr./SWD Chlo	ide content 7000 ppm Fluid vo	olume bbls
Plug BackPlug Back	k Total Depth Dew	atering method used	.
Commingled Docket No	Loca	tion of fluid disposal if hauled offsite:	
Dual Completion Docket No		·	
Other (SWD or Enhr.?) Docket No		ator Name:	
6/13/07 6/16/07 8/0	12/07	e Name: License	
	inpletion Date of	ter Sec TwpS. R	
Recompletion Date Rec	Cou	ty: Docket No.:	
INSTRUCTIONS: An original and two copies of this Kansas 67202, within 120 days of the spud date, Information of side two of this form will be held confidentiality in excess of 12 months). One of TICKETS MUST BE ATTACHED. Submit CP-4 form	recompletion, workover or condential for a period of 12 monthopy of all wireline logs and geo	version of a well. Rule 82-3-130, 82-3-10 s if requested in writing and submitted with ogist well report shall be attached with this f	06 and 82-3-107 apply. the form (see rule 82-3- form. ALL CEMENTING
All requirements of the statutes, rules and regulations herein are complete and correct to the best of my known		and gas industry have been fully complied	d with and the statements
Signature: David & Rice		KCC Office Use	ONLY
Title: Agent for Raven Date:	10-2-07	Letter of Confidentiality Atta	ached
Subscribed and sworn to before me this $\underline{2nd}_{day}$ of	October	If Denied, Yes Date:	
		Wireline Log Received	RECEIVED
XX 2007 Notary Public: Beck' andrews		Geologist Report Received	RANSAS CORPORATION COMMISSI
1	NOTARY PUBLIC - STATE OF	KANSAS	OCT 0 4 2007
Date Commission Expires:	BECKI ANDRE	NS -	CONSERVATION DIVISION
	y Commission Expires4-2	z-z009	WICHITA, KS
I MY	V CONTINUESTON EXPIRES		

Operator Name: Raven Resources					Lease Name: Westfield Etal			Well #: 1-31				
Sec. 31 Twp	✓ West											
INSTRUCTIONS: S tested, time tool ope temperature, fluid re- Electric Wireline Log	n and closed, flowin covery, and flow rate	g and shut s if gas to	-in pressures, surface test, a	whether s along with	shut-in pre	ssure reached	static level, hydro	ostatic pressur	es, bottom	hole		
Drill Stem Tests Taken Yes (Attach Additional Sheets)			es 🗸 No	✓ No Log Formation (Top), Dep			on (Top), Depth a	and Datum	S	Sample		
Samples Sent to Geological Survey			∕es ☐ No			е		Тор	D	atum		
Cores Taken												
List All E. Logs Run:												
	Dual Spaced No ated Resistivity L ement Bond Log		og									
		Repo		RECORD		ew Used ermediate, produc	tion, etc.					
Purpose of String	Size Hole Drilled	Siz	e Casing	W	eight s. / Ft.	Setting Depth	Type of Cement	# Sacks Used		nd Percent ditives		
Surface	9-1/2"	7"	Set (In O.D.)			245'	Class H	60	7.ddili765			
Production	6-1/8"	4-1/2"		10.5#		1143.05'	Class A	60	2% Calcium Chl			
Purpose: —— Perforate —— Protect Casing —— Plug Back TD —— Plug Off Zone	Depth Type of Cement				rING / SQL	S / SQUEEZE RECORD Sed Type and Percent Additives						
Shots Per Foot			D - Bridge Plu		е	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth						
2		500 gals 7.5% HCL Acid										
	879'-902', 916'-				48,881 gals foam frac, 100,940# 16/30 sanc							
TUBING RECORD Size Set At Pact 2-3/8" 864.30'						Liner Run	Yes ✓ No)				
	d Production, SWD or E	nhr.	Producing Met	hod	Flowing	g Pumpi	ing Gas Li	ft Oth	er (Explain)			
Waiting on pip Estimated Production Per 24 Hours	eline	Bbls.	Gas	Mcf	Wate			Gas-Oil Ratio	(/	Gravity		
Disposition of Gas			Production Inte	rval								
Vented Sold	Used on Lease		Open Hole	Pe	rf. [Dually Comp.	Commingled _					

<u>.</u>

SCHAAL DRILLING, CO. **PO BOX 416 BURLINGTON, CO. 80807** 719-346-8032 FIELD REPORT

SURFACE CASING, DRILLING AND CEMENTING

DRILLING DATE 6-13-07		
WELL NAME & LEASE # Westfield 1-31		
MOVE IN, RIG UP, DIG PITS ETC. DATE 6-12-0	7 TIME 3:00	□AM ⊠ PM
SPUD TIME 7:45 🖾 AM 🗆 PM SHALE DEPTH	H 15 TIME 8:00	⊠ам □РМ
HOLE DIA. 9 1/2 FROM 0 TO 250 TD	TIME 9:30	⊠AM □ PM
CIRCULATE, T.O.O.H., SET 245.45 FT CAS	ING 258.45 KB FT DEP1	Н
6 JOINTS 7 0D #/FT □14 □15.5 ⊠17 □	20 🔲 23	CONFIDENTIAL
PUMP 60 SAC CEMENT 390 GAL.DISP. CI	RC. 2 BBL TO PIT	SEP 2 0 2007
PLUG DOWN TIME 10:30 ⊠AM □PM	DATE 6-13-07	KCC
	PORTLAND CEMENT I/I IT COST \$ 902.42	I ASTM C 150
ELEVATION 3769 +12KB 3781		
PIPE TALLY		
1. 41.00 2. 41.00 3. 40.80 4. 41.00 5. 40.85 6. 40.80 7. 8. 9. 10. 11. 12.		
14. 245.45		RECEIVED KANSAS CORPORATION COMMISSIO

ION COMMISSION

OCT 0 4 2007

CONSERVATION DIVISION WICHITA, KS

A DIVISION OF ADVANCED DRILLING TECHNOLOGIES, LLC.

FIELD SERVICE TICKET
AND INVOICE

LONGHORN CEMENTING CO.

PO. BOX 203

Phone: 970-848-0799 Fax: 970-848-0798

DATE

OG-/6-07

TICKET NO. 1 2 2 0

				_	<u></u>			g				7. em en 4	<i>*</i> _	
DATE OF JOB		DISTRICT	Ç	SEP SI	2007		EW P	OLD C	PROD	INJ W	^{/DW} [CUSTOMER ORDER NO.		
CUSTOMER	Raven	Res	טערנל	2 K(C	LEA		27+4:	ill Ex	1 1-31	्द्रमां :	WELL NO.		
ADDRESS	<u> </u>					cou	JNTY	. 1. 834		STATE	a with	विद्यालय क्षेत्रमार्थी	ioj sati	
СПУ	STATE SERVICE CREW								ille -	Sorge -	M.	1/20	liga Liga	
AUTHORIZED BY						EQI	JIPMENT	UN	5741	//		at mining	W	
TYPE JOB: L phy	Tring DEPTH	FT.	CEMENT I		ık 🛮	SAND D		KS 🗆	TRUCK CALLE	D		DATE AM	IME	
SIZE HOLE:	DEPTH	Fī.	SACKS	BRAND	1YPE	% GEL	ADN	AIXES	ARRIVED AT JO)B		AM AM	MY.	
	NEW B -// DEPTH	FT.	00						START OPERA	TION		AM PM	14	
SIZE & WT. D PIPE OF		FT.		SLURRY: /	<u> </u>	100 /0		(01)	FINISH OPERA	TION		AM PM		
TOP PLUGS	TYPE:					LBS./GA	L. LBS	/GAL.	RELEASED			AM		
			00	SACKS CEM	ENT TREATE	ED WITH 🔦		alc.um	MILES FROM S	STATION TO WELL		PM ·	•	
13,10 1/06	MAX DEPTH	FT.		MAX	PRESSURE		P.S.I	·	<u> </u>					
products, and/or	d is authorized to exec supplies includes all o shall b	f and only t	hese terms	and condit	tions appea	aring on the	front and	back of this of Advanc	document. No ed Drilling Techr	additonal or subst	itute ter	ms and/or con	dition	
ITEM / PRICE REF. NUMBER	MATERIAL, EQUIPMENT AND SERVICES USED							UNIT	NIT QUANTITY UNIT PRICE \$				AMOUNT	
۵۵۱-۲	Poplhih	<u> </u>	-60		·m	Traje			†		T	4200	192	
	FIS POICO	2 1 4	(1		7			· · · · ·			1	1	+	
	7 3 113	7											十	
रळ-२	4175 ALL	ا ۽ مزر	5/12	~ (50)				12		 	† –	267	17	
375-4	His Lackdown Better play									 	+	ಎಎ 6	نال	
300-6	4/1 30=		(-	1113	9		7			1	55.	14	
8-115		· teli.					-	6			 	201	T	
301-12	7: (20		ومر ح		· "			7		i		36	3	
400-Q	Calcum							JU //5				50	1	
		<u>, </u>											T	
								1	RECEIVE	1			十	
		· - · · · · · · · · · · · · · · · · · · 						KANSAS C	PREPARATION C	DMMISSIUN		5239	179	
									CT 0 4 20	h 7		, , ,	十	
ردای	Fee - 54 Mais	r 10	7.1					1-4	1 1 7 20	1	1		\top	
3105	CAMERL	7.5						co	SERVATION UP	807			+	
3115	1D 30' 2001	. 7	7,5						3590MD = 17		1		+-	
2/13	G		<u>ر،ن ت</u>	· · · · · · · · · · · · · · · · · · ·		··					+		+-	
<u> </u>	130 mg	<u> </u>	30.7							L	.1		╁	
ACID DATA:	·····									SUB TO	OTAL			
GAI	GALLONS % ADDITIVES SERVI							RVICE & EQUIPMENT %TAX ON \$						
HCL					[MATER	ALS		%	TAX ON \$			L	
HCL		Λ	1?							TO	OTAL.			
**	1-11	///					•					:		
SERVICE REPRESENTATI	ve//////					E MATER			VED BY: I	1. A.	Can	مه	200/ 0 200	
FIELD SERVICE OF	-/									RACTOR OR AGE	NT)			



September 20, 2007

CONFIDENTIA

Kansas Corporation Commission Oil & Gas Conservation Division 130 S. Main, Room 2078 Wichita, KS 67202

API #15-199-20330-0000

Wichita, KS 67202

RE: Raven Resources
Westfield Etal #1-31
Sec 31-11-41W

To Whom It May Concern:

Wallace Co., KS

Enclosed are the Form ACO-1 Completion Report and cementing tickets for the above-mentioned well.

Please hold all information contained in this well confidential for a period of at least one year.

If you have any further questions, please feel free to give me a call.

Sincerely,

Danid Rice

David Rice, Agent Raven Resources

DR/ba

cc: Raven Recources

Attachments

RECEIVED KANSAS CORPORATION COMMISSION

OCT 0 4 2007