## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACC-1
September 1999
Form Must Be Typed

CONSERVATION DIVISION
WICHTA KS

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 33342	API No. 15 - 205-26360-00-00
Name: Blue Jay Operating, LLC	County: Wilson
Address: 4916 Camp Bowie Blvd., Suite 204	SW SE Sec. 4 Twp. 29 S. R. 14 FEast West
City/State/Zip: Fort Worth, TX 76107	330 feet from (S) / N (circle one) Line of Section
Purchaser: Southeastern Kansas Pipeline Co., LLC	2310 feet from E W (circle one) Line of Section
Operator Contact Person: Rhonda Wilson	Footages Calculated from Nearest Outside Section Corner:
Phone: ( <u>620</u> ) <u>378-3650</u>	(circle one) NE (SE) NW SW
Contractor: Name: Cherokee Wells LLC	Lease Name: Pekrul Well #: A-3
License: 33539	Field Name: Cherokee Basin Coal Gas
Wellsite Geologist: N/A	Producing Formation: See Perforating Record
Designate Type of Completion:	Elevation: Ground: 862 Kelly Bushing: N/A
New Well Re-Entry Workover	Total Depth: 1160 Plug Back Total Depth: N/A
Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at 44.6 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from bottom casing 1220
Operator:	
Well Name:	feet depth to surface  Alt-2 - Dlg w/ 130 sx cmt.
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan  (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content ppm Fluid volume bbls
Plug Back Total Depth	Dewatering method used
Commingled Docket No	
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
4/13/06 4/17/06 6/13/06	Lease Name: License No.:
4/13/06         4/17/06         6/13/06           Spud Date or         Date Reached TD         Completion Date or	Quarter Sec Twp S. R 🗌 East 🗍 West
Recompletion Date Recompletion Date	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, worker information of side two of this form will be held confidential for a period of 107 for confidentiality in excess of 12 months). One copy of all wireline log TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged well	th the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, wer or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 12 months if requested in writing and submitted with the form (see rule 82-3-s and geologist well report shall be attached with this form. ALL CEMENTING s. Submit CP-111 form with all temporarily abandoned wells.
A DI A	
Signature: YWW /// // //	KCC Office Use ONLY
Title: Administrative Assistant U Date: 11/9/06	Letter of Confidentiality Received
OH Nourma	ER If Denied, Yes Date:
	Wireline Log Received
20 Db. A RHOM	NDA WILSON Geologist Report Received
Notary Public: Notary Put	Alic - State of Kansas UIC Distribution RECEIVED
Any Appt. Expires	988010 KANSAS CORPORATION COMMISSION
Date Commission Expires:	NOV 1 4 2006

Operator Name: Blue Jay Operating, LLC  Sec. 4 Twp. 29 S. R. 14			Lease Na	ame: Pekrul		Well #: A-3		
			County: Wilson					
ested, time tool open emperature, fluid reco	and closed, flowing overy, and flow rate	and base of formations g and shut-in pressures s if gas to surface test, final geological well site	, whether shut along with fina	in pressure rea	iched static level, hydro	static pressur	es, bottom hole	
Drill Stem Tests Taken			<b>√</b> Log Fe	ormation (Top), Depth a	Top), Depth and Datum Sampl			
Samples Sent to Geological Survey		☐ Yes ☑ No		Name Driller Log Enclosed		Тор	Datum	
ores Taken lectric Log Run (Submit Copy)		Yes No						
st All E. Logs Run:								
Electric Log Er	nclosed							
		CASIN		New Usace, intermediate,			·····	
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight	l Setti	ng Type of	# Sacks Used	Type and Percen Additives	
Surface	11.25"	8 5/8"	26	44.6	Portland	8		
Long String	6.75*	4 1/2"	13.4	1160	Thick Set Cement	130	See Attached	
,000,000								
•		ADDITION		S / SQUEEZE RE	<u> </u>		<del> </del>	
Purpose:  Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Type of Cement	#Sacks U	sed	Type and F	Percent Additive	S	
Shots Per Foot		ION RECORD - Bridge P Footage of Each Interval F		Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)  Depth				
TUBING RECORD	Size	Set At	Packer At	Liner R	un Yes No	)		
Date of First, Resumero	d Production, SWD or	Enhr. Producing M		Flowing	Pumping Gas L	ift 🔲 Ot	her (Explain)	
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf	Water	Bbis.	Gas-Oil Ratio	Gravity	
Disposition of Gas		COMPLETION	. —		ion Interval	'ANIONE E	ECEIVED	
Vented Sold (If vented, Su	Used on Lease	Open Ho		Dually Con	np. Commingled M	ANSAS CORP	ORATION COMMIS	
						MUM	1 4 2006	

CONSERVATION DIVISION WICHITA, KS

AUTHORIZATION\_