

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

ORIGINAL Form ACO-1  
September 1999  
Form Must Be Typed

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 33342  
Name: Blue Jay Operating, LLC  
Address: 4916 Camp Bowie Blvd., Suite 204  
City/State/Zip: Fort Worth, TX 76107  
Purchaser: Southeastern Kansas Pipeline Co., LLC  
Operator Contact Person: Rhonda Wilson  
Phone: (620) 378-3650  
Contractor: Name: Well Refined Drilling Co., Inc.  
License: 33072  
Wellsite Geologist: N/A

Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SLOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening  Re-perf.  Conv. to Enhr./SWD  
 Plug Back \_\_\_\_\_ Plug Back Total Depth \_\_\_\_\_  
 Commingled \_\_\_\_\_ Docket No. \_\_\_\_\_  
 Dual Completion \_\_\_\_\_ Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?) \_\_\_\_\_ Docket No. \_\_\_\_\_

5/30/06	6/1/06	6/2/06
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 205-26477-00-00  
County: Wilson  
C NW SE Sec. 5 Twp. 28 S. R. 15  East  West  
1980 feet from S N (circle one) Line of Section  
330 feet from E W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:  
(circle one) NE SE NW SW  
Lease Name: Pierpoint Farms Well #: A-5  
Field Name: Cherokee Basin Coal Gas  
Producing Formation: See Perforating Record  
Elevation: Ground: Unknown Kelly Bushing: \_\_\_\_\_  
Total Depth: 1331 Plug Back Total Depth: N/A  
Amount of Surface Pipe Set and Cemented at 45 Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from bottom casing 1327  
feet depth to surface w/ 140 sx cmt.  
AK2-Dg - 9/30/08

**Drilling Fluid Management Plan**  
(Data must be collected from the Reserve Pit)  
Chloride content \_\_\_\_\_ ppm Fluid volume \_\_\_\_\_ bbls  
Dewatering method used \_\_\_\_\_  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Nancy Miller  
Title: Administrative Assistant Date: 11/9/06  
Subscribed and sworn to before me this 9<sup>th</sup> day of NOVEMBER,  
2006  
Notary Public: Rhonda Wilson  
Date Commission Expires: \_\_\_\_\_

**RHONDA WILSON**  
Notary Public - State of Kansas  
My Appt. Expires 9/8/2010

**KCC Office Use ONLY**

N Letter of Confidentiality Received  
If Denied, Yes  Date: \_\_\_\_\_  
Wireline Log Received  
Geologist Report Received  
UIC Distribution \_\_\_\_\_

**RECEIVED**  
KANSAS CORPORATION COMMISSION  
NOV 14 2006

Operator Name: Blue Jay Operating, LLC Lease Name: Pierpoint Farms Well #: A-5  
 Sec. 5 Twp. 28 S. R. 15  East  West County: Wilson

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i>  List All E. Logs Run:  <b>Electric Log Enclosed</b>	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample  Name Top Datum Driller Log Enclosed
--	--

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	11.25"	8 5/8"	26#	45'	Portland	70	
Long String	6.75"	4 1/2"	13.2#	1327	Thick Set Cement	140	See Attached

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth

TUBING RECORD	Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No
---------------	------	--------	-----------	--

Date of First, Resumerd Production, SWD or Enhr.	Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)
--	---

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
-----------------------------------	-----------	---------	-------------	---------------	---------

Disposition of Gas <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify) _____	Production Interval
---	---	---------------------

**RECEIVED**  
**KANSAS CORPORATION COMMISSION**  
**NOV 14 2006**  
 CONSERVATION DIVISION  
 WICHITA, KS

CONSOLIDATED OIL WELL SERVICES, INC.

P.O. BOX 884, CHANUTE, KS 66720

620-431-9210 OR 800-467-8676

TICKET NUMBER 10059

LOCATION EUREKA

FOREMAN RICK LEONARD  
TROY STRICKLER

TREATMENT REPORT & FIELD TICKET  
CEMENT

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
6-2-06	3070	Reedot Farm A-5				Wilson
CUSTOMER GATEWAY TITAN			TRUCK # DRIVER TRUCK # DRIVER			
MAILING ADDRESS P.O. Box 960			445 TROY			
CITY STATE ZIP CODE MEELER OK 74835			441 LARRY			
			437 J.P.			

JOB TYPE Lossing HOLE SIZE 6 3/4 HOLE DEPTH 1331' CASING SIZE & WEIGHT 4 1/2" 12.5# non  
 CASING DEPTH 1327' DRILL PIPE \_\_\_\_\_ TUBING \_\_\_\_\_ OTHER \_\_\_\_\_  
 SLURRY WEIGHT 13.2# SLURRY VOL 42 bbl WATER gal/sk 8.0 CEMENT LEFT in CASING 0'  
 DISPLACEMENT 21.1 bbl DISPLACEMENT PSI 700 PSI 1200 bump plug RATE \_\_\_\_\_

REMARKS: SAFETY MEETING: Rig up to 4 1/2 casing. Break circulation  
w/ 25 bbl fresh water. Pump 4 sks gel-flush, 11 bbl Dye water,  
mixed 140 sks Thickset cement w/ 5# kal-seal per/sk @ 13.2# per/gal.  
WASAWT pump + lines. Release plug. Displace w/ 21.1 bbl fresh water. Final  
pump pressure 700 PSI. Bump plug to 1200 PSI. wait 2 minutes. Release pressure  
Flat held. Good cement return to surface = 7 bbl slurry  
Job complete TEAR Down

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	1	PUMP CHARGE	800.00	800.00
5406	0	MILEAGE 2nd of 2 wells	0	0
1126A	140 sks	Thickset Cement	14.65	2051.00
1110A	700#	Kal-seal 5# per/sk	36#	252.00
1118A	200#	Gel-FLUSH	.14#	28.00
5407		Tan-Mileage Bulk TRK	m/c	275.00
5502C	4 hrs	80 Bbl UR. TRK	90.00	360.00
1123	3000 gal	CITY WATER	12.80 per/1000	38.40
4156	1	4 1/2 Flapper Valve Flat Shoe	129.00	129.00
4129	1	4 1/2 Centralizer	29.00	29.00
4404	1	4 1/2 Tap Rubber Plug	40.00	40.00
		Subtotal		4002.40
		Thank You	6.3%	SALES TAX 166.75
		ESTIMATED TOTAL		4169.15

206990

AUTHORIZATION called by mile

TITLE \_\_\_\_\_

DATE \_\_\_\_\_