

STATE OF KANSAS  
STATE CORPORATION COMMISSION  
Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division,  
State Corporation Commission,  
800 Bittling Building,  
Wichita, Kansas.

RECEIVED  
2-19-35  
FEB 19 1935  
BY

WELL PLUGGING RECORD

OR

FORMATION PLUGGING RECORD

Strike out upper line  
when reporting plugging  
off formations.

NORTH


Locate well correctly on above  
640 A. Plat

Rooks County. Sec. 22 Twp. 10X Rge. (E) 18 (W)

Lease Name Fisher Farm  
 Lease Owner Lario Oil & Gas Company  
 Office Address Wichita, Kansas  
 Character of Well (Oil, Gas or Dry) dry Total Depth of Well 3781 Feet  
 Date, well, completed 10/17/35  
 Application for plugging and log of well filed 10/18/35 193  
 Application for plugging approved 10/19/35 193  
 Plugging Commenced 10/19/35 193  
 Plugging Completed 10/23/35 193  
 Reason for abandonment of well or producing formation dry

If a producing well is abandoned, date of last production X 193

Was permission obtained from the Conservation Commission or its agents before plugging was commenced? yes

Name of Conservation Officer who supervised plugging of this well

Producing formation Depth to top Bottom

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
				20"	25-4	none
				15 1/2"	671-10	671-10
				12 1/2"	1650-0	1588-8
				10"	2628-0	2595-5
				8-1/4"	2973-0	2973-0
				6-5/8"	3395-5	3395-5
				5-3/16"	3665-0	3665-0

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

Pulled 5 3/16" casing and filled w/ mud to 3395 feet  
 Pulled 6 5/8" casing and filled w/ mud to 2973 feet  
 Pulled 8 1/4" casing and filled w/ mud to 2628 feet  
 Pulled 10" casing and filled w/ mud to 1650 feet (Left the shoe joint in hole tallying 32'7")  
 Pulled 12 1/2" casing and filled w/ mud to 672 feet (Left 2-jts of 12 1/2" in hole tallying 61'4")  
 Pulled 15 1/2" casing and bridged hole @ 250 feet and cemented w/ 12 sacks. Left all of 20" casing in hole (tallying 25'4")

(If additional description is necessary use BACK of this sheet)

Does the above conform strictly to the Conservation Division regulations? yes

Was exception made? no If so describe

Correspondence regarding this well should be addressed to F.D. Broadwater  
Address Box 3, Canton, Kansas

STATE OF Kansas, COUNTY OF Sedgewick, ss.

F. D. Broadwater (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) F. D. Broadwater

SUBSCRIBED AND SWORN to before me this 17th day of February, 1936.

My commission expires April 26, 1937 E. C. Beach Notary Public.

Total Depth-3781'  
 Commenced- August 2, 1935  
 Completed- October 18, 1935  
 Contractor-Broadwater Drilling Co.

CASING

20"	25'	4"	10"	2628'
15'	671'	10"	8"	2975'
12'	1650'		6 5/8"	3395'
			5"	3665'

PLUGGING  
 FILE 15-163-03858-0000  
 BOOK PAGE 23 LINE 2

FIGURES INDICATE BOTTOM OF FORMATIONS

clay	10	red shale	1500	lime	2810
sandy clay	15	lime	1545	shale	2845
shale	335	red shale	1624	lime	2850
LOHM 215-22		brown shale	1630	shale	2882
blue shale	385	sandy lime	1662	lime	2898
dark shale	420	red shale	1750	shale	2945
blue shale	470	blue shale	1820	lime	2960
sandy shale	520	lime & shale	1845	2960-75	
blue shale	595	blue shale	1875	298-2910	
lime & shale	620	silt	1908	lime	2975
blue shale	630	silt	1979	shale	2998
sand	640	blue shale	1985	lime	3060
SEM 630-40		shale	2010	blue shale	3054
sand	655	lime	2030	lime	3080
NEW 630-35		broken lime	2065	blue shale	3079
?	665	lime	2085	lime	3085
blue shale	675	red shale	2105	blue shale	3100
shale	710	lime	2133	SEM	
sand	730	brown shale & shale	2165	broken lime	3110
LOHM 710-730		shale		shale	3130
sandy shale	750	broken lime	2175	lime	3157
lime	780	shale	2180	shale	3167
shale	797	red shale	2196	lime	3182
red shale	800	lime	2200	broken lime	3202
sand	805	red shale	2220	lime	3248
blue shale	815	broken lime	2242	3252-3248	
sandy shale	820	SEM 2225		lime	3235
brown sand	860	lime	2267	shale	3260
blue shale	878	sandy lime	2272	lime	3285
sand	880	LOHM 2280		shale	3290
blue shale	890	lime	2305	lime	3318
shale	925	broken lime	2421	lime	3372
blue shale	945	lime	2440	blue shale	3380
shale & lime shells	960	lime shells & red)		lime	3398
sandy shale	990	shale	2450	red shale	3405
sand water	935	lime	2475	lime	3432
sand	1030	red shale	2482	shale	3442
600' water 950-85		sandy lime	2490	lime	3457
water sand	1140	lime	2545	shale	3470
red sand	1155	red shale	2547	lime	3475
red shale	1180	broken lime	2552	blue shale	3485
sand	1185	LOHM 2550		lime	3515
red shale	1190	lime	2560	lime	3540
1192-1200		red shale	2590	shale	3545
red sand & shale	1225	green shale	2594	lime	3600
iron	1230	broken lime	2606	show oil 3571-75	
red shale	1245	lime	2632	shale	3605
iron	1260	shale	2655	lime	3635
red shale	1300	red shale	2670	shells, chat & shale	3664
lime iron & sand	1305	lime	2678	chat	3700
red shale	1307	shale & broken lime	2693	chat & red shale	3745
red sand	1325	blue shale	2719	dolomite	3750
red shale	1347	lime	2762	shells, chat & shale	3774
sand	1380	shale	2765	dolomite	3781
red shale	1400	lime	2775	3774-3776 SEM	
red shale & sand	1455	shale	2792	I.D. 3781	
				300' water	
				D & A	

I, G. D. Putnam, being first duly sworn on oath, state that I have knowledge of the facts and matter herein set forth and that the same are true and correct.

G. D. Putnam

Subscribed and sworn before me, the 18th day of October, 1935.

E. O. Fisher  
Notary Public

My commission expires April 26, 1937

PLUGGING	
FILE	SEC 22T. 10. 184
BOOK	PAGE 22. LINE 22