KANSAS CORPORATION COMMISSION ORIGINAL September 1999
OIL & GAS CONSERVATION DIVISION
Form Must Be Typed

WELL HISTORY - DESCRIPTION OF WELL & LEASE

22016	051 API No. 15 - 25508-00-00
Operator: License # 32016	
Name: Pioneer Resources	County: Ellis
Address: 177 W. Limestone Rd.	SW - SWNE - SE Sec. 31 Twp. 12 S. R. 19 East West
City/State/Zip:Phillipsburg, Kansas 67661	<u> </u>
Purchaser: Coffeyville Resources	1070 feet from (E)/ W (circle one) Line of Section
Operator Contact Person: Rodger D. Wells	Footages Calculated from Nearest Outside Section Corner:
Phone: (785_) 543-5556	(circle one) NE (SE) NW SW
Contractor: Name: W-W Drilling LLC	Lease Name; Schoenthaler A Well #: 2
License: 33575	Field Name: Schoenthaler
Wellsite Geologist: Randy Killian	Producing Formation: LKC
Designate Type of Completion:	Elevation: Ground: 2164 Kelly Bushing: 2169
X New Well Re-Entry Workover	Total Depth: 3927 Plug Back Total Depth: 3926
Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at233Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator:	feet depth to w/ sy cmt
Well Name:	A1+2 - DIG - 11-14-08
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan
	(Data must be collected from the Reserve Pit)
DeepeningRe-perfConv. to Enhr./SWD	Chloride content ppm Fluid volume bbls
Plug BackPlug Back Total Depth	Dewatering method used
Commingled Docket No.	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	Operator Name:
Other (SWD or Enhr.?) Docket No	Lease Name: License No.:
5-5-06 5-11-06 6-13-06	
Spud Date or Date Reached TD Completion Date or Recompletion Date	County: Docket No.: East West
Kansas 67202, within 120 days of the spud date, recompletion, workon information of side two of this form will be held confidential for a period of	th the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, ver or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 12 months if requested in writing and submitted with the form (see rule 82-3-13) and geologist well report shall be attached with this form. ALL CEMENTING Is. Submit CP-111 form with all temporarily abandoned wells.
all requirements of the statutes, rules and regulations promulgated to regulation are complete and correct to the best of my knowledge.	late the oil and gas industry have been fully complied with and the statements
signature: Well	KCC Office Use ONLY
itle: DWNey Date: 7-/9,0	Letter of Confidentiality Attached
subscribed and sworn to before me this 19 day of July	If Denied, Yes Date:
9 2004	Wireline Log Received
	Geologist Report Received RECEIVED
lotary Public: GAYLA McCRE	
Pate Commission Expires: State of Kansa My Appt. Exp 3 +	18
1	KCC WICHITA

Cores Taken Electric Log Run (Submit Copy) List All E. Logs Run: Dua Dua	nportant tops ar closed, flowing , and flow rates eyed. Attach fir	nd base of and shut- if gas to s nal geolog	formations pein pressures, surface test, alical well site r	enetrated whether long with	. Detail a shut-in pre	Il cores. Report	static level, hydro	f drill stems te estatic pressure	sts giving es, bottom	interval hole	
tested, time tool open and temperature, fluid recovery, Electric Wireline Logs surverse and temperature, fluid recovery, Electric Wireline Logs surverse and the survey and	closed, flowing, and flow rates eyed. Attach fir	and shut- if gas to s nal geolog	in pressures, s surface test, a ical well site r	whether long with	shut-in pre	essure reached s	static level, hydro	static pressure	es, bottom	hole	
(Attach Additional Sheets Samples Sent to Geologica Cores Taken Electric Log Run (Submit Copy) List All E. Logs Run: Dua Dua Mic Purpose of String Production Purpose: — Perforate — Protect Casing	•	∑ Ye	s No							copy of all	
Cores Taken Electric Log Run (Submit Copy) List All E. Logs Run: Dua Dua Mic Purpose of String Production Purpose: ——Perforate ——Protect Casing	al Survey					Log Formation (Top), Depth and Datum			Sample		
Cores Taken Electric Log Run (Submit Copy) List All E. Logs Run: Dua Dua Mic Purpose of String Production Purpose: ——Perforate ——Protect Casing	,	Samples Sent to Geological Survey				Name Anhy.		Тор 1520		Datum +649	
(Submit Copy) List All E. Logs Run:		en Yes X No Bas			Bas	e 1557 +612					
Purpose of String Production Purpose: Perforate Protect Casing	Electric Log Run			Hee	peka 3199 -1034 ebner 3435 -1266 conto 3455 -1286			6			
Purpose: — Perforate — Protect Casing	List All E. Logs Run: Dual Induction Dual Compensated Microlog			Lansing BKC Marm Arb.			34 37 38 38	3475 3722 3811 3898 3927		-1200 -1306 -1553 -1642 -1725 -1758	
Purpose: — Perforate — Protect Casing		· -	CASING		_	_					
Purpose: Perforate Protect Casing	Size Hole Drilled	Size	t all strings set-c Casing (In O.D.)	w	surface, into eight s. / Ft.	ermediate, product Setting Depth	Type of Cement	# Sacjs Used		nd Percent ditives	
Perforate Protect Casing	8"	5 ½		1	4	3908	ASC	150	2%	Gel	
Perforate Protect Casing											
Perforate Protect Casing			ADDITIONAL	CEMENT	ring / sqi	JEEZE RECORD					
Plug Off Zone	Depth Top Bottom	Туре	of Cement	#Sac	ks Used		Type and F	Percent Additives			
Shots Per Foot			D - Bridge Plug ach Interval Per		е		cture, Shot, Cemen		rd	Depth	
24 3	4 3829-3833				500 Mud Acid						
8 36	3674-3676					250 Gal. Mud 1000 Gal NE					
12 35	557-3560			250 Gal.	. Mud 10	00 Gal	NE				
16 35	10 - 351					250 Gal.	. Mud l	000 Gal	. NE		
TUBING RECORD S	<u>326 – 33</u> Size 2 5/8	Set At	80	Packer	At	Liner Run					
Date of First, Resumerd Produ			Producing Meth	nod							
6-25-06 Estimated Production Per 24 Hours		Bbls.	Gas	Mcf	Flowin	er Bi		tt Oth Gas-Oil Ratio	er (Explain)	Gravity	
Disposition of Gas	8 BO	OMPLETIO	N		70	BW Production Inter	val				
	ised on Lease] 	Open Hole Other (Specia	∑ Pe	nt. 🔀 t	Oually Comp.	Commingled _				

ALLIED CEMENTING CO., INC. 24343

	ELL, KA	NSAS 676	65		SERVICE POINT:			
DATE 5/1/16	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION	JOB START	JOB FINISH	
Jenoca Inder	WELL#	A			<u> </u>	COUNTY	STATE	
QLD OR NEW (Cir			LOCATION 7.00	arah. of E-10	· SON	7=77.	K 3	
CONTRACTOR /	1	27				_		
TYPE OF JOB	odac !			OWNER				
HOLE SIZE	<i>'</i>	T.D.		CEMENT				
CASING SIZE	12/9	DEF	TH 3908	•	DERED / 1	11 11	٠٠٠ مير ٠٠٠	
TUBING SIZE		DEF		_ 500 Gs	1 WFR-2	·// // // // // // // // // // // // //		
DRILL PIPE TOOL		DEP						
PRES. MAX		DEP		<u></u>				
MEAS. LINE			IMUM DE JOINTE (_ COMMON		_@		
CEMENT LEFT IN	CSG	<u> </u>	E JOINT / 6	POZMIX		_@		
PERFS.		. V.		_ GEL		_@		
DISPLACEMENT	DISPLACEMENT 25 AV			_ CHLORIDE		_@		
	FOL	IPMENT		_ ASC				
	LQU	TI TATESTA I					1: 11 4	
PUMP TRUCK C	EMENITI	ER JAGO		-		_@ @		
	ELPER	Acres (Constitution of the Constitution of the	" " " Jody			@		
BULK TRUCK	SEX EIX	12.5	2 1000			· @		
# 345 DI	RIVER	51 20				@		
BULK TRUCK				-		@		
#DI	RIVER					@		
				HANDLING_		@		
	REM	IARKS:		MILEAGE				
<u></u>		ر از				TOTAL		
Luser + Ca		35.7			SERVIC	E		
Carrel a				DEPTH OF JOB				
C Trapped in	And the second	<i>(</i> -)	1400,00	PUMP TRUCK (CHARGE			
2/12/1	11	111		EATRA FOOTA	GE	<u>@</u>		
		2.7		MILLEAGE		@		
				MANIFOLD		@		
						@		
HARGE TO:		- Paris				@		
	•	1167	Que Corre					
TREET						TOTAL _		
ITY	STAT	TE	ZIP	Dī	IIC & ELOATE			
				PLUG & FLOAT EQUIPMENT				
		Dr.		RECEI	VED			
				9.6	9	<u>JUL 2</u> 0	2006	
o Allied Cementing	Co., Inc	.			1111 (3)			
ou are hereby reque	sted to	ent cemen	ting equipment	ATE	1000	KCC WI	CHITA	
nd furnish cementer	and hel	per to assis	st owner or	- GU	J J	<u> </u>		
ontractor to do work	cas is lis	sted. The a	above work was	1. E. A.	1			
one to satisfaction a	nd super	vision of	Owner agent or			TOTAL _		
ontractor. I have rea	ıd & unc	lerstand th	e "TERMS AND		,	TOTAL _		
ONDITIONS" lister	d on the	reverse sid	de.	TAX				
: t	1			TOTAL CHARGE				
-4 /A	wiks	7						
₹ %				DISCOUNT		IF PAID II	N 30 DAYS	
TALATELE E	•							
GNATURE		·						
					PRINTED	NAME		

ALLIED CEMENTING CO., INC. 24233

REMIT TO P.O. BOX 31 SERVICE POINT: **RUSSELL, KANSAS 67665** RANGE CALLED OUT ON LOCATION JOB START JOB FINISH 11.00 COUNTY ' WELL# LOCATION NJ OLD OR NEW (Circle one) CONTRACTOR Www. **OWNER** TYPE OF JOB **HOLE SIZE** T.D. **CEMENT** AMOUNT ORDERED 200 Co. CASING SIZE F DEPTH 239 **TUBING SIZE DEPTH** DRILL PIPE DEPTH TOOL DEPTH PRES. MAX COMMON @ MEAS. LINE POZMIX @ CEMENT LEFT IN CSG. ___@ GEL PERFS. CHLORIDE @ **DISPLACEMENT** 19 381 ASC____ @ **EQUIPMENT** @ @ @ **PUMP TRUCK** CEMENTER _____ @ HELPER CARE @ **BULK TRUCK** @ _ @ **BULK TRUCK** @ DRIVER HANDLING @ MILEAGE _ **REMARKS:** TOTAL ____ **SERVICE DEPTH OF JOB** PUMP TRUCK CHARGE EXTRA FOOTAGE _____ @ MILEAGE ___ RECEIVED @ MANIFOLD _ @ @ TOTAL STREET ___ CITY_____STATE ____ZIP____ PLUG & FLOAT EQUIPMENT _ @ _ To Allied Cementing Co., Inc. _ @ _ @ You are hereby requested to rent cementing equipment @_ and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or TOTAL __ contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side. TAX_ TOTAL CHARGE _____ DISCOUNT _____ IF PAID IN 30 DAYS SIGNATURE PRINTED NAME