

**KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION  
WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE**

**ORIGINAL**  
*WV*  
*10/16/08*

Form ACO-1  
September 1999  
Form Must Be Typed

Operator: License # 31790  
Name: Fremont Exploration, Inc.  
Address: 12412 St. Andrews Drive  
City/State/Zip: Oklahoma City, Oklahoma, 73120  
Purchaser: none  
Operator Contact Person: Tom Conroy  
Phone: (405) 936-0012  
Contractor: Name: WV Drilling LLC  
License: 33575  
Wellsite Geologist: Tim Lauer

Designate Type of Completion:  
 New Well     Re-Entry     Workover  
 Oil     SWD     SIOW     Temp. Abd.  
 Gas     ENHR     SIGW  
 Dry     Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_

Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening     Re-perf.     Conv. to Enhr./SWD  
 Plug Back     Plug Back Total Depth  
 Commingled    Docket No. \_\_\_\_\_  
 Dual Completion    Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?)    Docket No. \_\_\_\_\_

<u>9/20/08</u>	<u>9/26/08</u>	<u>9/26/08</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 065-23467-00-00  
County: Graham  
   NW    NE    NE Sec. 1 Twp. 10 S. R. 23  East  West  
330 feet from S / (N) (circle one) Line of Section  
990 feet from (E) W (circle one) Line of Section  
Footages Calculated from Nearest Outside Section Corner:  
(circle one) (NE) SE NW SW  
Lease Name: Stites Well #: 1-1  
Field Name: Vesper  
Producing Formation: none  
Elevation: Ground: 2409 Kelly Bushing: 2414  
Total Depth: 3940 Plug Back Total Depth: \_\_\_\_\_  
Amount of Surface Pipe Set and Cemented at 218 Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from \_\_\_\_\_  
feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

**Drilling Fluid Management Plan** *P+A AIT I NR*  
(Data must be collected from the Reserve Pit) *11-14-08*  
Chloride content 5800 ppm: Fluid volume 1640 bbls  
Dewatering method used Air dry, backfill  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: *Tom Conroy*  
Title: Agent Date: 10-14-08  
Subscribed and sworn to before me this 14<sup>th</sup> day of October,  
20 08.

Notary Public: *Sandy Tarrant*  
Date Commission Expires: 7-27-08  
**SANDY TARRANT**  
Notary Public  
State of Oklahoma  
Commission # 00012405 Expires 07/27/12

**KCC Office Use ONLY**

Letter of Confidentiality Received  
 If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution

**RECEIVED**  
**KANSAS CORPORATION COMMISSION**  
**OCT 16 2008**  
**CONSERVATION DIVISION**  
**WICHITA, KS**

Operator Name: FREMONT EXPLORATION, INC. Lease Name: STITES Well #: 1-1  
 Sec. 1 Twp. 10 S. R. 23  East  West County: GRAHAM

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken  Yes  No  
 (Attach Additional Sheets)  
 Samples Sent to Geological Survey  Yes  No  
 Cores Taken  Yes  No  
 Electric Log Run  Yes  No  
 (Submit Copy)

List All E. Logs Run:

**RADIATION GUARD**

<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
Name	Top	Datum
TOPEKA	3487	-1073
HEEBNER	3648	-1234
TOTONTO	3671	-1257
LANSING	3682	-1268
BKC	3910	-1496
TD	3940	-1526

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./ Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
SURFACE	12 1/4	8 5/8	23#	218	COMMON	165	3% CC, 2% gel

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
____ Perforate				
____ Protect Casing				
____ Plug Back TD				
____ Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth

TUBING RECORD	Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No

Date of First, Resumerd Production, SWD or Enhr.	Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)

Estimated Production Per 24 Hours	Oil Bbbs.	Gas Mcf	Water Bbbs.	Gas-Oil Ratio	Gravity

Disposition of Gas  Vented  Sold  Used on Lease (If vented, Submit ACO-18.)  
 METHOD OF COMPLETION  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify) \_\_\_\_\_  
 Production Interval \_\_\_\_\_

RECEIVED  
 KANSAS CORPORATION COMMISSION

OCT 16 2008

CONSERVATION DIVISION  
 WICHITA, KS

REMIT TO  
RR 1 BOX 90'D  
HOXIE KS 67740

SCHIPPERS OIL FIELD SERVICE L.L.C.

256

DATE <i>9/1/08</i> SEC. <i>1</i>	RANGE/TWP. <i>10/2</i>	CALLED OUT	ON LOCATION	JOB START	JOB FINISH
				COUNTY <i>HH</i>	STATE <i>KS</i>
LEASE <i>S/1-1</i>		WELL # <i>1</i>			

CONTRACTOR <i>W W</i>	<i>8</i>	OWNER <i>Fremont</i>			
TYPE OF JOB					
HOLE SIZE <i>17 1/4</i>	T.D. <i>219</i>	CEMENT <i>165</i>			
CASING SIZE <i>8 5/8</i>	DEPTH <i>218</i>	AMOUNT ORDERED			
TUBING SIZE	DEPTH				
DRILL PIPE <i>4 1/2</i>	DEPTH				
TOOL	DEPTH				
PRES. MAX	MINIMUM	COMMON <i>115</i>	@ <i>133</i>	<i>221975</i>	
DISPLACEMENT	SHOE JOINT	POZMIX	@		
CEMENT LEFT IN CSG.		GEL <i>13</i>	@ <i>17.54</i>	<i>52</i>	
PERFS		CHLORIDE <i>5</i>	@ <i>52</i>	<i>260</i>	
		ASC	@		
EQUIPMENT			@		
			@		
PUMP TRUCK			@		
# <i>Serial</i>			@		
BULK TRUCK			@		
# <i>Day</i>			@		
BULK TRUCK			@		
#			@		
		HANDLNG	@ <i>17</i>	<i>227</i>	
		MILEAGE <i>46</i>	@ <i>15.2</i>	<i>716</i>	
		TOTAL			

REMARKS	SERVICE <i>Stand</i>		
	DEPT OF JOB	@	
<i>Cement pit</i>	PUMP TRUCK CHARGE	@	<i>950</i>
	EXTRA FOOTAGE	@	
	MILEAGE <i>41</i>	@ <i>17</i>	<i>716</i>
<i>W. Down @ 4:45 PM</i>	MANIFOLD	@	<i>100</i>
		@	
	RECEIVE	TOTAL	

KANSAS CORPORATION COMMISSION

OCT 16 2008

CONSERVATION DIVISION  
WICHITA, KS

CHARGE TO: <i>Fremont</i>	
STREET	STATE
CITY	ZIP

To: Schippers Oil Field Service LLC

You are hereby requested to rent cementing equipment and furnish staff to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

PLUG & FLOAT EQUIPMENT	
<i>8 5/8</i>	@ <i>62</i>
	@
	@
	@
	@
TOTAL	
TAX	
TOTAL CHARGE	
DISCOUNT (IF PAID IN 20 DAYS)	

SIGNATURE

*Rich Halyard*

PRINTED NAME

*Rich Halyard*

REMIT TO  
RR 1 BOX 90D  
HOXIE KS 67740

SCHIPPERS OIL FIELD SERVICE L.L.C.

260

DATE <u>9/26</u> SEC. <u>1</u>	RANGE/TWP. <u>10/23</u>	CALLED OUT	ON LOCATION <u>10/23</u>	JOB START <u>5</u>	JOB FINISH
LEASE <u>Schippers</u>		WELL # <u>1-1</u>		COUNTY <u>11</u>	STATE

CONTRACTOR <u>W.H. 8</u>	OWNER <u>Fromo</u>				
TYPE OF JOB					
HOLE SIZE <u>7 7/8</u>	T.D. <u>3940</u>	CEMENT			
CASING SIZE	DEPTH	AMOUNT ORDERED	<u>205</u>		
TUBING SIZE	DEPTH				
DRILL PIPE <u>4 1/2</u>	DEPTH				
TOOL	DEPTH				
PRES. MAX	MINIMUM	COMMON	<u>123</u>	@ <u>132</u>	<u>1691.25</u>
DISPLACEMENT	SHOE JOINT	POZMIX	<u>82</u>	@ <u>7</u>	<u>574</u>
CEMENT LEFT IN CSG.		GEL	<u>7</u>	@ <u>172</u>	<u>172</u>
PERFS		CHLORIDE		@	
		ASC		@	
EQUIPMENT				@	
		<u>F-10-5001</u>	<u>5.16</u>	@ <u>222</u>	<u>11425</u>
PUMP TRUCK				@	
# <u>Survival</u>				@	
BULK TRUCK				@	
# <u>201</u>				@	
BULK TRUCK				@	
#				@	
				@	
		HANDLING	<u>205</u>	@ <u>172</u>	<u>393</u>
		MILEAGE	<u>46</u>	@ <u>182</u>	<u>8470</u>
		TOTAL			

REMARKS	SERVICE <u>Kansas, Mo.</u>		
<u>1st 2500 1951.50</u>	DEPT OF JOB	@	
<u>2nd 100 1134</u>	PUMP TRUCK CHARGE	@	<u>1350</u>
<u>3rd 40 270</u>	EXTRA FOOTAGE	@	
<u>4th 10 40</u>	MILEAGE <u>46</u>	@ <u>6.50</u>	<u>299</u>
<u>Rad 44k 300</u>	MANIFOLD	@	
		@	
	TOTAL		

RECEIVED  
KANSAS CORPORATION COMMISSION  
OCT 16 2008  
CONSERVATION DIVISION  
WICHITA, KS

CHARGE TO: <u>Fromo</u>	STATE
STREET	ZIP
CITY	

To: Schippers Oil Field Service LLC  
You are hereby requested to rent cementing equipment and furnish staff to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

PLUG & FLOAT EQUIPMENT	
<u>8 3/4</u>	@ <u>69.00</u>
	@
	@
	@
	@
TOTAL	<u>5468.95</u>
TAX	
TOTAL CHARGE	
DISCOUNT (IF PAID IN 20 DAYS)	

SIGNATURE Rick Hildner PRINTED NAME Rick Hildner