

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

W
10/06/08

Operator: License # 3553
Name: Citation Oil & Gas Corp.
Address: P O Box 690688
City/State/Zip: Houston, TX 77269-0688
Purchaser: _____
Operator Contact Person: Mercedes Ponzio
Phone: (281) 517-7528
Contractor: Name: Excell Services, Inc.
License: 8273
Wellsite Geologist: _____

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____

Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back _____ Plug Back Total Depth _____
 Commingled _____ Docket No. _____
 Dual Completion _____ Docket No. _____
 Other (SWD or Enhr.?) _____ Docket No. _____

<u>4/1/2008</u>	<u>6/3/2008</u>	<u>9/24/2008</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 051-25762-0000
County: Ellis
NE NE SE Sec. 21 Twp. 11 S. R. 18 East West
2310' feet from (S) N (circle one) Line of Section
330' feet from (E) W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE (SE) NW SW
Lease Name: Wasinger Well #: 22
Field Name: Bemis Shutts


Producing Formation: Arbuckle
Elevation: Ground: 2005' Kelly Bushing: 2011'
Total Depth: 3536' Plug Back Total Depth: 3561'
Amount of Surface Pipe Set and Cemented at 0 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set 1255' Feet
If Alternate II completion, cement circulated from 1255'
feet depth to Surface w/ 375 sx cmt.

Drilling Fluid Management Plan AH II NCR
(Data must be collected from the Reserve Pit) 11-18-08
Chloride content 1200 ppm Fluid volume 480 bbls
Dewatering method used Trucking out
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Mercedes Ponzio
Title: Permitting Assistant Date: 10/2/2008
Subscribed and sworn to before me this 1 day of October
20 08.
Notary Public: Sharon L Ward
Date Commission Expires: 11/28/2011



KCC Office Use ONLY

Letter of Confidentiality Received
If Denied, Yes Date: _____

Wireline Log Received
 Geologist Report Received
 UIC Distribution

RECEIVED
KANSAS CORPORATION COMMISSION
OCT 06 2008
CONSERVATION DIVISION
WICHITA, KS

Operator Name: Citation Oil & Gas Corp. Lease Name: Wasinger Well #: 22
 Sec. 21 Twp. 11 S. R. 18 East West County: Ellis

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
 (Attach Additional Sheets)
 Samples Sent to Geological Survey Yes No
 Cores Taken Yes No
 Electric Log Run Yes No
 (Submit Copy)

Log Formation (Top), Depth and Datum Sample
 Name Top Datum

List All E. Logs Run:

Dual Compensated Porosity Log, Microresistivity Log, Dual Induction Log, Computer Processed Interpretation

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4"	8 5/8"	24#	237'	common	165	3% 2% cc
Production	7 7/8"	5 1/2"	15.5#	3523'	ASC	200	6% gel
DV tool				1255'	60/40	375	6% gel

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
	Arbuckle (3523'-3536') Open Hole	2000 gals 15% NEFE HcL	3523'-3500'

TUBING RECORD		Size	Set At	Packer At	Liner Run
		2 7/8"	3453.63	3490' KB	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr.		Producing Method			
9/24/2008		<input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
	283		283		24.9

Disposition of Gas Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled
 (If vented, Submit ACO-18.) Other (Specify) _____

METHCD OF COMPLETION

Production Interval

ALLIED CEMENTING CO., LLC. 30215

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Russell
4-26 | MIDNIGHT 4-27-08

DATE 4-27-08	SEC. 21	TWP. 11	RANGE 18	CALLED OUT	ON LOCATION	JOB START 1:00 AM	JOB FINISH 2:00 AM
LEASE WASSINGER	WELL # 22	LOCATION Hay's N. To Deon Hill Rd.			COUNTY ELLIS	STATE KANSAS	
OLD OR NEW (Circle one)				1 W & N INTO			

CONTRACTOR **Excell Dalg. Rig #10**

TYPE OF JOB **PRODUCTION STRING**

HOLE SIZE **7 7/8** T.D. **3530**

CASING SIZE **5 1/2** **155** DEPTH **3523**

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL **D-V TOOL** DEPTH **1254**

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. _____

PERFS. _____

DISPLACEMENT **30#/BBL**

EQUIPMENT

PUMP TRUCK CEMENTER **Glenn**

398 HELPER **BOB**

BULK TRUCK

396 DRIVER **Rocky - CHRIS**

BULK TRUCK

_____ DRIVER _____

OWNER _____

CEMENT

AMOUNT ORDERED **400 SK 6 3/4 6 1/2 GEL**

1/4 FIO-Seal Per SK

COMMON	240 SK	@ 12.15	2916.00
POZMIX	160 SK	@ 6.80	1088.00
GEL	24 SK	@ 18.25	438.00
CHLORIDE	_____	@ _____	_____
ASC	_____	@ _____	_____
FIO-Seal	100 LB.	@ 2.20	220.00
RECEIVED			
KANSAS CORPORATION COMMISSION			
OCT 06 2008			
CONSERVATION DIVISION			
WICHITA, KS			
HANDLING	434 TOTAL SK	@ 2.05	869.20
MILEAGE	29 Tax Mile	@ .094	1488.24
TOTAL			7019.44

REMARKS:

"TOP STAGE"

Drop DIRT & OPEN D-V TOOL @ 1,000 #.

Circulate Well

LAND TOP Plug @ 1500 # & Closed D.V. Tool

Cement circulated to surface

15 SK @ Rathole

10 SK @ Mouse Hole **THANKS**

CHARGE TO: **Citation Oil & Gas**

STREET _____

CITY _____ STATE _____ ZIP _____

(Cement DID CIRCULATE TO SURFACE)

To Allied Cementing Co., LLC.
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME _____

SIGNATURE **Ed Glenn**

SERVICE

DEPTH OF JOB	_____
PUMP TRUCK CHARGE	1045.00
EXTRA FOOTAGE	@ _____
MILEAGE	@ -NC-
MANIFOLD	@ _____
_____	@ _____
_____	@ _____
_____ TOTAL 1045.00	

PLUG & FLOAT EQUIPMENT

_____	@ _____
_____	@ _____
_____	@ _____
_____	@ _____
_____	@ _____
TOTAL _____	

SALES TAX (If Any) _____

TOTAL CHARGES _____

DISCOUNT _____ IF PAID IN 30 DAYS

ALLIED CEMENTING CO., LLC. 30214

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Russell

DATE <u>4-26-08</u>	SEC. <u>21</u>	TWP. <u>11</u>	RANGE <u>18</u>	CALLED OUT	ON LOCATION	JOB START <u>11:00 PM</u>	JOB FINISH <u>11:30 PM</u>
LEASE <u>Wassinger</u>		WELL # <u>22</u>		LOCATION <u>Hays S. To Dean Hill Rd.</u>		COUNTY <u>Ellis</u>	STATE <u>KANSAS</u>
OLD OR <u>NEW</u> (Circle one)				<u>1 W + N INTO</u>			

CONTRACTOR Excell Dalg. Rig #10

TYPE OF JOB Production Staging (D-V)

HOLE SIZE 7 7/8 T.D. 3530'

CASING SIZE 5 1/2 IS. # 15 DEPTH 3523'

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL Latch Down Plug Assy DEPTH 3484

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT 39.48

CEMENT LEFT IN CSG. 39.48

PERFS. _____

DISPLACEMENT 83 1/8 BBL

EQUIPMENT _____

PUMP TRUCK CEMENTER GLENN

398 HELPER BOB

BULK TRUCK _____

410 DRIVER CHRIS - Rocky

BULK TRUCK _____

_____ DRIVER _____

REMARKS:

"BOTTOM STAGE"

LAND LATCH DOWN PLUG @ 1500 #.

D-V TOOL ON # 57 JT. (1254)

THANKS

CHARGE TO: CITATION Oil & Gas

STREET _____

CITY _____ STATE _____ ZIP _____

To Allied Cementing Co., LLC.
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME _____

SIGNATURE E. Glenn

OWNER _____

CEMENT AMOUNT ORDERED 200 SK ASC, 29 GEL

5# GILSONITE PER SK

500 GAL WFR-2

COMMON _____	@ _____		
POZMIX _____	@ _____		
GEL <u>4</u>	@ <u>18.25</u>	<u>73.00</u>	
CHLORIDE _____	@ _____		
ASC <u>200 SK</u>	@ <u>15.00</u>	<u>3010.00</u>	
<u>GILSONITE 1,000 #</u>	@ <u>75</u>	<u>750.00</u>	
<u>WFR-2 500 GAL</u>	@ <u>1.10</u>	<u>550.00</u>	

RECEIVED _____

KANSAS CORPORATION COMMISSION _____

OCT 06 2008

CONSERVATION DIVISION _____

WICHITA, KS _____

HANDLING <u>280 TOTAL SK</u>	@ <u>2.05</u>	<u>471.50</u>
MILEAGE <u>39 Ton Mile</u>	@ <u>1.09F</u>	<u>807.30</u>
		TOTAL <u>5,661.80</u>

SERVICE

DEPTH OF JOB _____		
PUMP TRUCK CHARGE _____		<u>1763.00</u>
EXTRA FOOTAGE _____	@ _____	
MILEAGE <u>39</u>	@ <u>7.00</u>	<u>273.00</u>
MANIFOLD _____	@ _____	
_____	@ _____	
_____	@ _____	
_____	@ _____	
		TOTAL <u>2036.00</u>

PLUG & FLOAT EQUIPMENT

<u>Guide SHOE</u>	<u>186.00</u>	<u>186.00</u>
<u>10-CENTRALIZERS</u>	@ <u>55.00</u>	<u>550.00</u>
<u>2-BASKETS</u>	@ <u>181.00</u>	<u>362.00</u>
<u>1-D-V TOOL (TILARSON)</u>	@ _____	<u>4280.00</u>
<u>1-LATCH Down Plug Assy</u>	@ <u>449.00</u>	<u>449.00</u>
		TOTAL <u>5,927.00</u>

SALES TAX (If Any) _____

TOTAL CHARGES _____

DISCOUNT _____ IF PAID IN 30 DAYS

Faxed 4-25

ALLIED CEMENTING CO., LLC. 34656

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Russell

DATE <u>4-24-08</u>	SEC. <u>21</u>	TWP. <u>11</u>	RANGE <u>18</u>	CALLED OUT	ON LOCATION	JOB START <u>11:30pm</u>	JOB FINISH <u>12:00am</u>
LEASE <u>Wasinger</u>		WELL # <u>22</u>		LOCATION <u>Hays, 11 N to Deanhill</u>		COUNTY <u>Ellis</u>	STATE <u>Ks</u>
OLD OR <input checked="" type="radio"/> NEW (Circle one)				RD. <u>W side N4E6into</u>			

CONTRACTOR Excell Services

TYPE OF JOB ~~Sub~~ Surface

HOLE SIZE 14 1/4" T.D. 243'

CASING SIZE 8 5/8 DEPTH 236.83

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT 17.15

CEMENT LEFT IN CSG. 17.15

PERFS. _____

DISPLACEMENT 13.9

OWNER _____

CEMENT AMOUNT ORDERED 165 Com. 3% cc
2% Gel

EQUIPMENT

PUMP TRUCK CEMENTER Gary
398 HELPER Bob

BULK TRUCK DRIVER Travis
345

BULK TRUCK DRIVER _____

COMMON	<u>165</u>	@	<u>12.00</u>	<u>2004.75</u>
POZMIX		@		
GEL	<u>3</u>	@	<u>18.25</u>	<u>54.75</u>
CHLORIDE	<u>6</u>	@	<u>51.00</u>	<u>306.00</u>
ASC		@		
RECEIVED				
KANSAS CORPORATION COMMISSION				
OCT 06 2008				
CONSERVATION DIVISION				
WICHITA, KS				
HANDLING	<u>174</u>	@	<u>2.05</u>	<u>356.70</u>
MILEAGE	<u>SR/m/09</u>			<u>548.10</u>
TOTAL				<u>3270.30</u>

REMARKS:

plug landed 800# & Held

Cement Circ.

SERVICE

DEPTH OF JOB			
PUMP TRUCK CHARGE			<u>893.00</u>
EXTRA FOOTAGE		@	
MILEAGE	<u>35</u>	@	<u>7.00</u> <u>245.00</u>
MANIFOLD		@	
TOTAL <u>1138.00</u>			

CHARGE TO: Citation Oil & Gas Corp.

STREET _____

CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

AFU Insert			<u>367.00</u>
3 Centz.		@	<u>60.00</u> <u>180.00</u>
8 5/8" rubber plug		@	<u>110.00</u>
TOTAL <u>657.00</u>			

Thanks!

To Allied Cementing Co., LLC.
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME _____

SIGNATURE [Signature]

SALES TAX (If Any) _____

TOTAL CHARGES _____

DISCOUNT _____ IF PAID IN 30 DAYS

ALLIED CEMENTING CO., LLC. 34635

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: Russell

DATE <u>4-22-08</u>	SEC. <u>21</u>	TWP. <u>11</u>	RANGE <u>18</u>	CALLED OUT	ON LOCATION	JOB START <u>1:00 pm</u>	JOB FINISH <u>1:30 pm</u>
LEASE <u>Wasinger</u>		WELL # <u>22</u>		LOCATION <u>Nays v Dean Hill Rd</u>		COUNTY <u>Elliott</u>	STATE <u>KS</u>
OLD OR <input checked="" type="radio"/> NEW (Circle one)				<u>Winto</u>			

CONTRACTOR Becal

TYPE OF JOB DV Job Top Stage

HOLE SIZE _____ T.D. _____

CASING SIZE 5/2 15.5" DEPTH _____

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL DV Tool #57 DEPTH 1352

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. _____

PERFS. _____

DISPLACEMENT 32 1/4 BK

EQUIPMENT

PUMP TRUCK CEMENTER Craig

366 HELPER Matt

BULK TRUCK

396 DRIVER Chuck

BULK TRUCK

410 DRIVER Neale

REMARKS:

DV Tool #57 @ 1352.

Re-hole 15SK

mouse hole 10SK

Cement Circulated! Plug landed

2000 PSI. Thanks.

CHARGE TO: Citation Oil & Gas

STREET _____

CITY _____ STATE _____ ZIP _____

To Allied Cementing Co., LLC.
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME _____

SIGNATURE [Signature]

OWNER _____

CEMENT (Used 285)

AMOUNT ORDERED 400 60/40 60/10 Gcl
1/4 # F10

COMMON	<u>171</u>	@	<u>12.15</u>	<u>2077.65</u>
POZMIX	<u>114</u>	@	<u>6.80</u>	<u>775.20</u>
GEL	<u>15</u>	@	<u>18.25</u>	<u>273.75</u>
CHLORIDE		@		
ASC		@		
<u>F10 71 lbs</u>		@	<u>2.25</u>	<u>156.20</u>
RECEIVED				
KANSAS CORPORATION COMMISSION				
OCT 06 2008				
CONSERVATION DIVISION				
WICHITA, KS				
HANDLING	<u>415</u>	@	<u>2.05</u>	<u>850.75</u>
MILEAGE	<u>51/4 mi</u>	@	<u>29.00</u>	<u>1307.25</u>
				TOTAL <u>5440.00</u>

SERVICE

DEPTH OF JOB _____

PUMP TRUCK CHARGE _____ 1045.00

EXTRA FOOTAGE _____ @ _____

MILEAGE 35 @ 7.00 M/C

MANIFOLD _____ @ _____

TOTAL 1045.00

PLUG & FLOAT EQUIPMENT

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

TOTAL _____

SALES TAX (If Any) _____

TOTAL CHARGES _____

DISCOUNT _____ IF PAID IN 30 DAYS

ALLIED CEMENTING CO., LLC. 34634

Federal Tax I.D.#

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665

SERVICE POINT:

Russell

DATE 4-22-08 SEC. 21 TWP. 11 RANGE 18 CALLED OUT ON LOCATION JOB START 11:30am JOB FINISH 12:00pm. LEASE Wasinger WELL # 22 LOCATION Hays N Dean Hill Rd COUNTY Ellis STATE KS OLD OR NEW (Circle one) W Into

CONTRACTOR Excell TYPE OF JOB NU Job Bottom Stage HOLE SIZE T.D. 3598 CASING SIZE 5/2 15.5" DEPTH 3596 TUBING SIZE DEPTH DRILL PIPE DEPTH TOOL DV Tool DEPTH 1352 PRES. MAX MINIMUM MEAS. LINE SHOE JOINT 3061 CEMENT LEFT IN CSG. 3061 PERFS. DISPLACEMENT 84 1/2 BL

OWNER CEMENT AMOUNT ORDERED 200 ASC 2% Gel 500gal WFR-2

EQUIPMENT PUMP TRUCK CEMENTER Craig # 366 HELPER Matt BULK TRUCK # 410 DRIVER Neale BULK TRUCK # 396 DRIVER Chuck

Table with columns for material type (COMMON, POZMIX, GEL, CHLORIDE, ASC, WFR-500), unit price, and total cost. Includes a 'RECEIVED' stamp from the Kansas Corporation Commission dated OCT 06 2008 and a Conservation Division stamp for 204 miles with 5K/mi/09.

REMARKS:

Insert Set @ 3580 Plug landed 1500 psi

SERVICE

Table for service charges: DEPTH OF JOB, PUMP TRUCK CHARGE 1763.00, EXTRA FOOTAGE, MILEAGE 35 @ 7.00 = 245.00, MANIFOLD.

CHARGE TO: Citation Oil & Gas STREET CITY STATE ZIP

TOTAL 2008.00

Thanks!

To Allied Cementing Co., LLC. You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PLUG & FLOAT EQUIPMENT: 1 5/2 Guide Shoe (Blue) 186.00, 1 AFO Insert 255.00, 1 Latchdown Assembly 449.00, 2 Limit Clamps @ 27.00 = 54.00, 2 Baskets @ 181.00 = 362.00, 1 DV Tool @ 55.00 = 55.00, 14 Centralizers 770.00, TOTAL 6486.00

SALES TAX (If Any) TOTAL CHARGES DISCOUNT IF PAID IN 30 DAYS

PRINTED NAME SIGNATURE [Signature]