

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1  
September 1999  
Form Must Be Typed

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 30537  
Name: Venture Resources, Inc.  
Address: P.O. Box 101234  
City/State/Zip: Denver CO 80250  
Purchaser: Coffeyville Resources, LLC  
Operator Contact Person: Ron Mackey  
Phone: (303) 722-2899  
Contractor: Name: Amercian Eagle Drilling, LLC  
License: 33493  
Wellsite Geologist: Ron & Greg Mackey

Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SIOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)  
If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening  Re-perf.  Conv. to Enhr./SWD  
 Plug Back \_\_\_\_\_ Plug Back Total Depth \_\_\_\_\_  
 Commingled \_\_\_\_\_ Docket No. \_\_\_\_\_  
 Dual Completion \_\_\_\_\_ Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?) \_\_\_\_\_ Docket No. \_\_\_\_\_

5/26/06 6/2/06 6/8/06  
Spud Date or Date Reached TD Completion Date or Recompletion Date  
*Per oper - rec'd by*


API No. 15 - ~~25535-0000~~ 051-25535-00-00  
County: Ellis  
S/2 SW NW Sec. 7 Twp. 11 S. R. 17  East  West  
2310 feet from S /  (circle one) Line of Section  
640 feet from E /  (circle one) Line of Section  
Footages Calculated from Nearest Outside Section Corner:  
(circle one) NE SE  SW  
Lease Name: Collins-Henderson Well #: 4  
Field Name: Bemis-Shutts  
Producing Formation: Arbuckle  
Elevation: Ground: 1865.5' Kelly Bushing: 1870.5'  
Total Depth: 3500 Plug Back Total Depth: NA  
Amount of Surface Pipe Set and Cemented at 214' Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set 1757.67' Feet  
If Alternate II completion, cement circulated from 1758'  
feet depth to Surface w/ 500 6H2-Dg-11/25/08 <sup>6x cmt.</sup>

**Drilling Fluid Management Plan**  
(Data must be collected from the Reserve Pit)  
Chloride content 48000 ppm Fluid volume 400 bbls  
Dewatering method used Haul liquids to SWD, evaporation  
Location of fluid disposal if hauled offsite:  
Operator Name: Venture Resources, Inc.  
Lease Name: Ridler A-West SWD License No.: 30537  
Quarter NW Sec. 12 Twp. 11 S. R. 18  East  West  
County: Ellis Docket No.: 27752

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: \_\_\_\_\_  
Title: President Date: 8/31/06  
Subscribed and sworn to before me this 31<sup>st</sup> day of August  
2006  
Notary Public: \_\_\_\_\_  
Date Commission Expires: 5-20-2010



**KCC Office Use ONLY**  
 Letter of Confidentiality Received  
If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution

**RECEIVED**  
SEP 05 2006  
KCC WICHITA

Operator Name: Venture Resources, Inc. Lease Name: Collins-Henderson Well #: 4  
 Sec. 7 Twp. 11 S. R. 17  East  West County: Ellis

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <i>(Attach Additional Sheets)</i>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
Samples Sent to Geological Survey	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Name	Top	Datum
Cores Taken	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Anhydrite	1102	+769
Electric Log Run <i>(Submit Copy)</i>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Topeka	2806	-935
List All E. Logs Run:		Heebner	3032	-1161
		LKC	3075	-1204
		BKC	3313	-1442
		Simpson Dol	3350	-1479
		Arbuckle	3370	-1499

DIL, CNL/CDL, Sonic Cement Bond

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4"	8 5/8"	20#	214'	Com	175 sx	3% gel/5% CC
Production	7 7/8"	5 1/2"	14#	3454'	ASC	175 sx	500gals WFR2

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input checked="" type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone	1758'	60/40	500 sx	6% gel, 1/4# flo

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth
4 spf	3371'-3381' HEC	NA	

TUBING RECORD		Size	Set At	Packer At	Liner Run
		2 7/8"	3300'	NA	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr.		Producing Method			
7/11/06		<input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
	23.38	0	1000		32.7

Disposition of Gas  Vented  Sold  Used on Lease *(If vented, Submit ACO-18.)* METHOD OF COMPLETION  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify) \_\_\_\_\_

**RECEIVED**  
 SEP 05 2006  
 KCC WICHITA

# ALLIED CEMENTING CO., INC. 24382

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
Russell

DATE <u>5/24/06</u>	SEC. <u>7</u>	TWP. <u>11</u>	RANGE <u>17</u>	CALLED OUT <u>5:00pm</u>	ON LOCATION <u>6:30pm</u>	JOB START	JOB FINISH <u>10:00AM</u>
COLLINS LEASE Henderson WELL# <u>4</u>				LOCATION <u>HAYSON TUB RD 2E</u>		COUNTY <u>STJ</u>	STATE <u>K</u>
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR American Eagle

TYPE OF JOB SURFACE

HOLE SIZE 12 1/4 T.D. 218

CASING SIZE 8 5/8 DEPTH 249

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. 15

PERFS. \_\_\_\_\_

DISPLACEMENT 13.0 bbl

OWNER \_\_\_\_\_

CEMENT AMOUNT ORDERED 175 bbl Cem 3-2

COMMON	<u>175</u>	@	<u>1065</u>	<u>186375</u>
POZMIX		@		
GEL	<u>3</u>	@	<u>165</u>	<u>4995</u>
CHLORIDE	<u>5</u>	@	<u>4600</u>	<u>23300</u>
ASC		@		

**EQUIPMENT**

PUMP TRUCK CEMENTER Bill

# 39P HELPER GARY

BULK TRUCK # \_\_\_\_\_ DRIVER Bob

BULK TRUCK # \_\_\_\_\_ DRIVER \_\_\_\_\_

**REMARKS:**

Ran 5 bbls of SF pete 217

Rem. w/ 175 bbl Cem 3-2

pump plug w/ 2.8 bbls of water

Cemt did Circ.

CHARGE TO: Venture Res Inc.

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

RECEIVED  
SEP 05 2006  
KOC WICHITA

HANDLING 183 @ 190 34770

MILEAGE 84 / SK / mile 58560

TOTAL 308000

**SERVICE**

DEPTH OF JOB \_\_\_\_\_

PUMP TRUCK CHARGE 81500

EXTRA FOOTAGE @ \_\_\_\_\_

MILEAGE 40 @ 500 20000

MANIFOLD @ \_\_\_\_\_

TOTAL 101500

**PLUG & FLOAT EQUIPMENT**

1-8 1/2 wood plug @ 6000

TOTAL 6000

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Todd E Mersch

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

Todd E Mersch  
PRINTED NAME

# ALLIED CEMENTING CO., INC. 24396

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:

Russell

6-30-06  
DATE 6-3-06 SEC. 7 TWP. 11 RANGE 17 CALLED OUT 5:00 AM ON LOCATION 6:15 AM JOB START 9:30 AM JOB FINISH 9:30 AM  
 LEASE Henderson WELL # 4 LOCATION HAYS NORTH 23C COUNTY Ellis STATE KS  
 OLD OR  NEW (Circle one)

CONTRACTOR American Eagle  
 TYPE OF JOB Prod CSG  
 HOLE SIZE 7 7/8 T.D. 3500  
 CASING SIZE 5 1/2 DEPTH  
 TUBING SIZE DEPTH  
 DRILL PIPE DEPTH  
 TOOL DEPTH  
 PRES. MAX MINIMUM  
 MEAS. LINE SHOE JOINT  
 CEMENT LEFT IN CSG. 218'  
 PERFS.  
 DISPLACEMENT 846 Hs

OWNER  
 CEMENT  
 AMOUNT ORDERED  
175 lbs ASE  
500 G. WFR 2

EQUIPMENT  
 PUMP TRUCK CEMENTER Bill  
 # 409 HELPER Craig  
 BULK TRUCK  
 # DRIVER Kyle  
 BULK TRUCK  
 # DRIVER

COMMON @  
 POZMIX @  
 GEL @  
 CHLORIDE @  
 ASC 175 @ 18.10 2292.50  
WFR-2 500 gals @ 1.00 500.00  
 HANDLING 175 @ 1.90 332.50  
 MILEAGE 84/SK/MILE 560.00  
 TOTAL 3685.00

REMARKS:

Pipe ret c 3454.40  
Shoe pt 2181  
Insert c 3433.  
Pump 500 gal Flus  
Cent w/ 160 lbs  
pump plug w/ 84 lbs of water  
Land plug Flooded hold  
1522 H

SERVICE

DEPTH OF JOB  
 PUMP TRUCK CHARGE 1610.00  
 EXTRA FOOTAGE @  
 MILEAGE 40 @ 5.00 200.00  
 MANIFOLD @  
 @  
 @

CHARGE TO: Venture Res Inc.  
 STREET  
 CITY STATE ZIP

RECEIVED

SEP 05 2006

TOTAL 1810.00

KCC WICHITA  
 PLUG & FLOAT EQUIPMENT

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

#40 1757 Blue

6- Centralizers Turbos @ 60.00 360.00  
 1- Insert AFV @ 250.00  
 1- Port collar @ 1750.00  
 1- Basket @ 150.00  
 1- Guide shoe @ 160.00  
 1- Ribbon plug 65.00  
 TOTAL 2735.00

TAX  
 TOTAL CHARGE  
 DISCOUNT IF PAID IN 30 DAYS

SIGNATURE [Signature]

PRINTED NAME

# ALLIED CEMENTING CO., INC. 24372

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:

Russell

DATE <u>6/8/06</u>	SEC.	TWP.	RANGE	CALLED OUT <u>7:00 a.m.</u>	ON LOCATION <u>8:00 a.m.</u>	JOB START	JOB FINISH <u>2:45 p.m.</u>
LEASE <u>Collins Henderson</u>	WELL# <u>4</u>	LOCATION <u>Hays N to River Rd.</u>			COUNTY <u>Ellis</u>	STATE <u>Ks.</u>	
<input checked="" type="radio"/> OLD <input type="radio"/> NEW (Circle one)			<u>2 1/2 E N &amp; E into</u>				

CONTRACTOR Chito's Well Service  
 TYPE OF JOB Circulate Cement  
 HOLE SIZE \_\_\_\_\_ T.D. \_\_\_\_\_  
 CASING SIZE 5 1/2 DEPTH 3454  
 TUBING SIZE 2 7/8 DEPTH \_\_\_\_\_  
 DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_  
~~FOOT P.C.~~ DEPTH 1736  
 PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_  
 CEMENT LEFT IN CSG. \_\_\_\_\_  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT \_\_\_\_\_

OWNER \_\_\_\_\_  
 CEMENT  
 AMOUNT ORDERED 500 6 3/4 6 1/2 Gel  
1/4 # Flo  
 COMMON 300 @ 1065 3195.00  
 POZMIX 200 @ 580 1160.00  
 GEL 25 @ 1665 416.25  
 CHLORIDE @ \_\_\_\_\_  
 ASC @ \_\_\_\_\_  
 Flaseal 125# @ 200 250.00  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_  
 HANDLING 525 @ 190 997.50  
 MILEAGE 8 1/4 / SK mile 1680.00  
 TOTAL 7698.75

**EQUIPMENT**

PUMP TRUCK CEMENTER Shane  
 # 409 HELPER Craig  
 BULK TRUCK  
 # 396 DRIVER Doug  
 BULK TRUCK  
 # \_\_\_\_\_ DRIVER \_\_\_\_\_

**REMARKS:**  
Tested tools @ 1000 psi  
Opened P.C. Got Circulation  
Mixed 500 sks & displaced  
Cement Circulated  
Displaced 9 bbl. Closed Port collar  
test to 1000 psi. Ran 5 sks  
washed clean came out of Hole

CHARGE TO: Venture  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**SERVICE**

DEPTH OF JOB \_\_\_\_\_  
 PUMP TRUCK CHARGE 955.00  
 EXTRA FOOTAGE @ \_\_\_\_\_  
 MILEAGE 40 @ 500 200.00  
 MANIFOLD @ \_\_\_\_\_  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_  
 TOTAL 1155.00

**RECEIVED**  
 SEP 05 2006  
**KCC WICHITA**

**PLUG & FLOAT EQUIPMENT**

\_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 TOTAL \_\_\_\_\_

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

Thanks!

SIGNATURE \_\_\_\_\_

TAX \_\_\_\_\_  
 TOTAL CHARGE \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

PRINTED NAME \_\_\_\_\_