September 1999 Form Must Be Typed

WELL COMPLETION FORM

WELL HISTORY - DESCRIPTION OF WELL & LEASE

20740	100 04500 0000
Operator: License # 30742	API No. 15 - <u>135-24536-0000</u>
Name: Palomino Petroleum, Inc.	County: Ness
Address: 4924 SE 84th St.	
City/State/Zip: Newton, Kansas 67114-8827	720 feet from S / (N) (circle one) Line of Section
Purchaser: None	2280 feet from (E)/ W (circle one) Line of Section
Operator Contact Person: Klee R. Watchous	Footages Calculated from Nearest Outside Section Corner:
Phone: (<u>316</u>) <u>799-1000</u>	(circle one) NE SE NW SW
Contractor: Name: Pickrell Drilling Company, Inc.	Lease Name: Sorensen Well #: 1
License: 5123	Field Name: Hair West
Wellsite Geologist: Jon R. (Zeb) Stewart	Producing Formation: None
Designate Type of Completion:	Elevation: Ground: 2351 Kelly Bushing: 2356
New Well Re-Entry Workover	Total Depth: 4505 Plug Back Total Depth: Plug Back Total Depth:
Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at 219 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ✓ No
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator:	feet depth tow/sx cmt.
Well Name:	
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content ppm Fluid volume bbls
Plug Back Plug Back Total Depth	Dewatering method used
Commingled Docket No	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	, and the second
Other (SWD or Enhr.?) Docket No	Operator Name:
9/18/06 9/25/06 9/25/06	Lease Name: License No.:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Docket No.:
Information of side two of this form will be held confidential for a period of 1	er or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 2 months if requested in writing and submitted with the form (see rule 82-3-and geologist well report shall be attached with this form. ALL CEMENTING
herein are complete and correct to the best of my knowledge.	te the oil and gas industry have been fully complied with and the statements KCC Office Use ONLY
Signature: Which South and Co. 2000	
Title: President Date: October 26, 2006	Letter of Confidentiality Received
Subscribed and sworn to before me this 26th day of October	If Denied, Yes Date:
20_06	Wireline Log Received RECEIVED
Table & Rauell	Geologist Report Received UCT 2 7 2006
Notary Publich OTARY Public State of Ransas Carla R. Per	Olo Distribution

2009

CARLA R. PENWELL reminission Express 10-6-99

Operator Name: Palomino Petroleum, Inc. Sec. 6 Twp. 20 S. R. 24 East West			Leas	Lease Name: Sorensen			Well #:		
Sec. 6 Twp. 20	S. R. 24	☐ Eas	t 🗸 West	Coun	nty: Ness				
INSTRUCTIONS: Shot tested, time tool open temperature, fluid reco	ow important tops a and closed, flowing overy, and flow rate	and base of and shu s if gas to	of formations pot- t-in pressures, surface test, a	enetrated whether s along with	I. Detail a shut-in pr	III cores. Re essure react	ned static level, hyd	rostatic pressu	res, bottom hole
Drill Stem Tests Taken (Attach Additional S.		✓ Y	′es 🗌 No		Vι	.og Fori	nation (Top), Depth	and Datum	Sample
Samples Sent to Geole	ogical Survey	₹ Y	′es ∏No		Nam Anh			Top 1620	Datum (+ 736)
Cores Taken	,	_ Y	′es ✓ No			y. e Anhy.		1658	(+ 698)
Electric Log Run (Submit Copy)		✓ Y			Tope	•		3432	(-1076)
List All E. Logs Run:					Hee	bner		3754	(-1398)
LIST AIR E. LOGS FIGH.					Tord	onto		3774	(-1418)
Radiation Guar	rd, Sonic				LKC	;		3797	(-1441)
					BKC)		4126	(-1770)
					Mar	maton		4167	(-1811)
		Reno	CASING ort all strings set-	RECORD					
Purpose of String	Size Hole	Siz	ze Casing	W	eight	Setting	Type of	# Sacks	Type and Percent
Surface	12 1/4"	8 5/8"	t (In O.D.)	20#	s. / Ft.	219'	Common	Used 160	Additives 2% gel, 3% c.c.
Carrace	12 1/4	0 3/0		20#		219	Common	100	2 % gei, 3 % c.c.
c.									
			ADDITIONAL	CEMENT	TING / SOI	LEEZE DECA	200		
Purpose:	Depth		ADDITIONAL	T		DEEZE RECI			
Perforate Protect Casing Plug Back TD Plug Off Zone	Top Bottom	Туре	e of Cement	#Sack	ks Used		Type and	Percent Additive	s
Shots Per Foot			RD - Bridge Plug		e	Acid	Fracture, Shot, Ceme	nt Squeeze Reco	ord
	Specify !	ootage of	Each Interval Per	forated			(Amount and Kind of N	Material Used)	Depth
								1	
TUBING RECORD	Size	Set At		Packer	At	Liner Run	Yes ✓ N	o	
Date of First, Resumerd t	Production, SWD or E	nhr.	Producing Met	hod	Flowin	g []Pi	mping Gas L	.ift Oth	ner (Explain)
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat			Gas-Oil Ratio	Gravity
Disposition of Gas	METHOD OF C	OMPLETIC	L ON			Production	Interval		
Vented Sold	Used on Lease		Open Hole	Pe	rf. 🔲 (Dually Comp.	Commingled		RECEIVED
(If vented, Subr	mit ACU-18.)		Other (Speci	ify)					OCT 2 7 2006

KCC WICHITA

LOGS

Pawnee	4238	(-1882)
Ft. Scott	4316	(-1960)
Cherokee Sh.	4339	(-1983)
Miss. Dolo.	4431	(-2075)
LTD	4505	(-2149)

RECEIVED


OCT 2 7 2006

KCC WICHITA

Allied Cementing Co., Inc P.O. Box 31

(

Russell, KS 67665



Invoice Number: 104678

Invoice Date: 09/29/06

Sold Palomino Petroleum , Inc.

To: 4924 SE 84th St.

Newton, KS 67114-8827

Cust I.D....: Palo

P.O. Number..: Sorensen #1 P.O. Date....: 09/29/06

Due Date.: 10/29/06 Terms...: Net 30

Item I.D./Desc.	Qty. Used	Unit	Price	Net	TX
Common Pozmix Gel Handling Mileage 228 sks @.09 per	129.00 86.00 11.00 228.00 14.00 s sk per mi	SKS SKS SKS MILE	10.6500 5.8000 16.6500 1.9000 20.5200	1373.85 498.80 183.15 433.20 287.28	T T T T
FloSeal Rotary Plug Mileage pmp trk	54.00 1.00 14.00	LBS JOB MILE	2.0000 815.0000 6.0000	108.00 815.00 84.00	T T
All Prices Are Net, Payable 30 Days Following Date of Invoice. 1 1/2% Charged Thereafter. If Account CURRENT take Discount of 378.33 ONLY if paid within 30 days from Invoice Date Subtotal: Tax: Payments: Total:					

RECEIVED OCT 2 7 2006 KCC WICHITA

ALLIED CEMENTING CO., INC. 23677

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665	SERVICE POINT:				
	ALLED OUT ON LOCATION JOB START JOB FINISH				
	9:00 Am 1:00 PM 1:15 PM 3:15 PM				
LEASE Sorensen WELL# 1 LOCATION Mess	ty Touth, 6/2 Ness Kansas				
OLDOR NEW (Circle one) west, south	into.				
CONTRACTOR Fickell	OWNER Falomino Petroleum Inc.				
TYPE OF JOB Rotary Plua	The state of the s				
HOLE SIZE 7 78 T.D. 4504	CEMENT				
CASING SIZE DEPTH	AMOUNT ORDERED 2/5 AX 60/40 poz				
TUBING SIZE DEPTH	6% Ger 14 flores perox.				
DRILL PIPE 4/2 XH DEPTH /650' TOOL DEPTH					
PRES. MAX MINIMUM	COMMON/2914 @ 10.65 1373.85				
MEAS. LINE SHOE JOINT	POZMIX _ 86 AU. @ 580 498.80				
CEMENT LEFT IN CSG.	GEL // Au @ 16.65 /83, IS				
PERFS.	CHLORIDE@				
DISPLACEMENT	ASC				
EQUIPMENT	FLO-SEAL SY @ 250 10800				
L.B.					
PUMP TRUCK CEMENTER Druiking	— RECEIVED @				
#/8/ HELPER Rick Haine	OCT 2 7 2006 @				
BULK TRUCK	@ @				
#342 DRIVER Kevin Davis BULK TRUCK	KCC WICHITA @				
# DRIVER	@				
	HANDLING 228 AU @ 1,40 433.70				
REMARKS:	MILEAGE 228 Aut 09 14 287028				
REWARKS:	TOTAL 28942				
15 1650 - 50 ax	SERVICE				
2 800' - 80 AX	DEPTH OF JOB 1650				
750-0-0	PUMP TRUCK CHARGE 815.00				
3 250 - 50 AX	EXTRA FOOTAGE@				
4 60' - 20 AX	MILEAGE 14 @ 6.00 84.00				
Rathole 15 Ax.	MANIFOLD @ RECEIVED @				
	RECEIVED @				
CHARGE TO: Palomino Fetroleum Inc.	OCT 2 7 2006				
	KCC MICHITA TOTAL 899.00				
STREET 4924 SE 84th St.	KCC WICHITA TOTAL & TOTAL				
CITY Newton STATE Kansas ZIP 67114-	DI LIC 9 EL CAMPECALIDAMENTO				
0027	PLUG & FLOAT EQUIPMENT				
Thank you!					
To Allied Companies Co. Inc.	@				
To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment	@				
and furnish cementer and helper to assist owner or	@				
contractor to do work as is listed. The above work was	in the second of				
done to satisfaction and supervision of owner agent or	TOTAL				
contractor. I have read & understand the "TERMS AND					
CONDITIONS" listed on the reverse side.	TAX				
	TOTAL CHARGE				
- A	DISCOUNT IF PAID IN 30 DAYS				
Way Mike The	V Mile Kan				
SIGNATURE / Life / Mera	X / We Kein				

Allied Cementing Co., Inc P.O. Box 31

Russell, KS 67665



Invoice Number: 104564

Invoice Date: 09/22/06

Sold Palomino Petroleum , Inc.

To: 4924 SE 84th St.

Newton, KS 67114-8827

Cust I.D....: Palo

P.O. Number..: Sorenson #1 P.O. Date...: 09/22/06

Due Date.: 10/22/06 Terms...: Net 30

Item I.D./Desc.	Qty. Used	Unit	Price	Net	TX
Common Gel Chloride Handling Mileage min. Surface Mileage pmp trk TWP	160.00 3.00 5.00 168.00 1.00 1.00 14.00	SKS SKS SKS MILE JOB MILE EACH	10.6500 16.6500 46.6000 1.9000 240.0000 815.0000 6.0000	1704.00 49.95 233.00 319.20 240.00 815.00 84.00 60.00	T T E E E E
All Prices Are Ne Date of Invoice.	et, Payable 30 Days Fo	ollowing Sub	total:	3505.15	

All Prices Are Net, Payable 30 Days Following
Date of Invoice. 1 1/2% Charged Thereafter.

If Account CURRENT take Discount of 350.5/
ONLY if paid within 30 days from Invoice Date

Subtotal: 3505.15

Tax....: 108.49

Payments: 0.00

Total...: 3613.64

RECEIVED 0CT 2 7 2006 KCC WICHITA

ALLIECCEMENTING (7)., INC.

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665 SERVICE POINT:

	,						SIDO	Way
DATE 9-18-06	SEC.	TWP.	RANGE	24	CALLED OUT	ON LOCATION 71/5pm	10200	JOB FINISH
Sourson LEASE	WELL#	1	LOCATIO	N	actu 756	12W S.S.	COUNTY	STATE
OLD OR NEW Ci	rcle one)	_						
CONTRACTOR #	0	400	· 0 ·	# 10	OWNED			
CONTRACTOR /		ell 4	mad.	- 70	OWNER			
TYPE OF JOB	Sur	face		24	CEMENT			
HOLE SIZE	12/4	T,D	-	24		DDEDED		
CASING SIZE	878	DEI		. 44	AMOUNT O	RDERED	20/10	
TUBING SIZE		DEI	•			om 3 4ce	IM.	
DRILL PIPE		DEI						***************************************
TOOL		DEI				11001	- 101=	- 1:
PRES. MAX			NIMUM NE LODIT		COMMON_	16004		17040
MEAS. LINE	T 000	SHO	DE JOINT	-	POZMIX _	~ ~ ·	@	1000
CEMENT LEFT IN	CSG.	15			GEL _	314	@_ <u>16.6S</u> _	<u>44.45</u>
PERFS.		11.				SALL	<u> </u>	_233 <i>0</i> 0
DISPLACEMENT		1/2			ASC			
	EQU	JIPMENT					@	
					5=0		@	
PUMP TRUCK	CEMENT	ER 1	WELL	our		ECEIVED	@	<u> </u>
	HELPER			_		CT 2.7.200c	@	
BULK TRUCK					<u>_</u>	CT 2 7 2006	@	-
	DRIVER	()		— KC	C WICHITA	@	
BULK TRUCK						O WIOI IIIA	@	
	DRIVER				THE THE PARTY OF T	116	@	
					— HANDLING		<u> </u>	319.20
					MILEAGE _	14 09 1		240.00
	RE	MARKS:					TOTAI	_ZS46.1S
	سوله	ء 20 م	£					
cuc 8 57	5 CO	w/s	s ou	mp		SERY	ИĆE	
Mux Cemt,		slower	137	11				
cemt dis	cir	ر الم			DEPTH OF J	OB	224	
						CK CHARGE		815.co
)TAGE	@\	
						14	@ 6.00	8400
		-	Than	25			@	
CHARGE TO:	00		0.1					
CHARGE TO:	acon	anol	20				TECNEA I	8990
STREET							IOIAI	L CONTINUE
CITY	51	AIE	Z)	IP		PLUG & FLO	AT EQUIPME	NT
					878 To	pwoop	@ <i>_60,0</i> 0	60.00
							@	
To Allied Cemen	ting Co	Inc					@	
You are hereby re	_		nenting e	auinmen	t		@	
and furnish ceme	_		_				@	
contractor to do		-						
							ТОТАІ	60.00
done to satisfacti		•		_			101711	00.00
contractor. I hav				KWIS AP	TAX			
CONDITIONS"	listed on t	the reverse	e side.		17 17 1			
					TOTAL CHA	ARGE		
					DISCOUNT		IF PA	ID IN 30 DAVS
		1			DISCOUNT		IF PA	אט אני אוו עו
•	mi	// -	NOL	_	1/	1.7	11	
SIGNATURE	v. vy	<u> </u>	ww			like 1	(ern	
						PRÍN	TED NAME	•